

```

1<?xml version="1.0" encoding="UTF-8"?>
2<xs:schema
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns="http://ncts.dgtaxud.ec"
  xmlns:vc="http://www.w3.org/2007/XMLSchema-ver
    sioning"
  targetNamespace="http://ncts.dgtaxud.ec"
  elementFormDefault="unqualified"
  attributeFormDefault="unqualified"
  version="60.4.9" vc:minVersion="1.1">
3
4  <!--===== Complex Types
5  <!--===== DDNTA-6.4.0-v2.00
6  <!--===== NCTS-P6 Phase Definition
7  <!--===== XSD version 60.4.9
8  <!--===== Aligned with DDNTA_RFC-List.42
9
10 <!--=====
11 <!--===== Includes
12
13 <xs:include schemaLocation="doc.xsd" />
14 <xs:include schemaLocation="stypes.xsd" />
15 <xs:include schemaLocation="tcl.xsd" />
16
17 <!--===== Data Group Types
50      <xs:annotation>
51        <xs:documentation>
52          <description value="Global
validation response" />
53          <codeList code="CL027"
type="technical" name="Flag" />
54          <format value="n1" />
55          <optionality value="R" />
56        </xs:documentation>
57      </xs:annotation>
58    </xs:element>
59    <xs:element name="ExportOperation"
maxOccurs="99" type="ExportOperationType05">
60      <xs:annotation>
61        <xs:documentation>
62          <description value="EXPORT
OPERATION" />
63          <optionality value="R" />
64        </xs:documentation>

```

```

1<?xml version="1.0" encoding="UTF-8"?>
2<xs:schema
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns="http://ncts.dgtaxud.ec"
  xmlns:vc="http://www.w3.org/2007/XMLSchema-ver
    sioning"
  targetNamespace="http://ncts.dgtaxud.ec"
  elementFormDefault="unqualified"
  attributeFormDefault="unqualified"
  version="60.9.14" vc:minVersion="1.1">
3
4  <!--===== Complex Types
5  <!--===== DDNTA 6.4.1-v0.10
6  <!--===== NCTS P6 Phase Definition
7  <!--===== XSD version 60.9.14
8  <!--===== Aligned with RFC-List version
DDNTA_RFC-List.44
9
10 <!--=====
11 <!--===== Includes
12
13 <xs:include schemaLocation="doc.xsd" />
14 <xs:include schemaLocation="stypes.xsd" />
15 <xs:include schemaLocation="tcl.xsd" />
16
17 <!--===== Data Group Types
50      <xs:annotation>
51        <xs:documentation>
52          <description value="Global
validation response" />
53          <codeList code="CL027"
type="technical" name="Flag" />
54          <format value="n1" />
55          <optionality value="R" />
56        </xs:documentation>
57      </xs:annotation>
58    </xs:element>
59    <xs:element name="ExportOperation"
maxOccurs="1999" type="ExportOperationType05">
60      <xs:annotation>
61        <xs:documentation>
62          <description value="EXPORT
OPERATION" />
63          <optionality value="R" />
64        </xs:documentation>

```

```

1<?xml version="1.0" encoding="UTF-8"?>
2<xs:schema
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns="http://ncts.dgtaxud.ec"
  xmlns:vc="http://www.w3.org/2007/XMLSchema-ver
    sioning"
  targetNamespace="http://ncts.dgtaxud.ec"
  elementFormDefault="unqualified"
  attributeFormDefault="unqualified"
  version="60.4.16" vc:minVersion="1.1">
3
4  <!--===== Complex Types
5  <!--===== DDNTA-6.4.1-v1.00
6  <!--===== NCTS-P6 Phase Definition
7  <!--===== XSD version 60.4.16
8  <!--===== Aligned with DDNTA_RFC-List.44
9
10 <!--=====
11 <!--===== Includes
12
13 <xs:include schemaLocation="doc.xsd" />
14 <xs:include schemaLocation="stypes.xsd" />
15 <xs:include schemaLocation="tcl.xsd" />
16
17 <!--===== Data Group Types
50      <xs:annotation>
51        <xs:documentation>
52          <description value="Global
validation response" />
53          <codeList code="CL027"
type="technical" name="Flag" />
54          <format value="n1" />
55          <optionality value="R" />
56        </xs:documentation>
57      </xs:annotation>
58    </xs:element>
59    <xs:element name="ExportOperation"
maxOccurs="1999" type="ExportOperationType05">
60      <xs:annotation>
61        <xs:documentation>
62          <description value="EXPORT
OPERATION" />
63          <optionality value="R" />
64        </xs:documentation>

```

```

65     </xs:annotation>
66     </xs:element>
67   </xs:sequence>
68 </xs:complexType>
559   <xs:annotation>
560     <xs:documentation>
561       <description value="Sequence
number" />
562       <format value="n..5" />
563       <optionality value="R" />
564       <xsdBaseType
value="NumericwithoutZero_5" />
565     </xs:documentation>
566   </xs:annotation>
567 </xs:element>
568 <xs:element name="code" minOccurs="0"
type="CodeContentType01">
569   <xs:annotation>
570     <xs:documentation>
571       <description value="Code" />
572       <codeList code="CL752"
type="business"
name="AdditionalInformationCodeSubset" />
573       <format value="an..17" />
574       <optionality value="O" />
575       <xsdBaseType
value="RiskAnalysisResultCode" />
576     </xs:documentation>
577   </xs:annotation>
578 </xs:element>
579 <xs:element name="text" minOccurs="0"
type="TextContentType">
580   <xs:annotation>
581     <xs:documentation>
582       <description value="Text" />
583       <format value="an..512" />
584       <optionality value="O" />
6426 </xs:sequence>
6427 </xs:complexType>
6428 <xs:complexType name="ConsignmentType06">
6429   <xs:annotation>
6430     <xs:documentation>
6431       <usedBy>Used by 1/124 messages:
CC044C</usedBy>
6432     </xs:documentation>
6433   </xs:annotation>
6434   <xs:sequence>
6435     <xs:element name="grossMass"
minOccurs="0" type="GrossMassContentType01">
6436       <xs:annotation>
6437         <xs:documentation>
6438           <description value="Gross mass" />
6439           <format value="n..16,6" />
6440           <optionality value="O" />
6441         <xsdBaseType
value="DecimalWithoutZero_16_6" />
6442       </xs:documentation>
6443     </xs:annotation>
6444   </xs:element>
6445   <xs:element name="referenceNumberUCR"
minOccurs="0"
type="ReferenceNumberUCRContentType02">

```

```

65     </xs:annotation>
66     </xs:element>
67   </xs:sequence>
68 </xs:complexType>
559   <xs:annotation>
560     <xs:documentation>
561       <description value="Sequence
number" />
562       <format value="n..5" />
563       <optionality value="R" />
564       <xsdBaseType
value="NumericwithoutZero_5" />
565     </xs:documentation>
566   </xs:annotation>
567 </xs:element>
568 <xs:element name="code" minOccurs="0"
type="CodeContentType07">
569   <xs:annotation>
570     <xs:documentation>
571       <description value="Code" />
572       <codeList code="CL752"
type="business"
name="AdditionalInformationCodeSubset" />
573       <format value="an..17" />
574       <optionality value="O" />
575       <xsdBaseType
value="Alphanumeric_Max17" />
576     </xs:documentation>
577   </xs:annotation>
578 </xs:element>
579 <xs:element name="text" minOccurs="0"
type="TextContentType">
580   <xs:annotation>
581     <xs:documentation>
582       <description value="Text" />
583       <format value="an..512" />
584       <optionality value="O" />
6426 </xs:sequence>
6427 </xs:complexType>
6428 <xs:complexType name="ConsignmentType06">
6429   <xs:annotation>
6430     <xs:documentation>
6431       <usedBy>Used by 1/124 messages:
CC044C</usedBy>
6432     </xs:documentation>
6433   </xs:annotation>
6434   <xs:sequence>
6435     <xs:element name="grossMass"
minOccurs="0" type="GrossMassContentType02">
6436       <xs:annotation>
6437         <xs:documentation>
6438           <description value="Gross mass" />
6439           <format value="n..16,6" />
6440           <optionality value="O" />
6441         <xsdBaseType
value="DecimalWithZero_16_6" />
6442       </xs:documentation>
6443     </xs:annotation>
6444   </xs:element>
6445   <xs:element name="referenceNumberUCR"
minOccurs="0"
type="ReferenceNumberUCRContentType02">

```

```

65     </xs:annotation>
66     </xs:element>
67   </xs:sequence>
68 </xs:complexType>
559   <xs:annotation>
560     <xs:documentation>
561       <description value="Sequence
number" />
562       <format value="n..5" />
563       <optionality value="R" />
564       <xsdBaseType
value="NumericwithoutZero_5" />
565     </xs:documentation>
566   </xs:annotation>
567 </xs:element>
568 <xs:element name="code" minOccurs="0"
type="CodeContentType07">
569   <xs:annotation>
570     <xs:documentation>
571       <description value="Code" />
572       <codeList code="CL752"
type="business"
name="AdditionalInformationCodeSubset" />
573       <format value="an..17" />
574       <optionality value="O" />
575       <xsdBaseType
value="Alphanumeric_Max17" />
576     </xs:documentation>
577   </xs:annotation>
578 </xs:element>
579 <xs:element name="text" minOccurs="0"
type="TextContentType">
580   <xs:annotation>
581     <xs:documentation>
582       <description value="Text" />
583       <format value="an..512" />
584       <optionality value="O" />
6426 </xs:sequence>
6427 </xs:complexType>
6428 <xs:complexType name="ConsignmentType06">
6429   <xs:annotation>
6430     <xs:documentation>
6431       <usedBy>Used by 1/124 messages:
CC044C</usedBy>
6432     </xs:documentation>
6433   </xs:annotation>
6434   <xs:sequence>
6435     <xs:element name="grossMass"
minOccurs="0" type="GrossMassContentType02">
6436       <xs:annotation>
6437         <xs:documentation>
6438           <description value="Gross mass" />
6439           <format value="n..16,6" />
6440           <optionality value="O" />
6441         <xsdBaseType
value="DecimalWithZero_16_6" />
6442       </xs:documentation>
6443     </xs:annotation>
6444   </xs:element>
6445   <xs:element name="referenceNumberUCR"
minOccurs="0"
type="ReferenceNumberUCRContentType02">

```

```

6446     <xs:annotation>
6447     <xs:documentation>
6448     <description value="Reference
number UCR" />
6449     <format value="an..70" />
6450     <optionality value="O" />
6657     <xs:sequence>
6658     <xs:element name="LocationOfGoods"
minOccurs="0" type="LocationOfGoodsType03">
6659     <xs:annotation>
6660     <xs:documentation>
6661     <description value="LOCATION OF
GOODS" />
6662     <optionality value="D" />
6663     </xs:documentation>
6664     </xs:annotation>
6665     </xs:element>
6666     <xs:element name="HouseConsignment"
type="HouseConsignmentType07">
6667     <xs:annotation>
6668     <xs:documentation>
6669     <description value="HOUSE
CONSIGNMENT" />
6670     <optionality value="R" />
6671     </xs:documentation>
6672     </xs:annotation>
6673     </xs:element>
6674     </xs:sequence>
6675 </xs:complexType>
6995 </xs:element>
6996 <xs:element name="Carrier"
minOccurs="0" type="CarrierType03">
6997 <xs:annotation>
6998 <xs:documentation>
6999 <description value="CARRIER" />
7000 <optionality value="D" />
7001 </xs:documentation>
7002 </xs:annotation>
7003 </xs:element>
7004 <xs:element name="Consignor"
minOccurs="0" type="ConsignorType06">
7005 <xs:annotation>
7006 <xs:documentation>
7007 <description value="CONSIGNOR" />
7008 <optionality value="O" />
7009 </xs:documentation>
7010 </xs:annotation>
7011 </xs:element>
7012 <xs:element name="Consignee"
minOccurs="0" type="ConsigneeType06">
7013 <xs:annotation>
7357 </xs:sequence>
7358 </xs:complexType>
7359 <xs:complexType name="ConsignmentType15">
7360 <xs:annotation>
7361 <xs:documentation>
7362 <usedBy>Used by 1/124 messages:
CD018C</usedBy>
7363 </xs:documentation>
7364 </xs:annotation>
7365 <xs:sequence>

```

```

6446     <xs:annotation>
6447     <xs:documentation>
6448     <description value="Reference
number UCR" />
6449     <format value="an..70" />
6450     <optionality value="O" />
6657     <xs:sequence>
6658     <xs:element name="LocationOfGoods"
minOccurs="0" type="LocationOfGoodsType03">
6659     <xs:annotation>
6660     <xs:documentation>
6661     <description value="LOCATION OF
GOODS" />
6662     <optionality value="D" />
6663     </xs:documentation>
6664     </xs:annotation>
6665     </xs:element>
6666     <xs:element name="HouseConsignment"
maxOccurs="1999"
type="HouseConsignmentType07">
6667     <xs:annotation>
6668     <xs:documentation>
6669     <description value="HOUSE
CONSIGNMENT" />
6670     <optionality value="R" />
6671     </xs:documentation>
6672     </xs:annotation>
6673     </xs:element>
6674     </xs:sequence>
6675 </xs:complexType>
6995 </xs:element>
6996 <xs:element name="Carrier"
minOccurs="0" type="CarrierType03">
6997 <xs:annotation>
6998 <xs:documentation>
6999 <description value="CARRIER" />
7000 <optionality value="D" />
7001 </xs:documentation>
7002 </xs:annotation>
7003 </xs:element>
7004 <xs:element name="Consignor"
minOccurs="0" type="ConsignorType06">
7005 <xs:annotation>
7006 <xs:documentation>
7007 <description value="CONSIGNOR" />
7008 <optionality value="O" />
7009 </xs:documentation>
7010 </xs:annotation>
7011 </xs:element>
7012 <xs:element name="Consignee"
minOccurs="0" type="ConsigneeType06">
7013 <xs:annotation>
7357 </xs:sequence>
7358 </xs:complexType>
7359 <xs:complexType name="ConsignmentType15">
7360 <xs:annotation>
7361 <xs:documentation>
7362 <usedBy>Used by 1/124 messages:
CD018C</usedBy>
7363 </xs:documentation>
7364 </xs:annotation>
7365 <xs:sequence>

```

```

6446     <xs:annotation>
6447     <xs:documentation>
6448     <description value="Reference
number UCR" />
6449     <format value="an..70" />
6450     <optionality value="O" />
6657     <xs:sequence>
6658     <xs:element name="LocationOfGoods"
minOccurs="0" type="LocationOfGoodsType03">
6659     <xs:annotation>
6660     <xs:documentation>
6661     <description value="LOCATION OF
GOODS" />
6662     <optionality value="D" />
6663     </xs:documentation>
6664     </xs:annotation>
6665     </xs:element>
6666     <xs:element name="HouseConsignment"
maxOccurs="1999"
type="HouseConsignmentType07">
6667     <xs:annotation>
6668     <xs:documentation>
6669     <description value="HOUSE
CONSIGNMENT" />
6670     <optionality value="R" />
6671     </xs:documentation>
6672     </xs:annotation>
6673     </xs:element>
6674     </xs:sequence>
6675 </xs:complexType>
6995 </xs:element>
6996 <xs:element name="Carrier"
minOccurs="0" type="CarrierType03">
6997 <xs:annotation>
6998 <xs:documentation>
6999 <description value="CARRIER" />
7000 <optionality value="D" />
7001 </xs:documentation>
7002 </xs:annotation>
7003 </xs:element>
7004 <xs:element name="Consignor"
minOccurs="0" type="ConsignorType13">
7005 <xs:annotation>
7006 <xs:documentation>
7007 <description value="CONSIGNOR" />
7008 <optionality value="O" />
7009 </xs:documentation>
7010 </xs:annotation>
7011 </xs:element>
7012 <xs:element name="Consignee"
minOccurs="0" type="ConsigneeType06">
7013 <xs:annotation>
7357 </xs:sequence>
7358 </xs:complexType>
7359 <xs:complexType name="ConsignmentType15">
7360 <xs:annotation>
7361 <xs:documentation>
7362 <usedBy>Used by 1/124 messages:
CD018C</usedBy>
7363 </xs:documentation>
7364 </xs:annotation>
7365 <xs:sequence>

```



```

7366 <xs:element name="grossMass"
minOccurs="0" type="GrossMassContentType01">
7367 <xs:annotation>
7368 <xs:documentation>
7369 <description value="Gross mass" />
7370 <format value="n..16,6" />
7371 <optionality value="0" />
7372 <xsdBaseType
value="DecimalwithoutZero_16_6" />
7373 </xs:documentation>
7374 </xs:annotation>
7375 </xs:element>
7376 <xs:element name="referenceNumberUCR"
minOccurs="0"
type="ReferenceNumberUCRContentType02">
7377 <xs:annotation>
7378 <xs:documentation>
7379 <description value="Reference
number UCR" />
7380 <format value="an..70" />
7381 <optionality value="0" />
7747 </xs:element>
7748 <xs:element name="Carrier"
minOccurs="0" type="CarrierType03">
7749 <xs:annotation>
7750 <xs:documentation>
7751 <description value="CARRIER" />
7752 <optionality value="D" />
7753 </xs:documentation>
7754 </xs:annotation>
7755 </xs:element>
7756 <xs:element name="Consignor"
minOccurs="0" type="ConsignorType06">
7757 <xs:annotation>
7758 <xs:documentation>
7759 <description value="CONSIGNOR" />
7760 <optionality value="0" />
7761 </xs:documentation>
7762 </xs:annotation>
7763 </xs:element>
7764 <xs:element name="Consignee"
minOccurs="0" type="ConsigneeType06">
7765 <xs:annotation>
7867 </xs:element>
7868 <xs:element name="TransportCharges"
minOccurs="0" type="TransportChargesType01">
7869 <xs:annotation>
7870 <xs:documentation>
7871 <description value="TRANSPORT
CHARGES" />
7872 <optionality value="D" />
7873 </xs:documentation>
7874 </xs:annotation>
7875 </xs:element>
7876 <xs:element name="HouseConsignment"
maxOccurs="1999"
type="HouseConsignmentType11">
7877 <xs:annotation>
7878 <xs:documentation>
7879 <description value="HOUSE
CONSIGNMENT" />
7880 <optionality value="R" />

```

```

7366 <xs:element name="grossMass"
minOccurs="0" type="GrossMassContentType02">
7367 <xs:annotation>
7368 <xs:documentation>
7369 <description value="Gross mass" />
7370 <format value="n..16,6" />
7371 <optionality value="0" />
7372 <xsdBaseType
value="DecimalwithZero_16_6" />
7373 </xs:documentation>
7374 </xs:annotation>
7375 </xs:element>
7376 <xs:element name="referenceNumberUCR"
minOccurs="0"
type="ReferenceNumberUCRContentType02">
7377 <xs:annotation>
7378 <xs:documentation>
7379 <description value="Reference
number UCR" />
7380 <format value="an..70" />
7381 <optionality value="0" />
7747 </xs:element>
7748 <xs:element name="Carrier"
minOccurs="0" type="CarrierType03">
7749 <xs:annotation>
7750 <xs:documentation>
7751 <description value="CARRIER" />
7752 <optionality value="D" />
7753 </xs:documentation>
7754 </xs:annotation>
7755 </xs:element>
7756 <xs:element name="Consignor"
minOccurs="0" type="ConsignorType06">
7757 <xs:annotation>
7758 <xs:documentation>
7759 <description value="CONSIGNOR" />
7760 <optionality value="0" />
7761 </xs:documentation>
7762 </xs:annotation>
7763 </xs:element>
7764 <xs:element name="Consignee"
minOccurs="0" type="ConsigneeType06">
7765 <xs:annotation>
7867 </xs:element>
7868 <xs:element name="TransportCharges"
minOccurs="0" type="TransportChargesType01">
7869 <xs:annotation>
7870 <xs:documentation>
7871 <description value="TRANSPORT
CHARGES" />
7872 <optionality value="D" />
7873 </xs:documentation>
7874 </xs:annotation>
7875 </xs:element>
7876 <xs:element name="HouseConsignment"
maxOccurs="1999"
type="HouseConsignmentType11">
7877 <xs:annotation>
7878 <xs:documentation>
7879 <description value="HOUSE
CONSIGNMENT" />
7880 <optionality value="R" />

```

```

7366 <xs:element name="grossMass"
minOccurs="0" type="GrossMassContentType02">
7367 <xs:annotation>
7368 <xs:documentation>
7369 <description value="Gross mass" />
7370 <format value="n..16,6" />
7371 <optionality value="0" />
7372 <xsdBaseType
value="DecimalwithZero_16_6" />
7373 </xs:documentation>
7374 </xs:annotation>
7375 </xs:element>
7376 <xs:element name="referenceNumberUCR"
minOccurs="0"
type="ReferenceNumberUCRContentType02">
7377 <xs:annotation>
7378 <xs:documentation>
7379 <description value="Reference
number UCR" />
7380 <format value="an..70" />
7381 <optionality value="0" />
7747 </xs:element>
7748 <xs:element name="Carrier"
minOccurs="0" type="CarrierType03">
7749 <xs:annotation>
7750 <xs:documentation>
7751 <description value="CARRIER" />
7752 <optionality value="D" />
7753 </xs:documentation>
7754 </xs:annotation>
7755 </xs:element>
7756 <xs:element name="Consignor"
minOccurs="0" type="ConsignorType13">
7757 <xs:annotation>
7758 <xs:documentation>
7759 <description value="CONSIGNOR" />
7760 <optionality value="0" />
7761 </xs:documentation>
7762 </xs:annotation>
7763 </xs:element>
7764 <xs:element name="Consignee"
minOccurs="0" type="ConsigneeType06">
7765 <xs:annotation>
7867 </xs:element>
7868 <xs:element name="TransportCharges"
minOccurs="0" type="TransportChargesType01">
7869 <xs:annotation>
7870 <xs:documentation>
7871 <description value="TRANSPORT
CHARGES" />
7872 <optionality value="D" />
7873 </xs:documentation>
7874 </xs:annotation>
7875 </xs:element>
7876 <xs:element name="HouseConsignment"
maxOccurs="1999"
type="HouseConsignmentType12">
7877 <xs:annotation>
7878 <xs:documentation>
7879 <description value="HOUSE
CONSIGNMENT" />
7880 <optionality value="R" />

```

```
7881     </xs:documentation>
7882   </xs:annotation>
7883 </xs:element>
7884 </xs:sequence>
7885 </xs:complexType>
9565   <xs:annotation>
9566     <xs:documentation>
9567       <description value="ADDRESS" />
9568       <optionality value="D" />
9569     </xs:documentation>
9570   </xs:annotation>
9571 </xs:element>
9572 </xs:sequence>
9573 </xs:complexType>
9574 <xs:complexType name="ConsignorType06">
9575   <xs:annotation>
9576     <xs:documentation>
9577       <usedBy>Used by 2/124 messages:
CD001C, CD050C</usedBy>
9578     </xs:documentation>
9579   </xs:annotation>
9580   <xs:sequence>
9581     <xs:element name="identificationNumber"
minOccurs="0"
type="IdentificationNumberContentType01">
9582       <xs:annotation>
9583         <xs:documentation>
9584           <description
value="Identification number" />
9585           <format value="an..17" />
9586           <optionality value="O" />
9587           <xsdBaseType value="TINNewType" />
9588         </xs:documentation>
9589       </xs:annotation>
9590     </xs:element>
9591     <xs:element name="name"
type="NameContentType">
9592       <xs:annotation>
9593         <xs:documentation>
9594           <description value="Name" />
9595           <format value="an..70" />
9596           <optionality value="R" />
9597           <xsdBaseType
value="AlphaNumeric_MAX70_NoSpaces" />
9598         </xs:documentation>
9599       </xs:annotation>
9600     </xs:element>
9601     <xs:element name="Address"
type="AddressType22">
9602       <xs:annotation>
9603         <xs:documentation>
9604           <description value="ADDRESS" />
9605           <optionality value="R" />
9606         </xs:documentation>
9607       </xs:annotation>
9608     </xs:element>
9609   </xs:sequence>
9610 </xs:complexType>
9611 <xs:complexType name="ConsignorType07">
9612   <xs:annotation>
9613     <xs:documentation>
9614       <usedBy>Used by 2/124 messages:
```

ctypes.xsd x 3

```
7881     </xs:documentation>
7882   </xs:annotation>
7883 </xs:element>
7884 </xs:sequence>
7885 </xs:complexType>
9565   <xs:annotation>
9566     <xs:documentation>
9567       <description value="ADDRESS" />
9568       <optionality value="D" />
9569     </xs:documentation>
9570   </xs:annotation>
9571 </xs:element>
9572 </xs:sequence>
9573 </xs:complexType>
9574 <xs:complexType name="ConsignorType06">
9575   <xs:annotation>
9576     <xs:documentation>
9577       <usedBy>Used by 2/124 messages:
CD001C, CD050C</usedBy>
9578     </xs:documentation>
9579   </xs:annotation>
9580   <xs:sequence>
9581     <xs:element name="identificationNumber"
minOccurs="0"
type="IdentificationNumberContentType01">
9582       <xs:annotation>
9583         <xs:documentation>
9584           <description
value="Identification number" />
9585           <format value="an..17" />
9586           <optionality value="O" />
9587           <xsdBaseType value="TINNewType" />
9588         </xs:documentation>
9589       </xs:annotation>
9590     </xs:element>
9591     <xs:element name="name"
type="NameContentType">
9592       <xs:annotation>
9593         <xs:documentation>
9594           <description value="Name" />
9595           <format value="an..70" />
9596           <optionality value="R" />
9597           <xsdBaseType
value="AlphaNumeric_MAX70_NoSpaces" />
9598         </xs:documentation>
9599       </xs:annotation>
9600     </xs:element>
9601     <xs:element name="Address"
type="AddressType22">
9602       <xs:annotation>
9603         <xs:documentation>
9604           <description value="ADDRESS" />
9605           <optionality value="R" />
9606         </xs:documentation>
9607       </xs:annotation>
9608     </xs:element>
9609   </xs:sequence>
9610 </xs:complexType>
9611 <xs:complexType name="ConsignorType07">
9612   <xs:annotation>
9613     <xs:documentation>
9614       <usedBy>Used by 2/124 messages:
```

```
7881     </xs:documentation>
7882   </xs:annotation>
7883 </xs:element>
7884 </xs:sequence>
7885 </xs:complexType>
9565   <xs:annotation>
9566     <xs:documentation>
9567       <description value="ADDRESS" />
9568       <optionality value="D" />
9569     </xs:documentation>
9570   </xs:annotation>
9571 </xs:element>
9572 </xs:sequence>
9573 </xs:complexType>
```

```

9614CD001C, CD050C</usedBy>
9615    </xs:documentation>
9616    </xs:annotation>
9617    <xs:sequence>
9618      <xs:element name="identificationNumber"
9619        minOccurs="0"
9620        type="IdentificationNumberContentType01">
9621        <xs:annotation>
9622          <xs:documentation>
9623            <description
9624              value="Identification number" />
9625            <format value="an..17" />
9626            <optionality value="O" />
9627            <xsdBaseType value="TINNewType" />
9628          </xs:documentation>
9629        </xs:annotation>
9630      </xs:element>
9631      <xs:element name="name"
9632        type="NameContentType">
9633        <xs:annotation>
9634          <xs:documentation>
9635            <description value="Name" />
9636            <format value="an..70" />
9637            <optionality value="R" />
9638            <xsdBaseType
9639              value="AlphaNumeric_MAX70_NoSpaces" />
9640            </xs:documentation>
9641          </xs:annotation>
9642        </xs:element>
9643        <xs:element name="Address"
9644          type="AddressType22">
9645          <xs:annotation>
9646            <xs:documentation>
9647              <description value="ADDRESS" />
9648              <optionality value="R" />
9649            </xs:documentation>
9650          </xs:annotation>
9651        </xs:element>
9652      </xs:sequence>
9653    </xs:complexType>
9654    <xs:complexType name="ConsignorType08">
9655      <xs:annotation>
9656        <xs:documentation>
9657          <usedBy>Used by 2/124 messages:
9658            CDA13D, CDA15D</usedBy>
9659        </xs:documentation>
9660      </xs:annotation>
9661      <xs:sequence>
9662        <xs:element name="identificationNumber"
9663          minOccurs="0"
9664          type="IdentificationNumberContentType03">
9665          <xs:annotation>
9666            <optionality value="D" />
9667          </xs:documentation>
9668        </xs:annotation>
9669      </xs:element>
9670    </xs:sequence>
9671  </xs:complexType>
9672  <xs:complexType name="ConsignorType13">
9673    <xs:annotation>
9674      <xs:documentation>
9675        <usedBy>Used by 5/124 messages:

```

```

9614CD001C, CD050C</usedBy>
9615    </xs:documentation>
9616    </xs:annotation>
9617    <xs:sequence>
9618      <xs:element name="identificationNumber"
9619        minOccurs="0"
9620        type="IdentificationNumberContentType01">
9621        <xs:annotation>
9622          <xs:documentation>
9623            <description
9624              value="Identification number" />
9625            <format value="an..17" />
9626            <optionality value="O" />
9627            <xsdBaseType value="TINNewType" />
9628          </xs:documentation>
9629        </xs:annotation>
9630      </xs:element>
9631      <xs:element name="name"
9632        type="NameContentType">
9633        <xs:annotation>
9634          <xs:documentation>
9635            <description value="Name" />
9636            <format value="an..70" />
9637            <optionality value="R" />
9638            <xsdBaseType
9639              value="AlphaNumeric_MAX70_NoSpaces" />
9640            </xs:documentation>
9641          </xs:annotation>
9642        </xs:element>
9643        <xs:element name="Address"
9644          type="AddressType22">
9645          <xs:annotation>
9646            <xs:documentation>
9647              <description value="ADDRESS" />
9648              <optionality value="R" />
9649            </xs:documentation>
9650          </xs:annotation>
9651        </xs:element>
9652      </xs:sequence>
9653    </xs:complexType>
9654    <xs:complexType name="ConsignorType08">
9655      <xs:annotation>
9656        <xs:documentation>
9657          <usedBy>Used by 2/124 messages:
9658            CDA13D, CDA15D</usedBy>
9659        </xs:documentation>
9660      </xs:annotation>
9661      <xs:sequence>
9662        <xs:element name="identificationNumber"
9663          minOccurs="0"
9664          type="IdentificationNumberContentType03">
9665          <xs:annotation>
9666            <optionality value="D" />
9667          </xs:documentation>
9668        </xs:annotation>
9669      </xs:element>
9670    </xs:sequence>
9671  </xs:complexType>
9672  <xs:complexType name="ConsignorType13">
9673    <xs:annotation>
9674      <xs:documentation>
9675        <usedBy>Used by 5/124 messages:

```

```

9574    <xs:complexType name="ConsignorType08">
9575      <xs:annotation>
9576        <xs:documentation>
9577          <usedBy>Used by 2/124 messages:
9578            CDA13D, CDA15D</usedBy>
9579        </xs:documentation>
9580      </xs:annotation>
9581      <xs:sequence>
9582        <xs:element name="identificationNumber"
9583          minOccurs="0"
9584          type="IdentificationNumberContentType03">
9585          <xs:annotation>
9586            <optionality value="D" />
9587          </xs:documentation>
9588        </xs:annotation>
9589      </xs:element>
9590    </xs:sequence>
9591  </xs:complexType>
9592  <xs:complexType name="ConsignorType13">
9593    <xs:annotation>
9594      <xs:documentation>
9595        <usedBy>Used by 7/124 messages:

```



```

9948CD003C, CD038C, CD115C, CD160C,
    CD165C</usedBy>
9949    </xs:documentation>
9950    </xs:annotation>
9951    <xs:sequence>
9952      <xs:element name="identificationNumber"
        minOccurs="0"
        type="IdentificationNumberContentType03">
9953        <xs:annotation>
9954          <xs:documentation>
9955            <description
              value="Identification number" />
9956            <format value="an..17" />
9957            <optionality value="O" />
9976            <optionality value="R" />
9977          </xs:documentation>
9978        </xs:annotation>
9979      </xs:element>
9980    </xs:sequence>
9981  </xs:complexType>
9982  <xs:complexType name="ConsignorType14">
9983    <xs:annotation>
9984      <xs:documentation>
9985        <usedBy>Used by 5/124 messages:
          CD003C, CD038C, CD115C, CD160C,
          CD165C</usedBy>
9986      </xs:documentation>
9987    </xs:annotation>
9988    <xs:sequence>
9989      <xs:element name="identificationNumber"
        minOccurs="0"
        type="IdentificationNumberContentType03">
9990        <xs:annotation>
9991          <xs:documentation>
9992            <description
              value="Identification number" />
9993            <format value="an..17" />
9994            <optionality value="O" />
10189      </xs:annotation>
10190      <xs:documentation>
10191        <description value="Phone number"
          />
10192        <format value="an..35" />
10193        <optionality value="R" />
10194        <xsdBaseType
          value="AlphaNumeric_MAX35_NoSpaces" />
10195      </xs:documentation>
10196    </xs:annotation>
10197  </xs:element>
10198  <xs:element name="emailAddress"
    minOccurs="0"
    type="EmailAddressContentType02">
10199    <xs:annotation>
10200      <xs:documentation>
10201        <description value="E-mail
          address" />
10202        <format value="an..256" />
10203        <optionality value="O" />
10204        <xsdBaseType
          value="EmailAddressType256_NoSpaces" />
10205      </xs:documentation>
10206    </xs:annotation>

```

```

9948CD003C, CD038C, CD115C, CD160C,
    CD165C</usedBy>
9949    </xs:documentation>
9950    </xs:annotation>
9951    <xs:sequence>
9952      <xs:element name="identificationNumber"
        minOccurs="0"
        type="IdentificationNumberContentType03">
9953        <xs:annotation>
9954          <xs:documentation>
9955            <description
              value="Identification number" />
9956            <format value="an..17" />
9957            <optionality value="O" />
9976            <optionality value="R" />
9977          </xs:documentation>
9978        </xs:annotation>
9979      </xs:element>
9980    </xs:sequence>
9981  </xs:complexType>
9982  <xs:complexType name="ConsignorType14">
9983    <xs:annotation>
9984      <xs:documentation>
9985        <usedBy>Used by 5/124 messages:
          CD003C, CD038C, CD115C, CD160C,
          CD165C</usedBy>
9986      </xs:documentation>
9987    </xs:annotation>
9988    <xs:sequence>
9989      <xs:element name="identificationNumber"
        minOccurs="0"
        type="IdentificationNumberContentType03">
9990        <xs:annotation>
9991          <xs:documentation>
9992            <description
              value="Identification number" />
9993            <format value="an..17" />
9994            <optionality value="O" />
10189      </xs:annotation>
10190      <xs:documentation>
10191        <description value="Phone number"
          />
10192        <format value="an..35" />
10193        <optionality value="R" />
10194        <xsdBaseType
          value="AlphaNumeric_MAX35_NoSpaces" />
10195      </xs:documentation>
10196    </xs:annotation>
10197  </xs:element>
10198  <xs:element name="emailAddress"
    minOccurs="0"
    type="EmailAddressContentType01">

```

```

9874CD001C, CD003C, CD038C, CD050C, CD115C,
    CD160C, CD165C</usedBy>
9875    </xs:documentation>
9876    </xs:annotation>
9877    <xs:sequence>
9878      <xs:element name="identificationNumber"
        minOccurs="0"
        type="IdentificationNumberContentType03">
9879        <xs:annotation>
9880          <xs:documentation>
9881            <description
              value="Identification number" />
9882            <format value="an..17" />
9883            <optionality value="O" />
9902            <optionality value="R" />
9903          </xs:documentation>
9904        </xs:annotation>
9905      </xs:element>
9906    </xs:sequence>
9907  </xs:complexType>
9908  <xs:complexType name="ConsignorType14">
9909    <xs:annotation>
9910      <xs:documentation>
9911        <usedBy>Used by 7/124 messages:
          CD001C, CD003C, CD038C, CD050C, CD115C,
          CD160C, CD165C</usedBy>
9912      </xs:documentation>
9913    </xs:annotation>
9914    <xs:sequence>
9915      <xs:element name="identificationNumber"
        minOccurs="0"
        type="IdentificationNumberContentType03">
9916        <xs:annotation>
9917          <xs:documentation>
9918            <description
              value="Identification number" />
9919            <format value="an..17" />
9920            <optionality value="O" />
10115      </xs:annotation>
10116      <xs:documentation>
10117        <description value="Phone number"
          />
10118        <format value="an..35" />
10119        <optionality value="R" />
10120        <xsdBaseType
          value="AlphaNumeric_MAX35_NoSpaces" />
10121      </xs:documentation>
10122    </xs:annotation>
10123  </xs:element>
10124  <xs:element name="emailAddress"
    minOccurs="0"
    type="EmailAddressContentType01">

```

```

10207 </xs:element>
10208 </xs:sequence>
10209 </xs:complexType>
10210 <xs:complexType name="ContactPersonType05">
10211 <xs:annotation>
10212 <xs:documentation>
10213 <usedBy>Used by 5/124 messages:
CCA13D, CCA15D, CCA29D, CDA13D,
CDA15D</usedBy>
10214 </xs:documentation>
10215 </xs:annotation>
10216 <xs:sequence>
10217 <xs:element name="phoneNumber"
type="PhoneNumberContentType">
10218 <xs:annotation>
10219 <xs:documentation>
10220 <description value="Phone number"
/>
10221 <format value="an..35" />
10222 <optionality value="R" />
10223 <xsdBaseType
value="AlphaNumeric_MAX35_NoSpaces" />
10224 </xs:documentation>
10225 </xs:annotation>
10226 </xs:element>
10227 <xs:element name="e-mailAddress"
minOccurs="0" type="E-mailAddressContentType">
10228 <xs:annotation>
10229 <xs:documentation>
10230 <description value="E-mail
address" />
10231 <format value="an..256" />
10232 <optionality value="O" />
10233 <xsdBaseType
value="EmailAddressType256_NoSpaces" />
10234 </xs:documentation>
10235 </xs:annotation>
10236 </xs:element>
13021 </xs:sequence>
13022 </xs:complexType>
13023 <xs:complexType
name="ExportOperationType02">
13024 <xs:annotation>
13025 <xs:documentation>
13026 <usedBy>Used by 1/124 messages:
CC190C</usedBy>
13027 </xs:documentation>
13028 </xs:annotation>
13029 <xs:sequence>
13030 <xs:element name="sequenceNumber"
type="SequenceNumberContentType02">
13031 <xs:annotation>
13032 <xs:documentation>
13033 <description value="Sequence
number" />
13034 <format value="n..5" />
13035 <optionality value="R" />
13036 <xsdBaseType
value="NumericwithoutZero_5" />
13037 </xs:documentation>
13038 </xs:annotation>
13039 </xs:element>

```

```

10199 <xs:annotation>
10200 <xs:documentation>
10201 <description value="E-mail
address" />
10202 <format value="an..256" />
10203 <optionality value="O" />
10204 <xsdBaseType
value="EmailAddressType256_NoSpaces" />
10205 </xs:documentation>
10206 </xs:annotation>
10207 </xs:element>
12992 </xs:sequence>
12993 </xs:complexType>
12994 <xs:complexType
name="ExportOperationType02">
12995 <xs:annotation>
12996 <xs:documentation>
12997 <usedBy>Used by 1/124 messages:
CC190C</usedBy>
12998 </xs:documentation>
12999 </xs:annotation>
13000 <xs:sequence>
13001 <xs:element name="MRN"
type="MRNContentType05">

```

```

10125 <xs:annotation>
10126 <xs:documentation>
10127 <description value="E-mail
address" />
10128 <format value="an..256" />
10129 <optionality value="O" />
10130 <xsdBaseType
value="EmailAddressType256_NoSpaces" />
10131 </xs:documentation>
10132 </xs:annotation>
10133 </xs:element>
12918 </xs:sequence>
12919 </xs:complexType>
12920 <xs:complexType
name="ExportOperationType02">
12921 <xs:annotation>
12922 <xs:documentation>
12923 <usedBy>Used by 1/124 messages:
CC190C</usedBy>
12924 </xs:documentation>
12925 </xs:annotation>
12926 <xs:sequence>
12927 <xs:element name="MRN"
type="MRNContentType03">

```


13040	<xs:element name="MRN" type="MRNContentType03">				
13041	<xs:annotation>	13002	<xs:annotation>	12928	<xs:annotation>
13042	<xs:documentation>	13003	<xs:documentation>	12929	<xs:documentation>
13043	<description value="MRN" />	13004	<description value="MRN" />	12930	<description value="MRN" />
13044	<format value="an18" />	13005	<format value="an18" />	12931	<format value="an18" />
13045	<optionality value="R" />	13006	<optionality value="R" />	12932	<optionality value="R" />
13046	<xsdBaseType value="AES-P1_MRNType" />	13007	<xsdBaseType value="MRNType" />	12933	<xsdBaseType value="AES-P1_MRNType" />
13047	</xs:documentation>	13008	</xs:documentation>	12934	</xs:documentation>
13048	</xs:annotation>	13009	</xs:annotation>	12935	</xs:annotation>
13049	</xs:element>	13010	</xs:element>	12936	</xs:element>
13050	<xs:element	13011	<xs:element	12937	<xs:element
	name="transitProcedureCategory"		name="transitProcedureCategory"		name="transitProcedureCategory"
	type="TransitProcedureCategoryContentType">		type="TransitProcedureCategoryContentType">		type="TransitProcedureCategoryContentType">
13051	<xs:annotation>	13012	<xs:annotation>	12938	<xs:annotation>
13052	<xs:documentation>	13013	<xs:documentation>	12939	<xs:documentation>
13053	<description value="Transit	13014	<description value="Transit	12940	<description value="Transit
	procedure category" />		procedure category" />		procedure category" />
13054	<codeList code="CL166"	13015	<codeList code="CL166"	12941	<codeList code="CL166"
	type="business"		type="business"		type="business"
	name="TransitProcedureCategory" />		name="TransitProcedureCategory" />		name="TransitProcedureCategory" />
13055	<format value="n1" />	13016	<format value="n1" />	12942	<format value="n1" />
15446	<!--===== Header	15407	<!--===== Header	15333	<!--===== Header
	-->		-->		-->
15447	<!--=====	15408	<!--=====	15334	<!--=====
	=====-->		=====-->		=====-->
15448	<xs:complexType name="HeaderType01">	15409	<xs:complexType name="HeaderType01">	15335	<xs:complexType name="HeaderType01">
15449	<xs:annotation>	15410	<xs:annotation>	15336	<xs:annotation>
15450	<xs:documentation>	15411	<xs:documentation>	15337	<xs:documentation>
15451	<usedBy>Used by 1/124 messages:	15412	<usedBy>Used by 1/124 messages:	15338	<usedBy>Used by 1/124 messages:
	cc906C</usedBy>		cc906C</usedBy>		cc906C</usedBy>
15452	</xs:documentation>	15413	</xs:documentation>	15339	</xs:documentation>
15453	</xs:annotation>	15414	</xs:annotation>	15340	</xs:annotation>
15454	<xs:sequence>	15415	<xs:sequence>	15341	<xs:sequence>
15455	<xs:element name="LRN" minOccurs="0" type="LRNContentType02">	15416	<xs:element name="LRN" minOccurs="0" type="LRNContentType02">	15342	<xs:element name="LRN" minOccurs="0" type="LRNContentType02">
15456	<xs:annotation>	15417	<xs:annotation>	15343	<xs:annotation>
15457	<xs:documentation>	15418	<xs:documentation>	15344	<xs:documentation>
15458	<description value="LRN" />	15419	<description value="LRN" />	15345	<description value="LRN" />
15459	<format value="an..22" />	15420	<format value="an..22" />	15346	<format value="an..22" />
15460	<optionality value="D" />	15421	<optionality value="D" />	15347	<optionality value="D" />
15461	<xsdBaseType	15422	<xsdBaseType	15348	<xsdBaseType
	value="AlphaNumeric_MAX22_NoSpaces" />		value="AlphaNumeric_MAX22_NoSpaces" />		value="AlphaNumeric_MAX22_NoSpaces" />
15462	</xs:documentation>	15423	</xs:documentation>	15349	</xs:documentation>
15463	</xs:annotation>	15424	</xs:annotation>	15350	</xs:annotation>
15464	</xs:element>	15425	</xs:element>	15351	</xs:element>
15465	<xs:element name="MRN" minOccurs="0" type="MrnContentType05">	15426	<xs:element name="MRN" minOccurs="0" type="MRNContentType05">	15352	<xs:element name="MRN" minOccurs="0" type="MRNContentType05">
15466	<xs:annotation>	15427	<xs:annotation>	15353	<xs:annotation>
15467	<xs:documentation>	15428	<xs:documentation>	15354	<xs:documentation>
15468	<description value="MRN" />	15429	<description value="MRN" />	15355	<description value="MRN" />
15469	<format value="an18" />	15430	<format value="an18" />	15356	<format value="an18" />
15470	<optionality value="D" />	15431	<optionality value="D" />	15357	<optionality value="D" />
15471	<xsdBaseType value="MRNType" />	15432	<xsdBaseType value="MRNType" />	15358	<xsdBaseType value="MRNType" />
15472	</xs:documentation>	15433	</xs:documentation>	15359	</xs:documentation>
15473	</xs:annotation>	15434	</xs:annotation>	15360	</xs:annotation>
15474	</xs:element>	15435	</xs:element>	15361	</xs:element>
15503	</xs:sequence>	15464	</xs:sequence>	15390	</xs:sequence>
15504	</xs:complexType>	15465	</xs:complexType>	15391	</xs:complexType>
15505	<xs:complexType name="HeaderType03">	15466	<xs:complexType name="HeaderType03">	15392	<xs:complexType name="HeaderType03">

```

15506 <xs:annotation>
15507 <xs:documentation>
15508 <usedBy>Used by 1/124 messages:
CD974C</usedBy>
15509 </xs:documentation>
15510 </xs:annotation>
15511 <xs:sequence>
15512 <xs:element name="MRN"
type="MrnContentType05">
15513 <xs:annotation>
15514 <xs:documentation>
15515 <description value="MRN" />
15516 <format value="an18" />
15517 <optionality value="R" />
15518 <xsdBaseType value="MRNType" />
15519 </xs:documentation>
15520 </xs:annotation>
15521 </xs:element>
15522 </xs:sequence>
15523 </xs:complexType>
15524 <xs:complexType name="HeaderType04">
15525 <xs:annotation>
15526 <xs:documentation>
15527 <usedBy>Used by 1/124 messages:
CD975C</usedBy>
15528 </xs:documentation>
15529 </xs:annotation>
15530 <xs:sequence>
15531 <xs:element name="MRN"
type="MrnContentType05">
15532 <xs:annotation>
15533 <xs:documentation>
15534 <description value="MRN" />
15535 <format value="an18" />
15536 <optionality value="R" />
15537 <xsdBaseType value="MRNType" />
15538 </xs:documentation>
15539 </xs:annotation>
15540 </xs:element>
15541 </xs:sequence>
15542 </xs:complexType>
15543 <xs:complexType name="HeaderType05">
15544 <xs:annotation>
15545 <xs:documentation>
15546 <usedBy>Used by 2/124 messages:
CD906C, CD906D</usedBy>
15547 </xs:documentation>
15548 </xs:annotation>
15549 <xs:sequence>
15550 <xs:element name="MRN"
type="MrnContentType05">
15551 <xs:annotation>
15552 <xs:documentation>
15553 <description value="MRN" />
15554 <format value="an18" />
15555 <optionality value="R" />
15556 <xsdBaseType value="MRNType" />
15557 </xs:documentation>
15558 </xs:annotation>
15559 </xs:element>
15560 </xs:sequence>
15561 </xs:complexType>

```

```

15467 <xs:annotation>
15468 <xs:documentation>
15469 <usedBy>Used by 1/124 messages:
CD974C</usedBy>
15470 </xs:documentation>
15471 </xs:annotation>
15472 <xs:sequence>
15473 <xs:element name="MRN"
type="MRNContentType05">
15474 <xs:annotation>
15475 <xs:documentation>
15476 <description value="MRN" />
15477 <format value="an18" />
15478 <optionality value="R" />
15479 <xsdBaseType value="MRNType" />
15480 </xs:documentation>
15481 </xs:annotation>
15482 </xs:element>
15483 </xs:sequence>
15484 </xs:complexType>
15485 <xs:complexType name="HeaderType04">
15486 <xs:annotation>
15487 <xs:documentation>
15488 <usedBy>Used by 1/124 messages:
CD975C</usedBy>
15489 </xs:documentation>
15490 </xs:annotation>
15491 <xs:sequence>
15492 <xs:element name="MRN"
type="MRNContentType05">
15493 <xs:annotation>
15494 <xs:documentation>
15495 <description value="MRN" />
15496 <format value="an18" />
15497 <optionality value="R" />
15498 <xsdBaseType value="MRNType" />
15499 </xs:documentation>
15500 </xs:annotation>
15501 </xs:element>
15502 </xs:sequence>
15503 </xs:complexType>
15504 <xs:complexType name="HeaderType05">
15505 <xs:annotation>
15506 <xs:documentation>
15507 <usedBy>Used by 2/124 messages:
CD906C, CD906D</usedBy>
15508 </xs:documentation>
15509 </xs:annotation>
15510 <xs:sequence>
15511 <xs:element name="MRN"
type="MRNContentType05">
15512 <xs:annotation>
15513 <xs:documentation>
15514 <description value="MRN" />
15515 <format value="an18" />
15516 <optionality value="R" />
15517 <xsdBaseType value="MRNType" />
15518 </xs:documentation>
15519 </xs:annotation>
15520 </xs:element>
15521 </xs:sequence>
15522 </xs:complexType>
15523 <xs:complexType name="HeaderType05">
15524 <xs:annotation>
15525 <xs:documentation>
15526 <usedBy>Used by 2/124 messages:
CD906C, CD906D</usedBy>
15527 </xs:documentation>
15528 </xs:annotation>
15529 <xs:sequence>
15530 <xs:element name="MRN"
type="MRNContentType05">
15531 <xs:annotation>
15532 <xs:documentation>
15533 <description value="MRN" />
15534 <format value="an18" />
15535 <optionality value="R" />
15536 <xsdBaseType value="MRNType" />
15537 </xs:documentation>
15538 </xs:annotation>
15539 </xs:element>
15540 </xs:sequence>
15541 </xs:complexType>

```

```

15393 <xs:annotation>
15394 <xs:documentation>
15395 <usedBy>Used by 1/124 messages:
CD974C</usedBy>
15396 </xs:documentation>
15397 </xs:annotation>
15398 <xs:sequence>
15399 <xs:element name="MRN"
type="MRNContentType05">
15400 <xs:annotation>
15401 <xs:documentation>
15402 <description value="MRN" />
15403 <format value="an18" />
15404 <optionality value="R" />
15405 <xsdBaseType value="MRNType" />
15406 </xs:documentation>
15407 </xs:annotation>
15408 </xs:element>
15409 </xs:sequence>
15410 </xs:complexType>
15411 <xs:complexType name="HeaderType04">
15412 <xs:annotation>
15413 <xs:documentation>
15414 <usedBy>Used by 1/124 messages:
CD975C</usedBy>
15415 </xs:documentation>
15416 </xs:annotation>
15417 <xs:sequence>
15418 <xs:element name="MRN"
type="MRNContentType05">
15419 <xs:annotation>
15420 <xs:documentation>
15421 <description value="MRN" />
15422 <format value="an18" />
15423 <optionality value="R" />
15424 <xsdBaseType value="MRNType" />
15425 </xs:documentation>
15426 </xs:annotation>
15427 </xs:element>
15428 </xs:sequence>
15429 </xs:complexType>
15430 <xs:complexType name="HeaderType05">
15431 <xs:annotation>
15432 <xs:documentation>
15433 <usedBy>Used by 2/124 messages:
CD906C, CD906D</usedBy>
15434 </xs:documentation>
15435 </xs:annotation>
15436 <xs:sequence>
15437 <xs:element name="MRN"
type="MRNContentType05">
15438 <xs:annotation>
15439 <xs:documentation>
15440 <description value="MRN" />
15441 <format value="an18" />
15442 <optionality value="R" />
15443 <xsdBaseType value="MRNType" />
15444 </xs:documentation>
15445 </xs:annotation>
15446 </xs:element>
15447 </xs:sequence>
15448 </xs:complexType>
15449 <xs:complexType name="HeaderType05">
15450 <xs:annotation>
15451 <xs:documentation>
15452 <usedBy>Used by 2/124 messages:
CD906C, CD906D</usedBy>
15453 </xs:documentation>
15454 </xs:annotation>
15455 <xs:sequence>
15456 <xs:element name="MRN"
type="MRNContentType05">
15457 <xs:annotation>
15458 <xs:documentation>
15459 <description value="MRN" />
15460 <format value="an18" />
15461 <optionality value="R" />
15462 <xsdBaseType value="MRNType" />
15463 </xs:documentation>
15464 </xs:annotation>
15465 </xs:element>
15466 </xs:sequence>
15467 </xs:complexType>

```

```

17171 <xs:complexType
17172   name="HouseConsignmentType07">
17173   <xs:annotation>
17174     <xs:documentation>
17175       <usedBy>Used by 1/124 messages:
17176       CC190C</usedBy>
17177     </xs:documentation>
17178   </xs:annotation>
17179   <xs:sequence>
17180
17181     <xs:element name="ConsignmentItem"
17182       maxOccurs="999" type="ConsignmentItemType06">
17183       <xs:annotation>
17184         <xs:documentation>
17185           <description value="CONSIGNMENT
17186             ITEM" />
17187         </xs:documentation>
17188       </xs:annotation>
17189     </xs:element>
17190   </xs:sequence>
17191
17192   <xs:annotation>
17193     <xs:documentation>
17194       <description value="Security
17195         indicator from export declaration" />
17196     <codeList code="CL217"
17197       type="business"
17198       name="DeclarationTypeSecurity" />
17199     <format value="n1" />
17200     <optionality value="0" />
17201   </xs:documentation>
17202 </xs:annotation>
17203 </xs:element>
17204 <xs:element name="Consignor"
17205   minOccurs="0" type="ConsignorType07">
17206   <xs:annotation>
17207     <xs:documentation>
17208       <description value="CONSIGNOR" />
17209     <optionality value="D" />
17210   </xs:documentation>

```

```

17132 <xs:complexType
17133   name="HouseConsignmentType07">
17134   <xs:annotation>
17135     <xs:documentation>
17136       <usedBy>Used by 1/124 messages:
17137       CC190C</usedBy>
17138     </xs:documentation>
17139   </xs:annotation>
17140   <xs:sequence>
17141
17142     <xs:element name="sequenceNumber"
17143       type="SequenceNumberContentType02">
17144       <xs:annotation>
17145         <xs:documentation>
17146           <description value="Sequence
17147             number" />
17148         <format value="n..5" />
17149         <optionality value="R" />
17150         <xsdBaseType
17151           value="NumericWithoutZero_5" />
17152         </xs:documentation>
17153       </xs:annotation>
17154     </xs:element>
17155     <xs:element name="ExportOperation"
17156       type="ExportOperationType02">
17157       <xs:annotation>
17158         <xs:documentation>
17159           <description value="EXPORT
17160             OPERATION" />
17161         <optionality value="R" />
17162       </xs:documentation>
17163     </xs:annotation>
17164   </xs:element>
17165 </xs:element>
17166 <xs:element name="ConsignmentItem"
17167   maxOccurs="999" type="ConsignmentItemType06">
17168   <xs:annotation>
17169     <xs:documentation>
17170       <description value="CONSIGNMENT
17171         ITEM" />
17172     </xs:documentation>
17173   </xs:annotation>
17174 </xs:element>
17175 </xs:sequence>
17176
17177   <xs:annotation>
17178     <xs:documentation>
17179       <description value="Security
17180         indicator from export declaration" />
17181     <codeList code="CL217"
17182       type="business"
17183       name="DeclarationTypeSecurity" />
17184     <format value="n1" />
17185     <optionality value="0" />
17186   </xs:documentation>
17187 </xs:annotation>
17188 </xs:element>
17189 <xs:element name="Consignor"
17190   minOccurs="0" type="ConsignorType07">
17191   <xs:annotation>
17192     <xs:documentation>
17193       <description value="CONSIGNOR" />
17194     <optionality value="D" />
17195   </xs:documentation>

```

```

17058 <xs:complexType
17059   name="HouseConsignmentType07">
17060   <xs:annotation>
17061     <xs:documentation>
17062       <usedBy>Used by 1/124 messages:
17063       CC190C</usedBy>
17064     </xs:documentation>
17065   </xs:annotation>
17066   <xs:sequence>
17067
17068     <xs:element name="sequenceNumber"
17069       type="SequenceNumberContentType02">
17070       <xs:annotation>
17071         <xs:documentation>
17072           <description value="Sequence
17073             number" />
17074         <format value="n..5" />
17075         <optionality value="R" />
17076         <xsdBaseType
17077           value="NumericWithoutZero_5" />
17078         </xs:documentation>
17079       </xs:annotation>
17080     </xs:element>
17081     <xs:element name="ExportOperation"
17082       type="ExportOperationType02">
17083       <xs:annotation>
17084         <xs:documentation>
17085           <description value="EXPORT
17086             OPERATION" />
17087         <optionality value="R" />
17088       </xs:documentation>
17089     </xs:annotation>
17090   </xs:element>
17091 </xs:element>
17092 <xs:element name="ConsignmentItem"
17093   maxOccurs="999" type="ConsignmentItemType06">
17094   <xs:annotation>
17095     <xs:documentation>
17096       <description value="CONSIGNMENT
17097         ITEM" />
17098     </xs:documentation>
17099   </xs:annotation>
17100 </xs:element>
17101 </xs:sequence>
17102
17103   <xs:annotation>
17104     <xs:documentation>
17105       <description value="Security
17106         indicator from export declaration" />
17107     <codeList code="CL217"
17108       type="business"
17109       name="DeclarationTypeSecurity" />
17110     <format value="n1" />
17111     <optionality value="0" />
17112   </xs:documentation>
17113 </xs:annotation>
17114 </xs:element>
17115 <xs:element name="Consignor"
17116   minOccurs="0" type="ConsignorType14">
17117   <xs:annotation>
17118     <xs:documentation>
17119       <description value="CONSIGNOR" />
17120     <optionality value="D" />
17121   </xs:documentation>

```


		ctypes.xsd x 3	
17470	</xs:annotation>	17449	</xs:annotation>
17471	</xs:element>	17450	</xs:element>
17472	<xs:element name="Consignee"	17451	<xs:element name="Consignee"
	minOccurs="0" type="ConsigneeType06">		minOccurs="0" type="ConsigneeType06">
17473	<xs:annotation>	17452	<xs:annotation>
17624	<xs:annotation>	17603	<xs:annotation>
17625	<xs:documentation>	17604	<xs:documentation>
17626	<description value="CONSIGNMENT	17605	<description value="CONSIGNMENT
	ITEM" />		ITEM" />
17627	<optionality value="0" />	17606	<optionality value="0" />
17628	</xs:documentation>	17607	</xs:documentation>
17629	</xs:annotation>	17608	</xs:annotation>
17630	</xs:element>	17609	</xs:element>
17631	</xs:sequence>	17610	</xs:sequence>
17632	</xs:complexType>	17611	</xs:complexType>
17633	<xs:complexType	17612	<xs:complexType
	name="HouseConsignmentType11">		name="HouseConsignmentType11">
17634	<xs:annotation>	17613	<xs:annotation>
17635	<xs:documentation>	17614	<xs:documentation>
17636	<usedBy>Used by 1/124 messages:	17615	<usedBy>Used by 1/124 messages:
	CD050C</usedBy>		CD050C</usedBy>
17637	</xs:documentation>	17616	</xs:documentation>
17638	</xs:annotation>	17617	</xs:annotation>
17639	<xs:sequence>	17618	<xs:sequence>
17640	<xs:element name="sequenceNumber"	17619	<xs:element name="sequenceNumber"
	type="SequenceNumberContentType02">		type="SequenceNumberContentType02">
17641	<xs:annotation>	17620	<xs:annotation>
17642	<xs:documentation>	17621	<xs:documentation>
17643	<description value="Sequence	17622	<description value="Sequence
	number" />		number" />
17644	<format value="n..5" />	17623	<format value="n..5" />
17645	<optionality value="R" />	17624	<optionality value="R" />
17646	<xsdBaseType	17625	<xsdBaseType
	value="NumericwithoutZero_5" />		value="NumericwithoutZero_5" />
17647	</xs:documentation>	17626	</xs:documentation>
17648	</xs:annotation>	17627	</xs:annotation>
17649	</xs:element>	17628	</xs:element>
17650	<xs:element name="countryOfDispatch"	17629	<xs:element name="countryOfDispatch"
	minOccurs="0"		minOccurs="0"
	type="CountryOfDispatchContentType">		type="CountryOfDispatchContentType">
17651	<xs:annotation>	17630	<xs:annotation>
17652	<xs:documentation>	17631	<xs:documentation>
17653	<description value="Country of	17632	<description value="Country of
	dispatch" />		dispatch" />
17654	<codeList code="CL008"	17633	<codeList code="CL008"
	type="business" name="CountryCodesFullList" />		type="business" name="CountryCodesFullList" />
17655	<format value="a2" />	17634	<format value="a2" />
17656	<optionality value="D" />	17635	<optionality value="D" />
17657	<xsdBaseType	17636	<xsdBaseType
	value="CountryCodeType" />		value="CountryCodeType" />
17658	</xs:documentation>	17637	</xs:documentation>
17659	</xs:annotation>	17638	</xs:annotation>
17660	</xs:element>	17639	</xs:element>
17661	<xs:element name="countryOfDestination"	17640	<xs:element name="countryOfDestination"
	minOccurs="0"		minOccurs="0"
	type="CountryOfDestinationContentType">		type="CountryOfDestinationContentType">
17662	<xs:annotation>	17641	<xs:annotation>
17663	<xs:documentation>	17642	<xs:documentation>
17664	<description value="Country of	17643	<description value="Country of
	destination" />		destination" />
17665	<codeList code="CL008"	17644	<codeList code="CL008"
	type="business" name="CountryCodesFullList" />		type="business" name="CountryCodesFullList" />

```

17666         <format value="a2" />
17667         <optionality value="D" />
17668         <xsdBaseType
value="CountryCodeType" />
17669       </xs:documentation>
17670     </xs:annotation>
17671   </xs:element>
17672   <xs:element name="grossMass"
type="GrossMassContentType01">
17673     <xs:annotation>
17674       <xs:documentation>
17675         <description value="Gross mass" />
17676         <format value="n..16,6" />
17677         <optionality value="R" />
17678         <xsdBaseType
value="DecimalWithoutZero_16_6" />
17679       </xs:documentation>
17680     </xs:annotation>
17681   </xs:element>
17682   <xs:element name="referenceNumberUCR"
minOccurs="0"
type="ReferenceNumberUCRContentType01">
17683     <xs:annotation>
17684       <xs:documentation>
17685         <description value="Reference
number UCR" />
17686         <format value="an..35" />
17687         <optionality value="D" />
17688         <xsdBaseType
value="UCRReferenceNumber35_NoSpaces" />
17689       </xs:documentation>
17690     </xs:annotation>
17691   </xs:element>
17692   <xs:element
name="securityIndicatorFromExportDeclaration"
minOccurs="0"
type="SecurityIndicatorFromExportDeclarationCo
ntentType">
17693     <xs:annotation>
17694       <xs:documentation>
17695         <description value="Security
indicator from export declaration" />
17696         <codeList code="CL217"
type="business"
name="DeclarationTypeSecurity" />
17697         <format value="n1" />
17698         <optionality value="0" />
17699       </xs:documentation>
17700     </xs:annotation>
17701   </xs:element>
17702   <xs:element name="Consignor"
minOccurs="0" type="ConsignorType07">
17703     <xs:annotation>
17704       <xs:documentation>
17705         <description value="CONSIGNOR" />
17706         <optionality value="D" />
17707       </xs:documentation>
17708     </xs:annotation>
17709   </xs:element>
17710   <xs:element name="Consignee"
minOccurs="0" type="ConsigneeType06">
17711     <xs:annotation>

```

```

17645         <format value="a2" />
17646         <optionality value="D" />
17647         <xsdBaseType
value="CountryCodeType" />
17648       </xs:documentation>
17649     </xs:annotation>
17650   </xs:element>
17651   <xs:element name="grossMass"
type="GrossMassContentType01">
17652     <xs:annotation>
17653       <xs:documentation>
17654         <description value="Gross mass" />
17655         <format value="n..16,6" />
17656         <optionality value="R" />
17657         <xsdBaseType
value="DecimalWithoutZero_16_6" />
17658       </xs:documentation>
17659     </xs:annotation>
17660   </xs:element>
17661   <xs:element name="referenceNumberUCR"
minOccurs="0"
type="ReferenceNumberUCRContentType01">
17662     <xs:annotation>
17663       <xs:documentation>
17664         <description value="Reference
number UCR" />
17665         <format value="an..35" />
17666         <optionality value="D" />
17667         <xsdBaseType
value="UCRReferenceNumber35_NoSpaces" />
17668       </xs:documentation>
17669     </xs:annotation>
17670   </xs:element>
17671   <xs:element
name="securityIndicatorFromExportDeclaration"
minOccurs="0"
type="SecurityIndicatorFromExportDeclarationCo
ntentType">
17672     <xs:annotation>
17673       <xs:documentation>
17674         <description value="Security
indicator from export declaration" />
17675         <codeList code="CL217"
type="business"
name="DeclarationTypeSecurity" />
17676         <format value="n1" />
17677         <optionality value="0" />
17678       </xs:documentation>
17679     </xs:annotation>
17680   </xs:element>
17681   <xs:element name="Consignor"
minOccurs="0" type="ConsignorType07">
17682     <xs:annotation>
17683       <xs:documentation>
17684         <description value="CONSIGNOR" />
17685         <optionality value="D" />
17686       </xs:documentation>
17687     </xs:annotation>
17688   </xs:element>
17689   <xs:element name="Consignee"
minOccurs="0" type="ConsigneeType06">
17690     <xs:annotation>

```

```

17712      <xs:documentation>
17713        <description value="CONSIGNEE" />
17714        <optionality value="D" />
17715      </xs:documentation>
17716    </xs:annotation>
17717  </xs:element>
17718  <xs:element
    name="AdditionalSupplyChainActor"
    minOccurs="0" maxOccurs="99"
    type="AdditionalSupplyChainActorType01">
17719    <xs:annotation>
17720      <xs:documentation>
17721        <description value="ADDITIONAL
SUPPLY CHAIN ACTOR" />
17722        <optionality value="O" />
17723      </xs:documentation>
17724    </xs:annotation>
17725  </xs:element>
17726  <xs:element
    name="DepartureTransportMeans" minOccurs="0"
    maxOccurs="999"
    type="DepartureTransportMeansType01">
17727    <xs:annotation>
17728      <xs:documentation>
17729        <description value="DEPARTURE
TRANSPORT MEANS" />
17730        <optionality value="D" />
17731      </xs:documentation>
17732    </xs:annotation>
17733  </xs:element>
17734  <xs:element name="PreviousDocument"
    minOccurs="0" maxOccurs="99"
    type="PreviousDocumentType06">
17735    <xs:annotation>
17736      <xs:documentation>
17737        <description value="PREVIOUS
DOCUMENT" />
17738        <optionality value="O" />
17739      </xs:documentation>
17740    </xs:annotation>
17741  </xs:element>
17742  <xs:element name="SupportingDocument"
    minOccurs="0" maxOccurs="99"
    type="SupportingDocumentType03">
17743    <xs:annotation>
17744      <xs:documentation>
17745        <description value="SUPPORTING
DOCUMENT" />
17746        <optionality value="O" />
17747      </xs:documentation>
17748    </xs:annotation>
17749  </xs:element>
17750  <xs:element name="TransportDocument"
    minOccurs="0" maxOccurs="99"
    type="TransportDocumentType01">
17751    <xs:annotation>
17752      <xs:documentation>
17753        <description value="TRANSPORT
DOCUMENT" />
17754        <optionality value="O" />
17755      </xs:documentation>
17756    </xs:annotation>

```

```

17691      <xs:documentation>
17692        <description value="CONSIGNEE" />
17693        <optionality value="D" />
17694      </xs:documentation>
17695    </xs:annotation>
17696  </xs:element>
17697  <xs:element
    name="AdditionalSupplyChainActor"
    minOccurs="0" maxOccurs="99"
    type="AdditionalSupplyChainActorType01">
17698    <xs:annotation>
17699      <xs:documentation>
17700        <description value="ADDITIONAL
SUPPLY CHAIN ACTOR" />
17701        <optionality value="O" />
17702      </xs:documentation>
17703    </xs:annotation>
17704  </xs:element>
17705  <xs:element
    name="DepartureTransportMeans" minOccurs="0"
    maxOccurs="999"
    type="DepartureTransportMeansType01">
17706    <xs:annotation>
17707      <xs:documentation>
17708        <description value="DEPARTURE
TRANSPORT MEANS" />
17709        <optionality value="D" />
17710      </xs:documentation>
17711    </xs:annotation>
17712  </xs:element>
17713  <xs:element name="PreviousDocument"
    minOccurs="0" maxOccurs="99"
    type="PreviousDocumentType06">
17714    <xs:annotation>
17715      <xs:documentation>
17716        <description value="PREVIOUS
DOCUMENT" />
17717        <optionality value="O" />
17718      </xs:documentation>
17719    </xs:annotation>
17720  </xs:element>
17721  <xs:element name="SupportingDocument"
    minOccurs="0" maxOccurs="99"
    type="SupportingDocumentType03">
17722    <xs:annotation>
17723      <xs:documentation>
17724        <description value="SUPPORTING
DOCUMENT" />
17725        <optionality value="O" />
17726      </xs:documentation>
17727    </xs:annotation>
17728  </xs:element>
17729  <xs:element name="TransportDocument"
    minOccurs="0" maxOccurs="99"
    type="TransportDocumentType01">
17730    <xs:annotation>
17731      <xs:documentation>
17732        <description value="TRANSPORT
DOCUMENT" />
17733        <optionality value="O" />
17734      </xs:documentation>
17735    </xs:annotation>

```



```
17757     </xs:element>
17758     <xs:element name="AdditionalReference"
17759       minOccurs="0" maxOccurs="99"
17760       type="AdditionalReferenceType02">
17761       <xs:annotation>
17762         <xs:documentation>
17763           <description value="ADDITIONAL
17764             REFERENCE" />
17765           <optionality value="0" />
17766         </xs:documentation>
17767       </xs:annotation>
17768     </xs:element>
17769     <xs:element
17770       name="AdditionalInformation" minOccurs="0"
17771       maxOccurs="99"
17772       type="AdditionalInformationType02">
17773       <xs:annotation>
17774       <xs:documentation>
17775         <description value="ADDITIONAL
17776           INFORMATION" />
17777         <optionality value="0" />
17778       </xs:documentation>
17779     </xs:annotation>
17780   </xs:element>
17781   <xs:element name="TransportCharges"
17782     minOccurs="0" type="TransportChargesType01">
17783     <xs:annotation>
17784     <xs:documentation>
17785       <description value="TRANSPORT
17786         CHARGES" />
17787       <optionality value="D" />
17788     </xs:documentation>
17789   </xs:annotation>
17790 </xs:element>
17791 <xs:element name="ConsignmentItem"
17792   maxOccurs="999" type="ConsignmentItemType13">
17793   <xs:annotation>
17794   <xs:documentation>
17795     <description value="CONSIGNMENT
17796       ITEM" />
17797     <optionality value="R" />
17798   </xs:documentation>
17799 </xs:annotation>
17800 </xs:element>
17801 </xs:sequence>
17802 </xs:complexType>
17803 <xs:complexType
17804   name="HouseConsignmentType12">
17805   <xs:annotation>
17806   <xs:documentation>
17807     <usedBy>Used by 1/124 messages:
17808     CD160C</usedBy>
17809   </xs:documentation>
17810 </xs:annotation>
17811 <xs:sequence>
17812   <xs:element name="sequenceNumber"
17813     type="SequenceNumberContentType02">
17814     <xs:annotation>
17815     <xs:documentation>
17816       <description value="Sequence
17817         number" />
17818     <format value="n..5" />
```

```
17736     </xs:element>
17737     <xs:element name="AdditionalReference"
17738       minOccurs="0" maxOccurs="99"
17739       type="AdditionalReferenceType02">
17740       <xs:annotation>
17741         <xs:documentation>
17742           <description value="ADDITIONAL
17743             REFERENCE" />
17744           <optionality value="0" />
17745         </xs:documentation>
17746       </xs:annotation>
17747     </xs:element>
17748     <xs:element
17749       name="AdditionalInformation" minOccurs="0"
17750       maxOccurs="99"
17751       type="AdditionalInformationType02">
17752       <xs:annotation>
17753       <xs:documentation>
17754         <description value="ADDITIONAL
17755           INFORMATION" />
17756         <optionality value="0" />
17757       </xs:documentation>
17758     </xs:annotation>
17759   </xs:element>
17760   <xs:element name="TransportCharges"
17761     minOccurs="0" type="TransportChargesType01">
17762     <xs:annotation>
17763     <xs:documentation>
17764       <description value="TRANSPORT
17765         CHARGES" />
17766       <optionality value="D" />
17767     </xs:documentation>
17768   </xs:annotation>
17769 </xs:element>
17770 <xs:element name="ConsignmentItem"
17771   maxOccurs="999" type="ConsignmentItemType13">
17772   <xs:annotation>
17773   <xs:documentation>
17774     <description value="CONSIGNMENT
17775       ITEM" />
17776     <optionality value="R" />
17777   </xs:documentation>
17778 </xs:annotation>
17779 </xs:element>
17780 </xs:sequence>
17781 </xs:complexType>
17782 <xs:complexType
17783   name="HouseConsignmentType12">
17784   <xs:annotation>
17785   <xs:documentation>
17786     <usedBy>Used by 1/124 messages:
17787     CD160C</usedBy>
17788   </xs:documentation>
17789 </xs:annotation>
17790 <xs:sequence>
17791   <xs:element name="sequenceNumber"
17792     type="SequenceNumberContentType02">
17793     <xs:annotation>
17794     <xs:documentation>
17795       <description value="Sequence
17796         number" />
17797     <format value="n..5" />
```

```
17538 <xs:complexType
17539   name="HouseConsignmentType12">
17540   <xs:annotation>
17541   <xs:documentation>
17542     <usedBy>Used by 2/124 messages:
17543     CD050C, CD160C</usedBy>
17544   </xs:documentation>
17545 </xs:annotation>
17546 <xs:sequence>
17547   <xs:element name="sequenceNumber"
17548     type="SequenceNumberContentType02">
17549     <xs:annotation>
17550     <xs:documentation>
17551       <description value="Sequence
17552         number" />
17553     <format value="n..5" />
```

```
17804         <optionality value="R" />
21826     </xs:element>
21827     <xs:element name="Address"
type="AddressType05">
21828         <xs:annotation>
21829             <xs:documentation>
21830                 <description value="ADDRESS" />
21831                 <optionality value="R" />
21832             </xs:documentation>
21833         </xs:annotation>
21834     </xs:element>
21835     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType05">
21836         <xs:annotation>
21837         <xs:documentation>
21838             <description value="CONTACT
PERSON" />
21839             <optionality value="0" />
21840         </xs:documentation>
21841         </xs:annotation>
21842     </xs:element>
21843 </xs:sequence>
21844 </xs:complexType>
21881 </xs:element>
21882     <xs:element name="Address"
type="AddressType07">
21883         <xs:annotation>
21884         <xs:documentation>
21885             <description value="ADDRESS" />
21886             <optionality value="R" />
21887         </xs:documentation>
21888     </xs:annotation>
21889 </xs:element>
21890     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType05">
21891         <xs:annotation>
21892         <xs:documentation>
21893             <description value="CONTACT
PERSON" />
21894             <optionality value="0" />
21895         </xs:documentation>
21896         </xs:annotation>
21897     </xs:element>
21898 </xs:sequence>
21899 </xs:complexType>
21936 </xs:element>
21937     <xs:element name="Address"
type="AddressType08">
21938         <xs:annotation>
21939         <xs:documentation>
21940             <description value="ADDRESS" />
21941             <optionality value="R" />
21942         </xs:documentation>
21943     </xs:annotation>
21944 </xs:element>
21945     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType05">
21946         <xs:annotation>
21947         <xs:documentation>
21948             <description value="CONTACT
PERSON" />
21949             <optionality value="0" />
```

```
ctypes.xsd x 3
17783         <optionality value="R" />
21805     </xs:element>
21806     <xs:element name="Address"
type="AddressType05">
21807         <xs:annotation>
21808             <xs:documentation>
21809                 <description value="ADDRESS" />
21810                 <optionality value="R" />
21811             </xs:documentation>
21812         </xs:annotation>
21813     </xs:element>
21814     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType04">
21815         <xs:annotation>
21816         <xs:documentation>
21817             <description value="CONTACT
PERSON" />
21818             <optionality value="0" />
21819         </xs:documentation>
21820         </xs:annotation>
21821     </xs:element>
21822 </xs:sequence>
21823 </xs:complexType>
21860 </xs:element>
21861     <xs:element name="Address"
type="AddressType07">
21862         <xs:annotation>
21863         <xs:documentation>
21864             <description value="ADDRESS" />
21865             <optionality value="R" />
21866         </xs:documentation>
21867     </xs:annotation>
21868 </xs:element>
21869     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType04">
21870         <xs:annotation>
21871         <xs:documentation>
21872             <description value="CONTACT
PERSON" />
21873             <optionality value="0" />
21874         </xs:documentation>
21875         </xs:annotation>
21876     </xs:element>
21877 </xs:sequence>
21878 </xs:complexType>
21915 </xs:element>
21916     <xs:element name="Address"
type="AddressType08">
21917         <xs:annotation>
21918         <xs:documentation>
21919             <description value="ADDRESS" />
21920             <optionality value="R" />
21921         </xs:documentation>
21922     </xs:annotation>
21923 </xs:element>
21924     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType04">
21925         <xs:annotation>
21926         <xs:documentation>
21927             <description value="CONTACT
PERSON" />
21928             <optionality value="0" />
```

```
17550         <optionality value="R" />
21572     </xs:element>
21573     <xs:element name="Address"
type="AddressType05">
21574         <xs:annotation>
21575             <xs:documentation>
21576                 <description value="ADDRESS" />
21577                 <optionality value="R" />
21578             </xs:documentation>
21579         </xs:annotation>
21580     </xs:element>
21581     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType04">
21582         <xs:annotation>
21583         <xs:documentation>
21584             <description value="CONTACT
PERSON" />
21585             <optionality value="0" />
21586         </xs:documentation>
21587         </xs:annotation>
21588     </xs:element>
21589 </xs:sequence>
21590 </xs:complexType>
21627 </xs:element>
21628     <xs:element name="Address"
type="AddressType07">
21629         <xs:annotation>
21630         <xs:documentation>
21631             <description value="ADDRESS" />
21632             <optionality value="R" />
21633         </xs:documentation>
21634     </xs:annotation>
21635 </xs:element>
21636     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType04">
21637         <xs:annotation>
21638         <xs:documentation>
21639             <description value="CONTACT
PERSON" />
21640             <optionality value="0" />
21641         </xs:documentation>
21642         </xs:annotation>
21643     </xs:element>
21644 </xs:sequence>
21645 </xs:complexType>
21682 </xs:element>
21683     <xs:element name="Address"
type="AddressType08">
21684         <xs:annotation>
21685         <xs:documentation>
21686             <description value="ADDRESS" />
21687             <optionality value="R" />
21688         </xs:documentation>
21689     </xs:annotation>
21690 </xs:element>
21691     <xs:element name="ContactPerson"
minOccurs="0" type="ContactPersonType04">
21692         <xs:annotation>
21693         <xs:documentation>
21694             <description value="CONTACT
PERSON" />
21695             <optionality value="0" />
```

```

21950     </xs:documentation>
21951     </xs:annotation>
21952   </xs:element>
21953 </xs:sequence>
21954 </xs:complexType>
22493 <!--===== TransitOperation
-->
22494
<!--=====
=====-->
22495 <xs:complexType
name="TransitOperationType01">
22496   <xs:annotation>
22497     <xs:documentation>
22498       <usedBy>Used by 1/124 messages:
cc007C</usedBy>
22499     </xs:documentation>
22500   </xs:annotation>
22501   <xs:sequence>
22502     <xs:element name="MRN"
type="MrnContentType05">
22503       <xs:annotation>
22504         <xs:documentation>
22505           <description value="MRN" />
22506           <format value="an18" />
22507           <optionality value="R" />
22508           <xsdBaseType value="MRNType" />
22509         </xs:documentation>
22510       </xs:annotation>
22511     </xs:element>
22512   </xs:sequence>
22513 </xs:complexType>
22514 <xs:complexType
name="TransitOperationType02">
22515   <xs:annotation>
22516     <xs:documentation>
22517       <usedBy>Used by 1/124 messages:
cc013C</usedBy>
22518     </xs:documentation>
22519   </xs:annotation>
22520   <xs:sequence>
22521     <xs:element name="LRN" minOccurs="0"
type="LrnContentType02">
22522       <xs:annotation>
22523         <xs:documentation>
22524           <description value="LRN" />
22525           <format value="an..22" />
22526           <optionality value="D" />
22527           <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
22528         </xs:documentation>
22529       </xs:annotation>
22530     </xs:element>
22531     <xs:element name="MRN" minOccurs="0"
type="MrnContentType05">
22532       <xs:annotation>
22533         <xs:documentation>
22534           <description value="MRN" />
22535           <format value="an18" />
22536           <optionality value="D" />
22537           <xsdBaseType value="MRNType" />
22538         </xs:documentation>
22539       </xs:annotation>
22540     </xs:element>
22541   </xs:sequence>
22542 </xs:complexType>

```

```

21929     </xs:documentation>
21930     </xs:annotation>
21931   </xs:element>
21932 </xs:sequence>
21933 </xs:complexType>
22472 <!--===== TransitOperation
-->
22473
<!--=====
=====-->
22474 <xs:complexType
name="TransitOperationType01">
22475   <xs:annotation>
22476     <xs:documentation>
22477       <usedBy>Used by 1/124 messages:
cc007C</usedBy>
22478     </xs:documentation>
22479   </xs:annotation>
22480   <xs:sequence>
22481     <xs:element name="MRN"
type="MRNContentType05">
22482       <xs:annotation>
22483         <xs:documentation>
22484           <description value="MRN" />
22485           <format value="an18" />
22486           <optionality value="R" />
22487           <xsdBaseType value="MRNType" />
22488         </xs:documentation>
22489       </xs:annotation>
22490     </xs:element>
22491   </xs:sequence>
22492 </xs:complexType>
22493 <xs:complexType
name="TransitOperationType02">
22494   <xs:annotation>
22495     <xs:documentation>
22496       <usedBy>Used by 1/124 messages:
cc013C</usedBy>
22497     </xs:documentation>
22498   </xs:annotation>
22499   <xs:sequence>
22500     <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
22501       <xs:annotation>
22502         <xs:documentation>
22503           <description value="LRN" />
22504           <format value="an..22" />
22505           <optionality value="D" />
22506           <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
22507         </xs:documentation>
22508       </xs:annotation>
22509     </xs:element>
22510     <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
22511       <xs:annotation>
22512         <xs:documentation>
22513           <description value="MRN" />
22514           <format value="an18" />
22515           <optionality value="D" />
22516           <xsdBaseType value="MRNType" />
22517         </xs:documentation>
22518       </xs:annotation>
22519     </xs:element>
22520   </xs:sequence>
22521 </xs:complexType>

```

```

21696     </xs:documentation>
21697     </xs:annotation>
21698   </xs:element>
21699 </xs:sequence>
21700 </xs:complexType>
22239 <!--===== TransitOperation
-->
22240
<!--=====
=====-->
22241 <xs:complexType
name="TransitOperationType01">
22242   <xs:annotation>
22243     <xs:documentation>
22244       <usedBy>Used by 1/124 messages:
cc007C</usedBy>
22245     </xs:documentation>
22246   </xs:annotation>
22247   <xs:sequence>
22248     <xs:element name="MRN"
type="MRNContentType05">
22249       <xs:annotation>
22250         <xs:documentation>
22251           <description value="MRN" />
22252           <format value="an18" />
22253           <optionality value="R" />
22254           <xsdBaseType value="MRNType" />
22255         </xs:documentation>
22256       </xs:annotation>
22257     </xs:element>
22258   </xs:sequence>
22259 </xs:complexType>
22260 <xs:complexType
name="TransitOperationType02">
22261   <xs:annotation>
22262     <xs:documentation>
22263       <usedBy>Used by 1/124 messages:
cc013C</usedBy>
22264     </xs:documentation>
22265   </xs:annotation>
22266   <xs:sequence>
22267     <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
22268       <xs:annotation>
22269         <xs:documentation>
22270           <description value="LRN" />
22271           <format value="an..22" />
22272           <optionality value="D" />
22273           <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
22274         </xs:documentation>
22275       </xs:annotation>
22276     </xs:element>
22277     <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
22278       <xs:annotation>
22279         <xs:documentation>
22280           <description value="MRN" />
22281           <format value="an18" />
22282           <optionality value="D" />
22283           <xsdBaseType value="MRNType" />
22284         </xs:documentation>
22285       </xs:annotation>
22286     </xs:element>
22287   </xs:sequence>
22288 </xs:complexType>

```



```

22559     </xs:annotation>
22560     </xs:element>
22672   </xs:sequence>
22673 </xs:complexType>
22674 <xs:complexType
  name="TransitOperationType03">
22675   <xs:annotation>
22676     <xs:documentation>
22677       <usedBy>Used by 1/124 messages:
22678       CC015C</usedBy>
22679     </xs:documentation>
22680   </xs:annotation>
22681   <xs:sequence>
22682     <xs:element name="LRN"
22683       type="LrnContentType02">
22684       <xs:annotation>
22685         <xs:documentation>
22686           <description value="LRN" />
22687           <format value="an..22" />
22688           <optional value="R" />
22689           <xsdBaseType
22690             value="AlphaNumeric_MAX22_NoSpaces" />
22691         </xs:documentation>
22692       </xs:annotation>
22693     </xs:element>
22694   </xs:sequence>
22695 </xs:complexType>
22696 <xs:complexType
  name="TransitOperationType04">
22697   <xs:annotation>
22698     <xs:documentation>
22699       <usedBy>Used by 1/124 messages:
22700       CC017C</usedBy>
22701     </xs:documentation>
22702   </xs:annotation>
22703   <xs:sequence>
22704     <xs:element name="MRN"
22705       type="MrnContentType05">
22706     <xs:annotation>
22707       <xs:documentation>
22708         <description value="MRN" />
22709         <format value="an18" />
22710         <optional value="R" />
22711         <xsdBaseType value="MRNType" />
22712       </xs:documentation>
22713     </xs:annotation>
22714   </xs:element>
22715 </xs:sequence>
22716 </xs:complexType>
22717 <xs:complexType
  name="TransitOperationType05">
22718   <xs:annotation>
22719     <xs:documentation>
22720       <usedBy>Used by 1/124 messages:
22721       CC019C</usedBy>
22722     </xs:documentation>
22723   </xs:annotation>
22724   <xs:sequence>
22725     <xs:element name="MRN"
22726       type="MrnContentType05">
22727     <xs:annotation>
22728       <xs:documentation>

```

```

22538     </xs:annotation>
22539     </xs:element>
22651   </xs:sequence>
22652 </xs:complexType>
22653 <xs:complexType
  name="TransitOperationType03">
22654   <xs:annotation>
22655     <xs:documentation>
22656       <usedBy>Used by 1/124 messages:
22657       CC015C</usedBy>
22658     </xs:documentation>
22659   </xs:annotation>
22660   <xs:sequence>
22661     <xs:element name="LRN"
22662       type="LRNContentType02">
22663     <xs:annotation>
22664       <xs:documentation>
22665         <description value="LRN" />
22666         <format value="an..22" />
22667         <optional value="R" />
22668         <xsdBaseType
22669           value="AlphaNumeric_MAX22_NoSpaces" />
22670       </xs:documentation>
22671     </xs:annotation>
22672   </xs:element>
22673 </xs:sequence>
22674 </xs:complexType>
22675 <xs:complexType
  name="TransitOperationType04">
22676   <xs:annotation>
22677     <xs:documentation>
22678       <usedBy>Used by 1/124 messages:
22679       CC017C</usedBy>
22680     </xs:documentation>
22681   </xs:annotation>
22682   <xs:sequence>
22683     <xs:element name="MRN"
22684       type="MRNContentType05">
22685     <xs:annotation>
22686       <xs:documentation>
22687         <description value="MRN" />
22688         <format value="an18" />
22689         <optional value="R" />
22690         <xsdBaseType value="MRNType" />
22691       </xs:documentation>
22692     </xs:annotation>
22693   </xs:element>
22694 </xs:sequence>
22695 </xs:complexType>
22696 <xs:complexType
  name="TransitOperationType05">
22697   <xs:annotation>
22698     <xs:documentation>
22699       <usedBy>Used by 1/124 messages:
22700       CC019C</usedBy>
22701     </xs:documentation>
22702   </xs:annotation>
22703   <xs:sequence>
22704     <xs:element name="MRN"
22705       type="MRNContentType05">
22706     <xs:annotation>
22707       <xs:documentation>

```

```

22305     </xs:annotation>
22306     </xs:element>
22418   </xs:sequence>
22419 </xs:complexType>
22420 <xs:complexType
  name="TransitOperationType03">
22421   <xs:annotation>
22422     <xs:documentation>
22423       <usedBy>Used by 1/124 messages:
22424       CC015C</usedBy>
22425     </xs:documentation>
22426   </xs:annotation>
22427   <xs:sequence>
22428     <xs:element name="LRN"
22429       type="LRNContentType02">
22430     <xs:annotation>
22431       <xs:documentation>
22432         <description value="LRN" />
22433         <format value="an..22" />
22434         <optional value="R" />
22435         <xsdBaseType
22436           value="AlphaNumeric_MAX22_NoSpaces" />
22437       </xs:documentation>
22438     </xs:annotation>
22439   </xs:element>
22440 </xs:sequence>
22441 </xs:complexType>
22442 <xs:complexType
  name="TransitOperationType04">
22443   <xs:annotation>
22444     <xs:documentation>
22445       <usedBy>Used by 1/124 messages:
22446       CC017C</usedBy>
22447     </xs:documentation>
22448   </xs:annotation>
22449   <xs:sequence>
22450     <xs:element name="MRN"
22451       type="MRNContentType05">
22452     <xs:annotation>
22453       <xs:documentation>
22454         <description value="MRN" />
22455         <format value="an18" />
22456         <optional value="R" />
22457         <xsdBaseType value="MRNType" />
22458       </xs:documentation>
22459     </xs:annotation>
22460   </xs:element>
22461 </xs:sequence>
22462 </xs:complexType>
22463 <xs:complexType
  name="TransitOperationType05">
22464   <xs:annotation>
22465     <xs:documentation>
22466       <usedBy>Used by 1/124 messages:
22467       CC019C</usedBy>
22468     </xs:documentation>
22469   </xs:annotation>
22470   <xs:sequence>
22471     <xs:element name="MRN"
22472       type="MRNContentType05">
22473     <xs:annotation>
22474       <xs:documentation>

```


23007	<xs:element name="LRN" type="LrnContentType02">	22986	<xs:element name="LRN" type="LRNContentType02">	22753	<xs:element name="LRN" type="LRNContentType02">
23008	<xs:annotation>	22987	<xs:annotation>	22754	<xs:annotation>
23009	<xs:documentation>	22988	<xs:documentation>	22755	<xs:documentation>
23010	<description value="LRN" />	22989	<description value="LRN" />	22756	<description value="LRN" />
23011	<format value="an..22" />	22990	<format value="an..22" />	22757	<format value="an..22" />
23012	<optionality value="R" />	22991	<optionality value="R" />	22758	<optionality value="R" />
23013	<xsdBaseType value="AlphaNumeric_MAX22_NoSpaces" />	22992	<xsdBaseType value="AlphaNumeric_MAX22_NoSpaces" />	22759	<xsdBaseType value="AlphaNumeric_MAX22_NoSpaces" />
23014	</xs:documentation>	22993	</xs:documentation>	22760	</xs:documentation>
23015	</xs:annotation>	22994	</xs:annotation>	22761	</xs:annotation>
23016	</xs:element>	22995	</xs:element>	22762	</xs:element>
23017	<xs:element name="MRN" type="MrnContentType05">	22996	<xs:element name="MRN" type="MRNContentType05">	22763	<xs:element name="MRN" type="MRNContentType05">
23018	<xs:annotation>	22997	<xs:annotation>	22764	<xs:annotation>
23019	<xs:documentation>	22998	<xs:documentation>	22765	<xs:documentation>
23020	<description value="MRN" />	22999	<description value="MRN" />	22766	<description value="MRN" />
23021	<format value="an18" />	23000	<format value="an18" />	22767	<format value="an18" />
23022	<optionality value="R" />	23001	<optionality value="R" />	22768	<optionality value="R" />
23023	<xsdBaseType value="MRNType" />	23002	<xsdBaseType value="MRNType" />	22769	<xsdBaseType value="MRNType" />
23024	</xs:documentation>	23003	</xs:documentation>	22770	</xs:documentation>
23025	</xs:annotation>	23004	</xs:annotation>	22771	</xs:annotation>
23026	</xs:element>	23005	</xs:element>	22772	</xs:element>
23157	</xs:sequence>	23136	</xs:sequence>	22903	</xs:sequence>
23158	</xs:complexType>	23137	</xs:complexType>	22904	</xs:complexType>
23159	<xs:complexType name="TransitOperationType10">	23138	<xs:complexType name="TransitOperationType10">	22905	<xs:complexType name="TransitOperationType10">
23160	<xs:annotation>	23139	<xs:annotation>	22906	<xs:annotation>
23161	<xs:documentation>	23140	<xs:documentation>	22907	<xs:documentation>
23162	<usedBy>Used by 1/124 messages: CC043C</usedBy>	23141	<usedBy>Used by 1/124 messages: CC043C</usedBy>	22908	<usedBy>Used by 1/124 messages: CC043C</usedBy>
23163	</xs:documentation>	23142	</xs:documentation>	22909	</xs:documentation>
23164	</xs:annotation>	23143	</xs:annotation>	22910	</xs:annotation>
23165	<xs:sequence>	23144	<xs:sequence>	22911	<xs:sequence>
23166	<xs:element name="MRN" type="MrnContentType05">	23145	<xs:element name="MRN" type="MRNContentType05">	22912	<xs:element name="MRN" type="MRNContentType05">
23167	<xs:annotation>	23146	<xs:annotation>	22913	<xs:annotation>
23168	<xs:documentation>	23147	<xs:documentation>	22914	<xs:documentation>
23169	<description value="MRN" />	23148	<description value="MRN" />	22915	<description value="MRN" />
23170	<format value="an18" />	23149	<format value="an18" />	22916	<format value="an18" />
23171	<optionality value="R" />	23150	<optionality value="R" />	22917	<optionality value="R" />
23172	<xsdBaseType value="MRNType" />	23151	<xsdBaseType value="MRNType" />	22918	<xsdBaseType value="MRNType" />
23173	</xs:documentation>	23152	</xs:documentation>	22919	</xs:documentation>
23174	</xs:annotation>	23153	</xs:annotation>	22920	</xs:annotation>
23175	</xs:element>	23154	</xs:element>	22921	</xs:element>
23216	</xs:sequence>	23195	</xs:sequence>	22962	</xs:sequence>
23217	</xs:complexType>	23196	</xs:complexType>	22963	</xs:complexType>
23218	<xs:complexType name="TransitOperationType11">	23197	<xs:complexType name="TransitOperationType11">	22964	<xs:complexType name="TransitOperationType11">
23219	<xs:annotation>	23198	<xs:annotation>	22965	<xs:annotation>
23220	<xs:documentation>	23199	<xs:documentation>	22966	<xs:documentation>
23221	<usedBy>Used by 1/124 messages: CC044C</usedBy>	23200	<usedBy>Used by 1/124 messages: CC044C</usedBy>	22967	<usedBy>Used by 1/124 messages: CC044C</usedBy>
23222	</xs:documentation>	23201	</xs:documentation>	22968	</xs:documentation>
23223	</xs:annotation>	23202	</xs:annotation>	22969	</xs:annotation>
23224	<xs:sequence>	23203	<xs:sequence>	22970	<xs:sequence>
23225	<xs:element name="MRN" type="MrnContentType05">	23204	<xs:element name="MRN" type="MRNContentType05">	22971	<xs:element name="MRN" type="MRNContentType05">
23226	<xs:annotation>	23205	<xs:annotation>	22972	<xs:annotation>
23227	<xs:documentation>	23206	<xs:documentation>	22973	<xs:documentation>
23228	<description value="MRN" />	23207	<description value="MRN" />	22974	<description value="MRN" />
23229	<format value="an18" />	23208	<format value="an18" />	22975	<format value="an18" />


```

23362     <xs:annotation>
23363       <xs:documentation>
23364         <description value="MRN" />
23365         <format value="an18" />
23366         <optionality value="R" />
23367         <xsdBaseType value="MRNType" />
23368       </xs:documentation>
23369     </xs:annotation>
23370   </xs:element>
23391 </xs:sequence>
23392 </xs:complexType>
23393 <xs:complexType
  name="TransitOperationType16">
23394   <xs:annotation>
23395     <xs:documentation>
23396       <usedBy>Used by 1/124 messages:
23397       CC056C</usedBy>
23398     </xs:documentation>
23399   </xs:annotation>
23399   <xs:sequence>
23400     <xs:element name="LRN" minOccurs="0"
23401     type="LrnContentType02">
23402       <xs:annotation>
23403         <xs:documentation>
23404           <description value="LRN" />
23405           <format value="an..22" />
23406           <optionality value="D" />
23407           <xsdBaseType
23408             value="AlphaNumeric_MAX22_NoSpaces" />
23409         </xs:documentation>
23410       </xs:annotation>
23411     </xs:element>
23412     <xs:element name="MRN" minOccurs="0"
23413     type="MrnContentType05">
23414       <xs:annotation>
23415         <xs:documentation>
23416           <description value="MRN" />
23417           <format value="an18" />
23418           <optionality value="D" />
23419           <xsdBaseType value="MRNType" />
23420         </xs:documentation>
23421       </xs:annotation>
23422     </xs:element>
23423   </xs:sequence>
23424 </xs:complexType>
23425 <xs:complexType
  name="TransitOperationType17">
23426   <xs:annotation>
23427     <xs:documentation>
23428       <usedBy>Used by 1/124 messages:
23429       CC056D</usedBy>
23430     </xs:documentation>
23431   </xs:annotation>
23432   <xs:sequence>
23433     <xs:element name="LRN" minOccurs="0"
23434     type="LrnContentType02">
23435       <xs:annotation>
23436         <xs:documentation>
23437           <description value="LRN" />
23438           <format value="an..22" />
23439           <optionality value="D" />
23440           <xsdBaseType

```

```

23341     <xs:annotation>
23342       <xs:documentation>
23343         <description value="MRN" />
23344         <format value="an18" />
23345         <optionality value="R" />
23346         <xsdBaseType value="MRNType" />
23347       </xs:documentation>
23348     </xs:annotation>
23349   </xs:element>
23370 </xs:sequence>
23371 </xs:complexType>
23372 <xs:complexType
  name="TransitOperationType16">
23373   <xs:annotation>
23374     <xs:documentation>
23375       <usedBy>Used by 1/124 messages:
23376       CC056C</usedBy>
23377     </xs:documentation>
23378   </xs:annotation>
23379   <xs:sequence>
23380     <xs:element name="LRN" minOccurs="0"
23381     type="LrnContentType02">
23382       <xs:annotation>
23383         <xs:documentation>
23384           <description value="LRN" />
23385           <format value="an..22" />
23386           <optionality value="D" />
23387           <xsdBaseType
23388             value="AlphaNumeric_MAX22_NoSpaces" />
23389         </xs:documentation>
23390       </xs:annotation>
23391     </xs:element>
23392     <xs:element name="MRN" minOccurs="0"
23393     type="MrnContentType05">
23394       <xs:annotation>
23395         <xs:documentation>
23396           <description value="MRN" />
23397           <format value="an18" />
23398           <optionality value="D" />
23399           <xsdBaseType value="MRNType" />
23400         </xs:documentation>
23401       </xs:annotation>
23402     </xs:element>
23403   </xs:sequence>
23404 </xs:complexType>
23405 <xs:complexType
  name="TransitOperationType17">
23406   <xs:annotation>
23407     <xs:documentation>
23408       <usedBy>Used by 1/124 messages:
23409       CC056D</usedBy>
23410     </xs:documentation>
23411   </xs:annotation>
23412   <xs:sequence>
23413     <xs:element name="LRN" minOccurs="0"
23414     type="LrnContentType02">
23415       <xs:annotation>
23416         <xs:documentation>
23417           <description value="LRN" />
23418           <format value="an..22" />
23419           <optionality value="D" />
23420           <xsdBaseType

```

```

23108     <xs:annotation>
23109       <xs:documentation>
23110         <description value="MRN" />
23111         <format value="an18" />
23112         <optionality value="R" />
23113         <xsdBaseType value="MRNType" />
23114       </xs:documentation>
23115     </xs:annotation>
23116   </xs:element>
23137 </xs:sequence>
23138 </xs:complexType>
23139 <xs:complexType
  name="TransitOperationType16">
23140   <xs:annotation>
23141     <xs:documentation>
23142       <usedBy>Used by 1/124 messages:
23143       CC056C</usedBy>
23144     </xs:documentation>
23145   </xs:annotation>
23146   <xs:sequence>
23147     <xs:element name="LRN" minOccurs="0"
23148     type="LrnContentType02">
23149       <xs:annotation>
23150         <xs:documentation>
23151           <description value="LRN" />
23152           <format value="an..22" />
23153           <optionality value="D" />
23154           <xsdBaseType
23155             value="AlphaNumeric_MAX22_NoSpaces" />
23156         </xs:documentation>
23157       </xs:annotation>
23158     </xs:element>
23159     <xs:element name="MRN" minOccurs="0"
23160     type="MrnContentType05">
23161       <xs:annotation>
23162         <xs:documentation>
23163           <description value="MRN" />
23164           <format value="an18" />
23165           <optionality value="D" />
23166           <xsdBaseType value="MRNType" />
23167         </xs:documentation>
23168       </xs:annotation>
23169     </xs:element>
23170   </xs:sequence>
23171 </xs:complexType>
23172 <xs:complexType
  name="TransitOperationType17">
23173   <xs:annotation>
23174     <xs:documentation>
23175       <usedBy>Used by 1/124 messages:
23176       CC056D</usedBy>
23177     </xs:documentation>
23178   </xs:annotation>
23179   <xs:sequence>
23180     <xs:element name="LRN" minOccurs="0"
23181     type="LrnContentType02">
23182       <xs:annotation>
23183         <xs:documentation>
23184           <description value="LRN" />
23185           <format value="an..22" />
23186           <optionality value="D" />
23187           <xsdBaseType

```



```
23475 value="AlphaNumeric_MAX22_NoSpaces" />
23476 </xs:documentation>
23477 </xs:annotation>
23478 </xs:element>
23479 <xs:element name="MRN" minOccurs="0"
type="MrnContentType05">
23480 <xs:annotation>
23481 <xs:documentation>
23482 <description value="MRN" />
23483 <format value="an18" />
23484 <optionality value="D" />
23485 <xsdBaseType value="MRNType" />
23486 </xs:documentation>
23487 </xs:annotation>
23488 </xs:element>
23529 </xs:sequence>
23530 </xs:complexType>
23531 <xs:complexType
name="TransitOperationType18">
23532 <xs:annotation>
23533 <xs:documentation>
23534 <usedBy>Used by 1/124 messages:
CC057C</usedBy>
23535 </xs:documentation>
23536 </xs:annotation>
23537 <xs:sequence>
23538 <xs:element name="MRN"
type="MrnContentType05">
23539 <xs:annotation>
23540 <xs:documentation>
23541 <description value="MRN" />
23542 <format value="an18" />
23543 <optionality value="R" />
23544 <xsdBaseType value="MRNType" />
23545 </xs:documentation>
23546 </xs:annotation>
23547 </xs:element>
23548 <xs:element
name="businessRejectionType"
type="BusinessRejectionTypeContentType">
23549 <xs:annotation>
23550 <xs:documentation>
23551 <description value="Business
rejection type" />
23552 <codeList code="CL560"
type="business"
name="BusinessRejectionTypeDepExp" />
23553 <format value="an3" />
23554 <optionality value="R" />
23555 </xs:documentation>
23556 </xs:annotation>
23557 </xs:element>
23558 <xs:element name="rejectionDateAndTime"
type="RejectionDateAndTimeContentType">
23559 <xs:annotation>
23560 <xs:documentation>
23561 <description value="Rejection
date and time" />
23588 </xs:sequence>
23589 </xs:complexType>
23590 <xs:complexType
name="TransitOperationType19">
```

```
23454 value="AlphaNumeric_MAX22_NoSpaces" />
23455 </xs:documentation>
23456 </xs:annotation>
23457 </xs:element>
23458 <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
23459 <xs:annotation>
23460 <xs:documentation>
23461 <description value="MRN" />
23462 <format value="an18" />
23463 <optionality value="D" />
23464 <xsdBaseType value="MRNType" />
23465 </xs:documentation>
23466 </xs:annotation>
23467 </xs:element>
23508 </xs:sequence>
23509 </xs:complexType>
23510 <xs:complexType
name="TransitOperationType18">
23511 <xs:annotation>
23512 <xs:documentation>
23513 <usedBy>Used by 1/124 messages:
CC057C</usedBy>
23514 </xs:documentation>
23515 </xs:annotation>
23516 <xs:sequence>
23517 <xs:element name="MRN"
type="MRNContentType05">
23518 <xs:annotation>
23519 <xs:documentation>
23520 <description value="MRN" />
23521 <format value="an18" />
23522 <optionality value="R" />
23523 <xsdBaseType value="MRNType" />
23524 </xs:documentation>
23525 </xs:annotation>
23526 </xs:element>
23527 <xs:element
name="businessRejectionType"
type="BusinessRejectionTypeContentType">
23528 <xs:annotation>
23529 <xs:documentation>
23530 <description value="Business
rejection type" />
23531 <codeList code="CL560"
type="business"
name="BusinessRejectionTypeDepExp" />
23532 <format value="an3" />
23533 <optionality value="R" />
23534 </xs:documentation>
23535 </xs:annotation>
23536 </xs:element>
23537 <xs:element name="rejectionDateAndTime"
type="RejectionDateAndTimeContentType">
23538 <xs:annotation>
23539 <xs:documentation>
23540 <description value="Rejection
date and time" />
23567 </xs:sequence>
23568 </xs:complexType>
23569 <xs:complexType
name="TransitOperationType19">
```

```
23221 value="AlphaNumeric_MAX22_NoSpaces" />
23222 </xs:documentation>
23223 </xs:annotation>
23224 </xs:element>
23225 <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
23226 <xs:annotation>
23227 <xs:documentation>
23228 <description value="MRN" />
23229 <format value="an18" />
23230 <optionality value="D" />
23231 <xsdBaseType value="MRNType" />
23232 </xs:documentation>
23233 </xs:annotation>
23234 </xs:element>
23275 </xs:sequence>
23276 </xs:complexType>
23277 <xs:complexType
name="TransitOperationType18">
23278 <xs:annotation>
23279 <xs:documentation>
23280 <usedBy>Used by 1/124 messages:
CC057C</usedBy>
23281 </xs:documentation>
23282 </xs:annotation>
23283 <xs:sequence>
23284 <xs:element name="MRN"
type="MRNContentType05">
23285 <xs:annotation>
23286 <xs:documentation>
23287 <description value="MRN" />
23288 <format value="an18" />
23289 <optionality value="R" />
23290 <xsdBaseType value="MRNType" />
23291 </xs:documentation>
23292 </xs:annotation>
23293 </xs:element>
23294 <xs:element
name="businessRejectionType"
type="BusinessRejectionTypeContentType">
23295 <xs:annotation>
23296 <xs:documentation>
23297 <description value="Business
rejection type" />
23298 <codeList code="CL570"
type="business"
name="BusinessRejectionTypeDesExt" />
23299 <format value="an3" />
23300 <optionality value="R" />
23301 </xs:documentation>
23302 </xs:annotation>
23303 </xs:element>
23304 <xs:element name="rejectionDateAndTime"
type="RejectionDateAndTimeContentType">
23305 <xs:annotation>
23306 <xs:documentation>
23307 <description value="Rejection
date and time" />
23334 </xs:sequence>
23335 </xs:complexType>
23336 <xs:complexType
name="TransitOperationType19">
```



```
23591 <xs:annotation>
23592 <xs:documentation>
23593 <usedBy>Used by 1/124 messages:
CC058D</usedBy>
23594 </xs:documentation>
23595 </xs:annotation>
23596 <xs:sequence>
23597 <xs:element name="MRN"
type="MrnContentType05">
23598 <xs:annotation>
23599 <xs:documentation>
23600 <description value="MRN" />
23601 <format value="an18" />
23602 <optionality value="R" />
23603 <xsdBaseType value="MRNType" />
23604 </xs:documentation>
23605 </xs:annotation>
23606 </xs:element>
23607 </xs:sequence>
23608 </xs:complexType>
23609 <xs:complexType
name="TransitOperationType20">
23610 <xs:annotation>
23611 <xs:documentation>
23612 <usedBy>Used by 1/124 messages:
CC060C</usedBy>
23613 </xs:documentation>
23614 </xs:annotation>
23615 <xs:sequence>
23616 <xs:element name="LRN" minOccurs="0"
type="LrnContentType02">
23617 <xs:annotation>
23618 <xs:documentation>
23619 <description value="LRN" />
23620 <format value="an..22" />
23621 <optionality value="D" />
23622 <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
23623 </xs:documentation>
23624 </xs:annotation>
23625 </xs:element>
23626 <xs:element name="MRN" minOccurs="0"
type="MrnContentType05">
23627 <xs:annotation>
23628 <xs:documentation>
23629 <description value="MRN" />
23630 <format value="an18" />
23631 <optionality value="D" />
23632 <xsdBaseType value="MRNType" />
23633 </xs:documentation>
23634 </xs:annotation>
23635 </xs:element>
23636 </xs:sequence>
23637 </xs:complexType>
23638 <xs:complexType
name="TransitOperationType21">
23639 <xs:annotation>
23640 <xs:documentation>
23641 <usedBy>Used by 1/124 messages:
CC060D</usedBy>
23642 </xs:documentation>
23643 </xs:annotation>
```

```
23570 <xs:annotation>
23571 <xs:documentation>
23572 <usedBy>Used by 1/124 messages:
CC058D</usedBy>
23573 </xs:documentation>
23574 </xs:annotation>
23575 <xs:sequence>
23576 <xs:element name="MRN"
type="MRNContentType05">
23577 <xs:annotation>
23578 <xs:documentation>
23579 <description value="MRN" />
23580 <format value="an18" />
23581 <optionality value="R" />
23582 <xsdBaseType value="MRNType" />
23583 </xs:documentation>
23584 </xs:annotation>
23585 </xs:element>
23586 </xs:sequence>
23587 </xs:complexType>
23588 <xs:complexType
name="TransitOperationType20">
23589 <xs:annotation>
23590 <xs:documentation>
23591 <usedBy>Used by 1/124 messages:
CC060C</usedBy>
23592 </xs:documentation>
23593 </xs:annotation>
23594 <xs:sequence>
23595 <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
23596 <xs:annotation>
23597 <xs:documentation>
23598 <description value="LRN" />
23599 <format value="an..22" />
23600 <optionality value="D" />
23601 <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
23602 </xs:documentation>
23603 </xs:annotation>
23604 </xs:element>
23605 <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
23606 <xs:annotation>
23607 <xs:documentation>
23608 <description value="MRN" />
23609 <format value="an18" />
23610 <optionality value="D" />
23611 <xsdBaseType value="MRNType" />
23612 </xs:documentation>
23613 </xs:annotation>
23614 </xs:element>
23615 </xs:sequence>
23616 </xs:complexType>
23617 <xs:complexType
name="TransitOperationType21">
23618 <xs:annotation>
23619 <xs:documentation>
23620 <usedBy>Used by 1/124 messages:
CC060D</usedBy>
23621 </xs:documentation>
23622 </xs:annotation>
```

```
23337 <xs:annotation>
23338 <xs:documentation>
23339 <usedBy>Used by 1/124 messages:
CC058D</usedBy>
23340 </xs:documentation>
23341 </xs:annotation>
23342 <xs:sequence>
23343 <xs:element name="MRN"
type="MRNContentType05">
23344 <xs:annotation>
23345 <xs:documentation>
23346 <description value="MRN" />
23347 <format value="an18" />
23348 <optionality value="R" />
23349 <xsdBaseType value="MRNType" />
23350 </xs:documentation>
23351 </xs:annotation>
23352 </xs:element>
23353 </xs:sequence>
23354 </xs:complexType>
23355 <xs:complexType
name="TransitOperationType20">
23356 <xs:annotation>
23357 <xs:documentation>
23358 <usedBy>Used by 1/124 messages:
CC060C</usedBy>
23359 </xs:documentation>
23360 </xs:annotation>
23361 <xs:sequence>
23362 <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
23363 <xs:annotation>
23364 <xs:documentation>
23365 <description value="LRN" />
23366 <format value="an..22" />
23367 <optionality value="D" />
23368 <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
23369 </xs:documentation>
23370 </xs:annotation>
23371 </xs:element>
23372 <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
23373 <xs:annotation>
23374 <xs:documentation>
23375 <description value="MRN" />
23376 <format value="an18" />
23377 <optionality value="D" />
23378 <xsdBaseType value="MRNType" />
23379 </xs:documentation>
23380 </xs:annotation>
23381 </xs:element>
23382 </xs:sequence>
23383 </xs:complexType>
23384 <xs:complexType
name="TransitOperationType21">
23385 <xs:annotation>
23386 <xs:documentation>
23387 <usedBy>Used by 1/124 messages:
CC060D</usedBy>
23388 </xs:documentation>
23389 </xs:annotation>
```

```

23704 <xs:sequence>
23705   <xs:element name="LRN" minOccurs="0"
type="LrnContentType02">
23706     <xs:annotation>
23707       <xs:documentation>
23708         <description value="LRN" />
23709         <format value="an..22" />
23710         <optionality value="D" />
23711         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
23712       </xs:documentation>
23713     </xs:annotation>
23714   </xs:element>
23715   <xs:element name="MRN" minOccurs="0"
type="MrnContentType05">
23716     <xs:annotation>
23717       <xs:documentation>
23718         <description value="MRN" />
23719         <format value="an18" />
23720         <optionality value="D" />
23721         <xsdBaseType value="MRNType" />
23722       </xs:documentation>
23723     </xs:annotation>
23724   </xs:element>
23754 </xs:sequence>
23755 </xs:complexType>
23756 <xs:complexType
name="TransitOperationType22">
23757   <xs:annotation>
23758     <xs:documentation>
23759       <usedBy>Used by 1/124 messages:
CC140C</usedBy>
23760     </xs:documentation>
23761   </xs:annotation>
23762 <xs:sequence>
23763   <xs:element name="MRN"
type="MrnContentType05">
23764     <xs:annotation>
23765       <xs:documentation>
23766         <description value="MRN" />
23767         <format value="an18" />
23768         <optionality value="R" />
23769         <xsdBaseType value="MRNType" />
23770       </xs:documentation>
23771     </xs:annotation>
23772   </xs:element>
23793 </xs:sequence>
23794 </xs:complexType>
23795 <xs:complexType
name="TransitOperationType23">
23796   <xs:annotation>
23797     <xs:documentation>
23798       <usedBy>Used by 1/124 messages:
CC170C</usedBy>
23799     </xs:documentation>
23800   </xs:annotation>
23801 <xs:sequence>
23802   <xs:element name="LRN"
type="LrnContentType02">
23803     <xs:annotation>
23804       <xs:documentation>
23805         <description value="LRN" />

```

```

23683 <xs:sequence>
23684   <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
23685     <xs:annotation>
23686       <xs:documentation>
23687         <description value="LRN" />
23688         <format value="an..22" />
23689         <optionality value="D" />
23690         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
23691       </xs:documentation>
23692     </xs:annotation>
23693   </xs:element>
23694   <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
23695     <xs:annotation>
23696       <xs:documentation>
23697         <description value="MRN" />
23698         <format value="an18" />
23699         <optionality value="D" />
23700         <xsdBaseType value="MRNType" />
23701       </xs:documentation>
23702     </xs:annotation>
23703   </xs:element>
23703 </xs:sequence>
23733 </xs:complexType>
23734 </xs:complexType>
23735 <xs:complexType
name="TransitOperationType22">
23736   <xs:annotation>
23737     <xs:documentation>
23738       <usedBy>Used by 1/124 messages:
CC140C</usedBy>
23739     </xs:documentation>
23740   </xs:annotation>
23741 <xs:sequence>
23742   <xs:element name="MRN"
type="MRNContentType05">
23743     <xs:annotation>
23744       <xs:documentation>
23745         <description value="MRN" />
23746         <format value="an18" />
23747         <optionality value="R" />
23748         <xsdBaseType value="MRNType" />
23749       </xs:documentation>
23750     </xs:annotation>
23751   </xs:element>
23772 </xs:sequence>
23773 </xs:complexType>
23774 <xs:complexType
name="TransitOperationType23">
23775   <xs:annotation>
23776     <xs:documentation>
23777       <usedBy>Used by 1/124 messages:
CC170C</usedBy>
23778     </xs:documentation>
23779   </xs:annotation>
23780 <xs:sequence>
23781   <xs:element name="LRN"
type="LRNContentType02">
23782     <xs:annotation>
23783       <xs:documentation>
23784         <description value="LRN" />

```

```

23450 <xs:sequence>
23451   <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
23452     <xs:annotation>
23453       <xs:documentation>
23454         <description value="LRN" />
23455         <format value="an..22" />
23456         <optionality value="D" />
23457         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
23458       </xs:documentation>
23459     </xs:annotation>
23460   </xs:element>
23461   <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
23462     <xs:annotation>
23463       <xs:documentation>
23464         <description value="MRN" />
23465         <format value="an18" />
23466         <optionality value="D" />
23467         <xsdBaseType value="MRNType" />
23468       </xs:documentation>
23469     </xs:annotation>
23470   </xs:element>
23500 </xs:sequence>
23501 </xs:complexType>
23502 <xs:complexType
name="TransitOperationType22">
23503   <xs:annotation>
23504     <xs:documentation>
23505       <usedBy>Used by 1/124 messages:
CC140C</usedBy>
23506     </xs:documentation>
23507   </xs:annotation>
23508 <xs:sequence>
23509   <xs:element name="MRN"
type="MRNContentType05">
23510     <xs:annotation>
23511       <xs:documentation>
23512         <description value="MRN" />
23513         <format value="an18" />
23514         <optionality value="R" />
23515         <xsdBaseType value="MRNType" />
23516       </xs:documentation>
23517     </xs:annotation>
23518   </xs:element>
23539 </xs:sequence>
23540 </xs:complexType>
23541 <xs:complexType
name="TransitOperationType23">
23542   <xs:annotation>
23543     <xs:documentation>
23544       <usedBy>Used by 1/124 messages:
CC170C</usedBy>
23545     </xs:documentation>
23546   </xs:annotation>
23547 <xs:sequence>
23548   <xs:element name="LRN"
type="LRNContentType02">
23549     <xs:annotation>
23550       <xs:documentation>
23551         <description value="LRN" />

```

		ctypes.xsd x 3	
23806	<format value="an..22" />	23785 <format value="an..22" />	23552 <format value="an..22" />
23807	<optionality value="R" />	23786 <optionality value="R" />	23553 <optionality value="R" />
23808	<xsdBaseType	23787 <xsdBaseType	23554 <xsdBaseType
	value="AlphaNumeric_MAX22_NoSpaces" />	value="AlphaNumeric_MAX22_NoSpaces" />	value="AlphaNumeric_MAX22_NoSpaces" />
23809	</xs:documentation>	23788 </xs:documentation>	23555 </xs:documentation>
23810	</xs:annotation>	23789 </xs:annotation>	23556 </xs:annotation>
23811	</xs:element>	23790 </xs:element>	23557 </xs:element>
23818	<xsdBaseType value="DateType" />	23797 <xsdBaseType value="DateType" />	23564 <xsdBaseType value="DateType" />
23819	</xs:documentation>	23798 </xs:documentation>	23565 </xs:documentation>
23820	</xs:annotation>	23799 </xs:annotation>	23566 </xs:annotation>
23821	</xs:element>	23800 </xs:element>	23567 </xs:element>
23822	</xs:sequence>	23801 </xs:sequence>	23568 </xs:sequence>
23823	</xs:complexType>	23802 </xs:complexType>	23569 </xs:complexType>
23824	<xs:complexType	23803 <xs:complexType	23570 <xs:complexType
	name="TransitOperationType24">	name="TransitOperationType24">	name="TransitOperationType24">
23825	<xs:annotation>	23804 <xs:annotation>	23571 <xs:annotation>
23826	<xs:documentation>	23805 <xs:documentation>	23572 <xs:documentation>
		23806 <usedBy>Used by 1/124 messages: CC190C</usedBy>	
		23807 </xs:documentation>	
		23808 </xs:annotation>	
		23809 <xs:sequence>	
		23810 <xs:element	
		name="AESCommunicationPurpose"	
		type="AESCommunicationPurposeContentType">	
		23811 <xs:annotation>	
		23812 <xs:documentation>	
		23813 <description value="AES	
		communication purpose" />	
		23814 <codeList code="CL158"	
		type="business"	
		name="XFTCommunicationPurpose" />	
		23815 <format value="n1" />	
		23816 <optionality value="R" />	
		23817 </xs:documentation>	
		23818 </xs:annotation>	
		23819 </xs:element>	
		23820 <xs:element name="LRN" minOccurs="0"	
		type="LRNContentType02">	
		23821 <xs:annotation>	
		23822 <xs:documentation>	
		23823 <description value="LRN" />	
		23824 <format value="an..22" />	
		23825 <optionality value="D" />	
		23826 <xsdBaseType	
		value="AlphaNumeric_MAX22_NoSpaces" />	
		23827 </xs:documentation>	
		23828 </xs:annotation>	
		23829 </xs:element>	
		23830 <xs:element name="MRN" minOccurs="0"	
		type="MRNContentType04">	
		23831 <xs:annotation>	
		23832 <xs:documentation>	
		23833 <description value="MRN" />	
		23834 <format value="an18" />	
		23835 <optionality value="D" />	
		23836 <xsdBaseType	
		value="NCTS-P5_MRNType" />	
		23837 </xs:documentation>	
		23838 </xs:annotation>	
		23839 </xs:element>	
		23840 <xs:element name="TIRCarnetNumber"	


```

23840 minOccurs="0"
23841 type="TIRcarnetNumberContentType">
23842     <xs:annotation>
23843     <xs:documentation>
23844     <description value="TIR Carnet
23845     number" />
23846     <format value="an..12" />
23847     <optionality value="D" />
23848     <xsdBaseType
23849     value="TIRcarnetNumber" />
23850     </xs:documentation>
23851     </xs:annotation>
23852     </xs:element>
23853     <xs:element
23854     name="declarationAcceptanceDate"
23855     minOccurs="0"
23856     type="DeclarationAcceptanceDateContentType">
23857     <xs:annotation>
23858     <xs:documentation>
23859     <description value="Declaration
23860     acceptance date" />
23861     <format value="an10" />
23862     <optionality value="D" />
23863     <xsdBaseType value="DateType" />
23864     </xs:documentation>
23865     </xs:annotation>
23866     </xs:element>
23867     <xs:element
23868     name="amendmentAcceptanceDateAndTime"
23869     minOccurs="0"
23870     type="AmendmentAcceptanceDateAndTimeContentType">
23871     <xs:annotation>
23872     <xs:documentation>
23873     <description value="Amendment
23874     acceptance date and time" />
23875     <format value="an19" />
23876     <optionality value="D" />
23877     <xsdBaseType value="DateTimeType"
23878     />
23879     </xs:documentation>
23880     </xs:annotation>
23881     </xs:element>
23882     </xs:sequence>
23883     </xs:complexType>
23884     <xs:complexType
23885     name="TransitOperationType25">
23886     <xs:annotation>
23887     <xs:documentation>

```

```
23827      <usedBy>Used by 1/124 messages:  
      CC191C</usedBy>
```

```
23828         </xs:documentation>
23829     </xs:annotation>
23830 </xs:sequence>
```

```
23831      <xs:element name="LRN" minOccurs="0"
type="LrnContentType02">
```

```
23832         <xs:annotation>
23833             <xs:documentation>
23834                 <description value="LRN" />
23835                 <format value="an..22" />
23836                 <optionality value="D" />
23837             <xsdBaseType
```

23875 <usedBy>Used by 1/124 messages:
CC191C</usedBy>

```
23876      </xs:documentation>
23877    </xs:annotation>
23878    <xs:sequence>
```

```
23879      <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
```

```

23880      <xs:annotation>
23881        <xs:documentation>
23882          <description value="LRN" />
23883          <format value="an..22" />
23884          <optionality value="D" />
23885        <xsdBaseType

```

```
23573      <usedBy>Used by 1/124 messages:
      CC191C</usedBy>
```

```

23574         </xs:documentation>
23575     </xs:annotation>
23576     <xs:sequence>

```

```
23577      <x:sequence>  
      <x:element name="LRN" minOccurs="0"  
      type="LRNContentType02">
```

```
23578         <xs:annotation>
23579             <xs:documentation>
23580                 <description value="LRN" />
23581                 <format value="an..22" />
23582                 <optionality value="D" />
23583             <xsdBaseType
```

```

23837value="AlphaNumeric_MAX22_NoSpaces" />
23838    </xs:documentation>
23839  </xs:annotation>
23840 </xs:element>
23844    <description value="MRN" />
23845    <format value="an18" />
23846    <optionality value="D" />
23847    <xsdBaseType
23848      value="NCTS-P5_MRNTYPE" />
23848    </xs:documentation>
23849  </xs:annotation>
23850 </xs:element>
23851 </xs:sequence>
23852 </xs:complexType>
23853 <xs:complexType
23854   name="TransitOperationType25">
23854   <xs:annotation>
23855     <xs:documentation>
23856       <usedBy>Used by 1/124 messages:
23857 CCA13D</usedBy>
23857     </xs:documentation>
23858   </xs:annotation>
23859   <xs:sequence>
23860     <xs:element name="LRN" minOccurs="0"
23861       type="LrnContentType02">
23861       <xs:annotation>
23862         <xs:documentation>
23863           <description value="LRN" />
23864           <format value="an..22" />
23865           <optionality value="D" />
23866           <xsdBaseType
23867             value="AlphaNumeric_MAX22_NoSpaces" />
23867           </xs:documentation>
23868         </xs:annotation>
23869       </xs:element>
23870     <xs:element name="MRN" minOccurs="0"
23871       type="MrnContentType05">
23871     <xs:annotation>
23872       <xs:documentation>
23873         <description value="MRN" />
23874         <format value="an18" />
23875         <optionality value="D" />
23876         <xsdBaseType value="MRNTYPE" />
23877       </xs:documentation>
23878     </xs:annotation>
23879   </xs:element>
24003   <xs:documentation>
24004     <description value="Referral
24005 request reference" />
24005     <format value="an..17" />
24006     <optionality value="D" />
24007   </xs:documentation>
24008 </xs:annotation>
24009 </xs:element>
24010 </xs:sequence>
24011 </xs:complexType>
24012 <xs:complexType
24013   name="TransitOperationType26">
24013   <xs:annotation>
24014     <xs:documentation>
24015       <usedBy>Used by 1/124 messages:
24015 CCA15D</usedBy>

```

```

23885value="AlphaNumeric_MAX22_NoSpaces" />
23886    </xs:documentation>
23887  </xs:annotation>
23888 </xs:element>
23892    <description value="MRN" />
23893    <format value="an18" />
23894    <optionality value="D" />
23895    <xsdBaseType
23896      value="NCTS-P5_MRNTYPE" />
23896    </xs:documentation>
23897  </xs:annotation>
23898 </xs:element>
23899 </xs:sequence>
23900 </xs:complexType>
23901 <xs:complexType
23902   name="TransitOperationType26">
23902   <xs:annotation>
23903     <xs:documentation>
23904       <usedBy>Used by 1/124 messages:
23905 CCA13D</usedBy>
23905     </xs:documentation>
23906   </xs:annotation>
23907   <xs:sequence>
23908     <xs:element name="LRN" minOccurs="0"
23909       type="LRNContentType02">
23909     <xs:annotation>
23910       <xs:documentation>
23911         <description value="LRN" />
23912         <format value="an..22" />
23913         <optionality value="D" />
23914         <xsdBaseType
23915           value="AlphaNumeric_MAX22_NoSpaces" />
23915         </xs:documentation>
23916       </xs:annotation>
23917     </xs:element>
23918     <xs:element name="MRN" minOccurs="0"
23919       type="MRNContentType05">
23919     <xs:annotation>
23920       <xs:documentation>
23921         <description value="MRN" />
23922         <format value="an18" />
23923         <optionality value="D" />
23924         <xsdBaseType value="MRNTYPE" />
23925       </xs:documentation>
23926     </xs:annotation>
23927   </xs:element>
24051   <xs:documentation>
24052     <description value="Referral
24053 request reference" />
24053     <format value="an..17" />
24054     <optionality value="D" />
24055   </xs:documentation>
24056 </xs:annotation>
24057 </xs:element>
24058 </xs:sequence>
24059 </xs:complexType>
24060 <xs:complexType
24061   name="TransitOperationType27">
24061   <xs:annotation>
24062     <xs:documentation>
24063       <usedBy>Used by 1/124 messages:
24063 CCA15D</usedBy>

```

```

23583value="AlphaNumeric_MAX22_NoSpaces" />
23584    </xs:documentation>
23585  </xs:annotation>
23586 </xs:element>
23590    <description value="MRN" />
23591    <format value="an18" />
23592    <optionality value="D" />
23593    <xsdBaseType
23594      value="NCTS-P5_MRNTYPE" />
23594    </xs:documentation>
23595  </xs:annotation>
23596 </xs:element>
23597 </xs:sequence>
23598 </xs:complexType>
23599 <xs:complexType
23600   name="TransitOperationType25">
23600   <xs:annotation>
23601     <xs:documentation>
23602       <usedBy>Used by 1/124 messages:
23603 CCA13D</usedBy>
23603     </xs:documentation>
23604   </xs:annotation>
23605   <xs:sequence>
23606     <xs:element name="LRN" minOccurs="0"
23607       type="LRNContentType02">
23607     <xs:annotation>
23608       <xs:documentation>
23609         <description value="LRN" />
23610         <format value="an..22" />
23611         <optionality value="D" />
23612         <xsdBaseType
23613           value="AlphaNumeric_MAX22_NoSpaces" />
23613         </xs:documentation>
23614       </xs:annotation>
23615     </xs:element>
23616     <xs:element name="MRN" minOccurs="0"
23617       type="MRNContentType05">
23617     <xs:annotation>
23618       <xs:documentation>
23619         <description value="MRN" />
23620         <format value="an18" />
23621         <optionality value="D" />
23622         <xsdBaseType value="MRNTYPE" />
23623       </xs:documentation>
23624     </xs:annotation>
23625   </xs:element>
23749   <xs:documentation>
23750     <description value="Referral
23751 request reference" />
23751     <format value="an..17" />
23752     <optionality value="D" />
23753   </xs:documentation>
23754 </xs:annotation>
23755 </xs:element>
23756 </xs:sequence>
23757 </xs:complexType>
23758 <xs:complexType
23759   name="TransitOperationType26">
23759   <xs:annotation>
23760     <xs:documentation>
23761       <usedBy>Used by 1/124 messages:
23761 CCA15D</usedBy>

```

```

24016     </xs:documentation>
24017 </xs:annotation>
24018 <xs:sequence>
24019   <xs:element name="LRN"
type="LrnContentType02">
24020     <xs:annotation>
24021       <xs:documentation>
24022         <description value="LRN" />
24023         <format value="an..22" />
24024         <optionality value="R" />
24025         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
24026       </xs:documentation>
24027     </xs:annotation>
24028   </xs:element>
24123     <description value="Limit date" />
24124     <format value="an10" />
24125     <optionality value="D" />
24126     <xsdBaseType value="DateType" />
24127   </xs:documentation>
24128 </xs:annotation>
24129 </xs:element>
24130 </xs:sequence>
24131 </xs:complexType>
24132 <xs:complexType
name="TransitOperationType27">
24133   <xs:annotation>
24134     <xs:documentation>
24135       <usedBy>Used by 1/124 messages:
CCA29D</usedBy>
24136     </xs:documentation>
24137   </xs:annotation>
24138   <xs:sequence>
24139     <xs:element name="LRN"
type="LrnContentType02">
24140       <xs:annotation>
24141         <xs:documentation>
24142           <description value="LRN" />
24143           <format value="an..22" />
24144           <optionality value="R" />
24145           <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
24146         </xs:documentation>
24147       </xs:annotation>
24148     </xs:element>
24149     <xs:element name="MRN"
type="MrnContentType05">
24150       <xs:annotation>
24151         <xs:documentation>
24152           <description value="MRN" />
24153           <format value="an18" />
24154           <optionality value="R" />
24155           <xsdBaseType value="MRNType" />
24156         </xs:documentation>
24157       </xs:annotation>
24158     </xs:element>
24253     <description value="Binding
itinerary" />
24254     <codeList code="CL027"
type="technical" name="Flag" />
24255     <format value="n1" />
24256     <optionality value="R" />

```

```

24064     </xs:documentation>
24065 </xs:annotation>
24066 <xs:sequence>
24067   <xs:element name="LRN"
type="LRNContentType02">
24068     <xs:annotation>
24069       <xs:documentation>
24070         <description value="LRN" />
24071         <format value="an..22" />
24072         <optionality value="R" />
24073         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
24074       </xs:documentation>
24075     </xs:annotation>
24076   </xs:element>
24171     <description value="Limit date" />
24172     <format value="an10" />
24173     <optionality value="D" />
24174     <xsdBaseType value="DateType" />
24175   </xs:documentation>
24176 </xs:annotation>
24177 </xs:element>
24178 </xs:sequence>
24179 </xs:complexType>
24180 <xs:complexType
name="TransitOperationType28">
24181   <xs:annotation>
24182     <xs:documentation>
24183       <usedBy>Used by 1/124 messages:
CCA29D</usedBy>
24184     </xs:documentation>
24185   </xs:annotation>
24186   <xs:sequence>
24187     <xs:element name="LRN"
type="LRNContentType02">
24188       <xs:annotation>
24189         <xs:documentation>
24190           <description value="LRN" />
24191           <format value="an..22" />
24192           <optionality value="R" />
24193           <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
24194         </xs:documentation>
24195       </xs:annotation>
24196     </xs:element>
24197     <xs:element name="MRN"
type="MRNContentType05">
24198       <xs:annotation>
24199         <xs:documentation>
24200           <description value="MRN" />
24201           <format value="an18" />
24202           <optionality value="R" />
24203           <xsdBaseType value="MRNType" />
24204         </xs:documentation>
24205       </xs:annotation>
24206     </xs:element>
24301     <description value="Binding
itinerary" />
24302     <codeList code="CL027"
type="technical" name="Flag" />
24303     <format value="n1" />
24304     <optionality value="R" />

```

```

23762     </xs:documentation>
23763 </xs:annotation>
23764 <xs:sequence>
23765   <xs:element name="LRN"
type="LRNContentType02">
23766     <xs:annotation>
23767       <xs:documentation>
23768         <description value="LRN" />
23769         <format value="an..22" />
23770         <optionality value="R" />
23771         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
23772       </xs:documentation>
23773     </xs:annotation>
23774   </xs:element>
23869     <description value="Limit date" />
23870     <format value="an10" />
23871     <optionality value="D" />
23872     <xsdBaseType value="DateType" />
23873   </xs:documentation>
23874 </xs:annotation>
23875 </xs:element>
23876 </xs:sequence>
23877 </xs:complexType>
23878 <xs:complexType
name="TransitOperationType27">
23879   <xs:annotation>
23880     <xs:documentation>
23881       <usedBy>Used by 1/124 messages:
CCA29D</usedBy>
23882     </xs:documentation>
23883   </xs:annotation>
23884   <xs:sequence>
23885     <xs:element name="LRN"
type="LRNContentType02">
23886       <xs:annotation>
23887         <xs:documentation>
23888           <description value="LRN" />
23889           <format value="an..22" />
23890           <optionality value="R" />
23891           <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
23892         </xs:documentation>
23893       </xs:annotation>
23894     </xs:element>
23895     <xs:element name="MRN"
type="MRNContentType05">
23896       <xs:annotation>
23897         <xs:documentation>
23898           <description value="MRN" />
23899           <format value="an18" />
23900           <optionality value="R" />
23901           <xsdBaseType value="MRNType" />
23902         </xs:documentation>
23903       </xs:annotation>
23904     </xs:element>
23999     <description value="Binding
itinerary" />
24000     <codeList code="CL027"
type="technical" name="Flag" />
24001     <format value="n1" />
24002     <optionality value="R" />

```



```

24257     </xs:documentation>
24258   </xs:annotation>
24259 </xs:element>
24260 </xs:sequence>
24261 </xs:complexType>
24262 <xs:complexType
name="TransitOperationType28">
24263   <xs:annotation>
24264     <xs:documentation>
24265       <usedBy>Used by 1/124 messages:
CCA64D</usedBy>
24266     </xs:documentation>
24267   </xs:annotation>
24268   <xs:sequence>
24269     <xs:element name="MRN"
type="MrnContentType05">
24270       <xs:annotation>
24271         <xs:documentation>
24272           <description value="MRN" />
24273           <format value="an18" />
24274           <optionality value="R" />
24275           <xsdBaseType value="MRNType" />
24276         </xs:documentation>
24277       </xs:annotation>
24278     </xs:element>
24301     <xs:documentation>
24302       <description value="Scheduled
control date and time" />
24303       <format value="an19" />
24304       <optionality value="O" />
24305     </xs:documentation>
24306   </xs:annotation>
24307 </xs:element>
24308 </xs:sequence>
24309 </xs:complexType>
24310 <xs:complexType
name="TransitOperationType29">
24311   <xs:annotation>
24312     <xs:documentation>
24313       <usedBy>Used by 1/124 messages:
CD001C</usedBy>
24314     </xs:documentation>
24315   </xs:annotation>
24316   <xs:sequence>
24317     <xs:element name="MRN"
type="MrnContentType05">
24318       <xs:annotation>
24319         <xs:documentation>
24320           <description value="MRN" />
24321           <format value="an18" />
24322           <optionality value="R" />
24323           <xsdBaseType value="MRNType" />
24324         </xs:documentation>
24325       </xs:annotation>
24326     </xs:element>
24400     <description value="Binding
itinerary" />
24401     <codeList code="CL027"
type="technical" name="Flag" />
24402     <format value="n1" />
24403     <optionality value="R" />
24404   </xs:documentation>

```

```

24305     </xs:documentation>
24306   </xs:annotation>
24307 </xs:element>
24308 </xs:sequence>
24309 </xs:complexType>
24310 <xs:complexType
name="TransitOperationType29">
24311   <xs:annotation>
24312     <xs:documentation>
24313       <usedBy>Used by 1/124 messages:
CCA64D</usedBy>
24314     </xs:documentation>
24315   </xs:annotation>
24316   <xs:sequence>
24317     <xs:element name="MRN"
type="MRNContentType05">
24318       <xs:annotation>
24319         <xs:documentation>
24320           <description value="MRN" />
24321           <format value="an18" />
24322           <optionality value="R" />
24323           <xsdBaseType value="MRNType" />
24324         </xs:documentation>
24325       </xs:annotation>
24326     </xs:element>
24349     <xs:documentation>
24350       <description value="Scheduled
control date and time" />
24351       <format value="an19" />
24352       <optionality value="O" />
24353     </xs:documentation>
24354   </xs:annotation>
24355 </xs:element>
24356 </xs:sequence>
24357 </xs:complexType>
24358 <xs:complexType
name="TransitOperationType30">
24359   <xs:annotation>
24360     <xs:documentation>
24361       <usedBy>Used by 1/124 messages:
CD001C</usedBy>
24362     </xs:documentation>
24363   </xs:annotation>
24364   <xs:sequence>
24365     <xs:element name="MRN"
type="MRNContentType05">
24366       <xs:annotation>
24367         <xs:documentation>
24368           <description value="MRN" />
24369           <format value="an18" />
24370           <optionality value="R" />
24371           <xsdBaseType value="MRNType" />
24372         </xs:documentation>
24373       </xs:annotation>
24374     </xs:element>
24448     <description value="Binding
itinerary" />
24449     <codeList code="CL027"
type="technical" name="Flag" />
24450     <format value="n1" />
24451     <optionality value="R" />
24452   </xs:documentation>

```

```

24003     </xs:documentation>
24004   </xs:annotation>
24005 </xs:element>
24006 </xs:sequence>
24007 </xs:complexType>
24008 <xs:complexType
name="TransitOperationType28">
24009   <xs:annotation>
24010     <xs:documentation>
24011       <usedBy>Used by 1/124 messages:
CCA64D</usedBy>
24012     </xs:documentation>
24013   </xs:annotation>
24014   <xs:sequence>
24015     <xs:element name="MRN"
type="MRNContentType05">
24016       <xs:annotation>
24017         <xs:documentation>
24018           <description value="MRN" />
24019           <format value="an18" />
24020           <optionality value="R" />
24021           <xsdBaseType value="MRNType" />
24022         </xs:documentation>
24023       </xs:annotation>
24024     </xs:element>
24047     <xs:documentation>
24048       <description value="Scheduled
control date and time" />
24049       <format value="an19" />
24050       <optionality value="O" />
24051     </xs:documentation>
24052   </xs:annotation>
24053 </xs:element>
24054 </xs:sequence>
24055 </xs:complexType>
24056 <xs:complexType
name="TransitOperationType29">
24057   <xs:annotation>
24058     <xs:documentation>
24059       <usedBy>Used by 1/124 messages:
CD001C</usedBy>
24060     </xs:documentation>
24061   </xs:annotation>
24062   <xs:sequence>
24063     <xs:element name="MRN"
type="MRNContentType05">
24064       <xs:annotation>
24065         <xs:documentation>
24066           <description value="MRN" />
24067           <format value="an18" />
24068           <optionality value="R" />
24069           <xsdBaseType value="MRNType" />
24070         </xs:documentation>
24071       </xs:annotation>
24072     </xs:element>
24146     <description value="Binding
itinerary" />
24147     <codeList code="CL027"
type="technical" name="Flag" />
24148     <format value="n1" />
24149     <optionality value="R" />
24150   </xs:documentation>

```

```

24405     </xs:annotation>
24406   </xs:element>
24407 </xs:sequence>
24408 </xs:complexType>
24409 <xs:complexType
name="TransitOperationType30">
24410   <xs:annotation>
24411     <xs:documentation>
24412       <usedBy>Used by 1/124 messages:
CD003C</usedBy>
24413     </xs:documentation>
24414   </xs:annotation>
24415   <xs:sequence>
24416     <xs:element name="MRN"
type="MrnContentType05">
24417       <xs:annotation>
24418         <xs:documentation>
24419           <description value="MRN" />
24420           <format value="an18" />
24421           <optionality value="R" />
24422           <xsdBaseType value="MRNType" />
24423         </xs:documentation>
24424       </xs:annotation>
24425     </xs:element>
24509     <description value="Request
rejection reason code" />
24510     <codeList code="CL221"
type="business" name="AarRejectionReason" />
24511     <format value="n..2" />
24512     <optionality value="O" />
24513   </xs:documentation>
24514 </xs:annotation>
24515 </xs:element>
24516 </xs:sequence>
24517 </xs:complexType>
24518 <xs:complexType
name="TransitOperationType31">
24519   <xs:annotation>
24520     <xs:documentation>
24521       <usedBy>Used by 1/124 messages:
CD004D</usedBy>
24522     </xs:documentation>
24523   </xs:annotation>
24524   <xs:sequence>
24525     <xs:element name="MRN"
type="MrnContentType05">
24526       <xs:annotation>
24527         <xs:documentation>
24528           <description value="MRN" />
24529           <format value="an18" />
24530           <optionality value="R" />
24531           <xsdBaseType value="MRNType" />
24532         </xs:documentation>
24533       </xs:annotation>
24534     </xs:element>
24538     <description value="Amendment
acceptance date and time" />
24539     <format value="an19" />
24540     <optionality value="R" />
24541     <xsdBaseType value="DateTimeType"
/>
24542   </xs:documentation>

```

```

24453     </xs:annotation>
24454   </xs:element>
24455 </xs:sequence>
24456 </xs:complexType>
24457 <xs:complexType
name="TransitOperationType31">
24458   <xs:annotation>
24459     <xs:documentation>
24460       <usedBy>Used by 1/124 messages:
CD003C</usedBy>
24461     </xs:documentation>
24462   </xs:annotation>
24463   <xs:sequence>
24464     <xs:element name="MRN"
type="MRNContentType05">
24465       <xs:annotation>
24466         <xs:documentation>
24467           <description value="MRN" />
24468           <format value="an18" />
24469           <optionality value="R" />
24470           <xsdBaseType value="MRNType" />
24471         </xs:documentation>
24472       </xs:annotation>
24473     </xs:element>
24557     <description value="Request
rejection reason code" />
24558     <codeList code="CL221"
type="business" name="AarRejectionReason" />
24559     <format value="n..2" />
24560     <optionality value="O" />
24561   </xs:documentation>
24562 </xs:annotation>
24563 </xs:element>
24564 </xs:sequence>
24565 </xs:complexType>
24566 <xs:complexType
name="TransitOperationType32">
24567   <xs:annotation>
24568     <xs:documentation>
24569       <usedBy>Used by 1/124 messages:
CD004D</usedBy>
24570     </xs:documentation>
24571   </xs:annotation>
24572   <xs:sequence>
24573     <xs:element name="MRN"
type="MRNContentType05">
24574       <xs:annotation>
24575         <xs:documentation>
24576           <description value="MRN" />
24577           <format value="an18" />
24578           <optionality value="R" />
24579           <xsdBaseType value="MRNType" />
24580         </xs:documentation>
24581       </xs:annotation>
24582     </xs:element>
24586     <description value="Amendment
acceptance date and time" />
24587     <format value="an19" />
24588     <optionality value="R" />
24589     <xsdBaseType value="DateTimeType"
/>
24590   </xs:documentation>

```

```

24151     </xs:annotation>
24152   </xs:element>
24153 </xs:sequence>
24154 </xs:complexType>
24155 <xs:complexType
name="TransitOperationType30">
24156   <xs:annotation>
24157     <xs:documentation>
24158       <usedBy>Used by 1/124 messages:
CD003C</usedBy>
24159     </xs:documentation>
24160   </xs:annotation>
24161   <xs:sequence>
24162     <xs:element name="MRN"
type="MRNContentType05">
24163       <xs:annotation>
24164         <xs:documentation>
24165           <description value="MRN" />
24166           <format value="an18" />
24167           <optionality value="R" />
24168           <xsdBaseType value="MRNType" />
24169         </xs:documentation>
24170       </xs:annotation>
24171     </xs:element>
24255     <description value="Request
rejection reason code" />
24256     <codeList code="CL221"
type="business" name="AarRejectionReason" />
24257     <format value="n..2" />
24258     <optionality value="O" />
24259   </xs:documentation>
24260 </xs:annotation>
24261 </xs:element>
24262 </xs:sequence>
24263 </xs:complexType>
24264 <xs:complexType
name="TransitOperationType31">
24265   <xs:annotation>
24266     <xs:documentation>
24267       <usedBy>Used by 1/124 messages:
CD004D</usedBy>
24268     </xs:documentation>
24269   </xs:annotation>
24270   <xs:sequence>
24271     <xs:element name="MRN"
type="MRNContentType05">
24272       <xs:annotation>
24273         <xs:documentation>
24274           <description value="MRN" />
24275           <format value="an18" />
24276           <optionality value="R" />
24277           <xsdBaseType value="MRNType" />
24278         </xs:documentation>
24279       </xs:annotation>
24280     </xs:element>
24284     <description value="Amendment
acceptance date and time" />
24285     <format value="an19" />
24286     <optionality value="R" />
24287     <xsdBaseType value="DateTimeType"
/>
24288   </xs:documentation>

```



```

24543     </xs:annotation>
24544     </xs:element>
24545   </xs:sequence>
24546 </xs:complexType>
24547 <xs:complexType
name="TransitOperationType32">
24548   <xs:annotation>
24549     <xs:documentation>
24550       <usedBy>Used by 1/124 messages:
CD018C</usedBy>
24551     </xs:documentation>
24552   </xs:annotation>
24553   <xs:sequence>
24554     <xs:element name="MRN"
type="MrnContentType05">
24555       <xs:annotation>
24556         <xs:documentation>
24557           <description value="MRN" />
24558           <format value="an18" />
24559           <optionality value="R" />
24560           <xsdBaseType value="MRNType" />
24561         </xs:documentation>
24562       </xs:annotation>
24563     </xs:element>
24587     <description value="Other things
to report" />
24588     <format value="an..512" />
24589     <optionality value="D" />
24590     <xsdBaseType
value="AlphaNumeric_MAX512_NoSpaces" />
24591   </xs:documentation>
24592 </xs:annotation>
24593 </xs:element>
24594 </xs:sequence>
24595 </xs:complexType>
24596 <xs:complexType
name="TransitOperationType33">
24597   <xs:annotation>
24598     <xs:documentation>
24599       <usedBy>Used by 1/124 messages:
CD038C</usedBy>
24600     </xs:documentation>
24601   </xs:annotation>
24602   <xs:sequence>
24603     <xs:element name="MRN"
type="MrnContentType05">
24604       <xs:annotation>
24605         <xs:documentation>
24606           <description value="MRN" />
24607           <format value="an18" />
24608           <optionality value="R" />
24609           <xsdBaseType value="MRNType" />
24610         </xs:documentation>
24611       </xs:annotation>
24612     </xs:element>
24706     <description value="Status" />
24707     <codeList code="CL153"
type="business"
name="StateAtOfficeOfDeparture" />
24708     <format value="an3" />
24709     <optionality value="D" />
24710   </xs:documentation>

```

```

24591     </xs:annotation>
24592     </xs:element>
24593   </xs:sequence>
24594 </xs:complexType>
24595 <xs:complexType
name="TransitOperationType33">
24596   <xs:annotation>
24597     <xs:documentation>
24598       <usedBy>Used by 1/124 messages:
CD018C</usedBy>
24599     </xs:documentation>
24600   </xs:annotation>
24601   <xs:sequence>
24602     <xs:element name="MRN"
type="MRNContentType05">
24603       <xs:annotation>
24604         <xs:documentation>
24605           <description value="MRN" />
24606           <format value="an18" />
24607           <optionality value="R" />
24608           <xsdBaseType value="MRNType" />
24609         </xs:documentation>
24610       </xs:annotation>
24611     </xs:element>
24635     <description value="Other things
to report" />
24636     <format value="an..512" />
24637     <optionality value="D" />
24638     <xsdBaseType
value="AlphaNumeric_MAX512_NoSpaces" />
24639   </xs:documentation>
24640 </xs:annotation>
24641 </xs:element>
24642 </xs:sequence>
24643 </xs:complexType>
24644 <xs:complexType
name="TransitOperationType34">
24645   <xs:annotation>
24646     <xs:documentation>
24647       <usedBy>Used by 1/124 messages:
CD038C</usedBy>
24648     </xs:documentation>
24649   </xs:annotation>
24650   <xs:sequence>
24651     <xs:element name="MRN"
type="MRNContentType05">
24652       <xs:annotation>
24653         <xs:documentation>
24654           <description value="MRN" />
24655           <format value="an18" />
24656           <optionality value="R" />
24657           <xsdBaseType value="MRNType" />
24658         </xs:documentation>
24659       </xs:annotation>
24660     </xs:element>
24754     <description value="Status" />
24755     <codeList code="CL153"
type="business"
name="StateAtOfficeOfDeparture" />
24756     <format value="an3" />
24757     <optionality value="D" />
24758   </xs:documentation>

```

```

24289     </xs:annotation>
24290     </xs:element>
24291   </xs:sequence>
24292 </xs:complexType>
24293 <xs:complexType
name="TransitOperationType32">
24294   <xs:annotation>
24295     <xs:documentation>
24296       <usedBy>Used by 1/124 messages:
CD018C</usedBy>
24297     </xs:documentation>
24298   </xs:annotation>
24299   <xs:sequence>
24300     <xs:element name="MRN"
type="MRNContentType05">
24301       <xs:annotation>
24302         <xs:documentation>
24303           <description value="MRN" />
24304           <format value="an18" />
24305           <optionality value="R" />
24306           <xsdBaseType value="MRNType" />
24307         </xs:documentation>
24308       </xs:annotation>
24309     </xs:element>
24333     <description value="Other things
to report" />
24334     <format value="an..512" />
24335     <optionality value="D" />
24336     <xsdBaseType
value="AlphaNumeric_MAX512_NoSpaces" />
24337   </xs:documentation>
24338 </xs:annotation>
24339 </xs:element>
24340 </xs:sequence>
24341 </xs:complexType>
24342 <xs:complexType
name="TransitOperationType33">
24343   <xs:annotation>
24344     <xs:documentation>
24345       <usedBy>Used by 1/124 messages:
CD038C</usedBy>
24346     </xs:documentation>
24347   </xs:annotation>
24348   <xs:sequence>
24349     <xs:element name="MRN"
type="MRNContentType05">
24350       <xs:annotation>
24351         <xs:documentation>
24352           <description value="MRN" />
24353           <format value="an18" />
24354           <optionality value="R" />
24355           <xsdBaseType value="MRNType" />
24356         </xs:documentation>
24357       </xs:annotation>
24358     </xs:element>
24452     <description value="Status" />
24453     <codeList code="CL153"
type="business"
name="StateAtOfficeOfDeparture" />
24454     <format value="an3" />
24455     <optionality value="D" />
24456   </xs:documentation>

```



```

24711     </xs:annotation>
24712     </xs:element>
24713   </xs:sequence>
24714 </xs:complexType>
24715 <xs:complexType
name="TransitOperationType34">
24716   <xs:annotation>
24717     <xs:documentation>
24718       <usedBy>Used by 1/124 messages:
CD049C</usedBy>
24719     </xs:documentation>
24720   </xs:annotation>
24721   <xs:sequence>
24722     <xs:element name="MRN"
type="MrnContentType05">
24723       <xs:annotation>
24724         <xs:documentation>
24725           <description value="MRN" />
24726           <format value="an18" />
24727           <optionality value="R" />
24728           <xsdBaseType value="MRNType" />
24729         </xs:documentation>
24730       </xs:annotation>
24731     </xs:element>
24745       <description value="write-off
date" />
24746       <format value="an10" />
24747       <optionality value="D" />
24748       <xsdBaseType value="DateType" />
24749     </xs:documentation>
24750   </xs:annotation>
24751 </xs:element>
24752 </xs:sequence>
24753 </xs:complexType>
24754 <xs:complexType
name="TransitOperationType35">
24755   <xs:annotation>
24756     <xs:documentation>
24757       <usedBy>Used by 1/124 messages:
CD050C</usedBy>
24758     </xs:documentation>
24759   </xs:annotation>
24760   <xs:sequence>
24761     <xs:element name="MRN"
type="MrnContentType05">
24762       <xs:annotation>
24763         <xs:documentation>
24764           <description value="MRN" />
24765           <format value="an18" />
24766           <optionality value="R" />
24767           <xsdBaseType value="MRNType" />
24768         </xs:documentation>
24769       </xs:annotation>
24770     </xs:element>
24834       <description value="Binding
itinerary" />
24835       <codeList code="CL027"
type="technical" name="Flag" />
24836       <format value="n1" />
24837       <optionality value="R" />
24838     </xs:documentation>
24839   </xs:annotation>

```

```

24759     </xs:annotation>
24760     </xs:element>
24761   </xs:sequence>
24762 </xs:complexType>
24763 <xs:complexType
name="TransitOperationType35">
24764   <xs:annotation>
24765     <xs:documentation>
24766       <usedBy>Used by 1/124 messages:
CD049C</usedBy>
24767     </xs:documentation>
24768   </xs:annotation>
24769   <xs:sequence>
24770     <xs:element name="MRN"
type="MRNContentType05">
24771       <xs:annotation>
24772         <xs:documentation>
24773           <description value="MRN" />
24774           <format value="an18" />
24775           <optionality value="R" />
24776           <xsdBaseType value="MRNType" />
24777         </xs:documentation>
24778       </xs:annotation>
24779     </xs:element>
24793       <description value="write-off
date" />
24794       <format value="an10" />
24795       <optionality value="D" />
24796       <xsdBaseType value="DateType" />
24797     </xs:documentation>
24798   </xs:annotation>
24799 </xs:element>
24800 </xs:sequence>
24801 </xs:complexType>
24802 <xs:complexType
name="TransitOperationType36">
24803   <xs:annotation>
24804     <xs:documentation>
24805       <usedBy>Used by 1/124 messages:
CD050C</usedBy>
24806     </xs:documentation>
24807   </xs:annotation>
24808   <xs:sequence>
24809     <xs:element name="MRN"
type="MRNContentType05">
24810       <xs:annotation>
24811         <xs:documentation>
24812           <description value="MRN" />
24813           <format value="an18" />
24814           <optionality value="R" />
24815           <xsdBaseType value="MRNType" />
24816         </xs:documentation>
24817       </xs:annotation>
24818     </xs:element>
24882       <description value="Binding
itinerary" />
24883       <codeList code="CL027"
type="technical" name="Flag" />
24884       <format value="n1" />
24885       <optionality value="R" />
24886     </xs:documentation>
24887   </xs:annotation>

```

```

24457     </xs:annotation>
24458     </xs:element>
24459   </xs:sequence>
24460 </xs:complexType>
24461 <xs:complexType
name="TransitOperationType34">
24462   <xs:annotation>
24463     <xs:documentation>
24464       <usedBy>Used by 1/124 messages:
CD049C</usedBy>
24465     </xs:documentation>
24466   </xs:annotation>
24467   <xs:sequence>
24468     <xs:element name="MRN"
type="MRNContentType05">
24469       <xs:annotation>
24470         <xs:documentation>
24471           <description value="MRN" />
24472           <format value="an18" />
24473           <optionality value="R" />
24474           <xsdBaseType value="MRNType" />
24475         </xs:documentation>
24476       </xs:annotation>
24477     </xs:element>
24491       <description value="write-off
date" />
24492       <format value="an10" />
24493       <optionality value="D" />
24494       <xsdBaseType value="DateType" />
24495     </xs:documentation>
24496   </xs:annotation>
24497 </xs:element>
24498 </xs:sequence>
24499 </xs:complexType>
24500 <xs:complexType
name="TransitOperationType35">
24501   <xs:annotation>
24502     <xs:documentation>
24503       <usedBy>Used by 1/124 messages:
CD050C</usedBy>
24504     </xs:documentation>
24505   </xs:annotation>
24506   <xs:sequence>
24507     <xs:element name="MRN"
type="MRNContentType05">
24508       <xs:annotation>
24509         <xs:documentation>
24510           <description value="MRN" />
24511           <format value="an18" />
24512           <optionality value="R" />
24513           <xsdBaseType value="MRNType" />
24514         </xs:documentation>
24515       </xs:annotation>
24516     </xs:element>
24580       <description value="Binding
itinerary" />
24581       <codeList code="CL027"
type="technical" name="Flag" />
24582       <format value="n1" />
24583       <optionality value="R" />
24584     </xs:documentation>
24585   </xs:annotation>

```

```

24840     </xs:element>
24841   </xs:sequence>
24842 </xs:complexType>
24843 <xs:complexType
name="TransitOperationType36">
24844   <xs:annotation>
24845     <xs:documentation>
24846       <usedBy>Used by 1/124 messages:
CD056D</usedBy>
24847     </xs:documentation>
24848   </xs:annotation>
24849 </xs:sequence>
24850 <xs:element name="MRN"
type="MrnContentType05">
24851   <xs:annotation>
24852     <xs:documentation>
24853       <description value="MRN" />
24854       <format value="an18" />
24855       <optionality value="R" />
24856       <xsdBaseType value="MRNType" />
24857     </xs:documentation>
24858   </xs:annotation>
24859 </xs:element>
24860 <xs:element
name="businessRejectionType"
type="BusinessRejectionTypeContentType">
24861   <xs:annotation>
24862     <xs:documentation>
24863       <description value="Business
rejection type" />
24864     <codeList code="CL561"
type="business"
name="BusinessRejectionTypeDepCommonDomain" />
24865     <format value="an3" />
24866     <optionality value="R" />
24867   </xs:documentation>
24868 </xs:annotation>
24869 </xs:element>
24870 <xs:element name="rejectionDateAndTime"
type="RejectionDateAndTimeContentType">
24871   <xs:annotation>
24872     <xs:documentation>
24873       <description value="Rejection
date and time" />
24874       <format value="an19" />
24875       <optionality value="R" />
24876       <xsdBaseType value="DateTimeType"
/>
24877     </xs:documentation>
24878   </xs:annotation>
24879 </xs:element>
24880 </xs:sequence>
24881 </xs:complexType>
24882 <xs:complexType
name="TransitOperationType37">
24883   <xs:annotation>
24884     <xs:documentation>
24885       <usedBy>Used by 1/124 messages:
CD059C</usedBy>
24886     </xs:documentation>
24887   </xs:annotation>
24888 </xs:sequence>

```

```

24888     </xs:element>
24889   </xs:sequence>
24890 </xs:complexType>
24891 <xs:complexType
name="TransitOperationType37">
24892   <xs:annotation>
24893     <xs:documentation>
24894       <usedBy>Used by 1/124 messages:
CD056D</usedBy>
24895     </xs:documentation>
24896   </xs:annotation>
24897 </xs:sequence>
24898 <xs:element name="MRN"
type="MRNContentType05">
24899   <xs:annotation>
24900     <xs:documentation>
24901       <description value="MRN" />
24902       <format value="an18" />
24903       <optionality value="R" />
24904       <xsdBaseType value="MRNType" />
24905     </xs:documentation>
24906   </xs:annotation>
24907 </xs:element>
24908 <xs:element
name="businessRejectionType"
type="BusinessRejectionTypeContentType">
24909   <xs:annotation>
24910     <xs:documentation>
24911       <description value="Business
rejection type" />
24912     <codeList code="CL561"
type="business"
name="BusinessRejectionTypeTED2Dep" />
24913     <format value="an3" />
24914     <optionality value="R" />
24915   </xs:documentation>
24916 </xs:annotation>
24917 </xs:element>
24918 <xs:element name="rejectionDateAndTime"
type="RejectionDateAndTimeContentType">
24919   <xs:annotation>
24920     <xs:documentation>
24921       <description value="Rejection
date and time" />
24922       <format value="an19" />
24923       <optionality value="R" />
24924       <xsdBaseType value="DateTimeType"
/>
24925     </xs:documentation>
24926   </xs:annotation>
24927 </xs:element>
24928 </xs:sequence>
24929 </xs:complexType>
24930 <xs:complexType
name="TransitOperationType38">
24931   <xs:annotation>
24932     <xs:documentation>
24933       <usedBy>Used by 1/124 messages:
CD059C</usedBy>
24934     </xs:documentation>
24935   </xs:annotation>
24936 </xs:sequence>

```

```

24586     </xs:element>
24587   </xs:sequence>
24588 </xs:complexType>
24589 <xs:complexType
name="TransitOperationType36">
24590   <xs:annotation>
24591     <xs:documentation>
24592       <usedBy>Used by 1/124 messages:
CD056D</usedBy>
24593     </xs:documentation>
24594   </xs:annotation>
24595 </xs:sequence>
24596 <xs:element name="MRN"
type="MRNContentType05">
24597   <xs:annotation>
24598     <xs:documentation>
24599       <description value="MRN" />
24600       <format value="an18" />
24601       <optionality value="R" />
24602       <xsdBaseType value="MRNType" />
24603     </xs:documentation>
24604   </xs:annotation>
24605 </xs:element>
24606 <xs:element
name="businessRejectionType"
type="BusinessRejectionTypeContentType">
24607   <xs:annotation>
24608     <xs:documentation>
24609       <description value="Business
rejection type" />
24610     <codeList code="CL561"
type="business"
name="BusinessRejectionTypeTED2Dep" />
24611     <format value="an3" />
24612     <optionality value="R" />
24613   </xs:documentation>
24614 </xs:annotation>
24615 </xs:element>
24616 <xs:element name="rejectionDateAndTime"
type="RejectionDateAndTimeContentType">
24617   <xs:annotation>
24618     <xs:documentation>
24619       <description value="Rejection
date and time" />
24620       <format value="an19" />
24621       <optionality value="R" />
24622       <xsdBaseType value="DateTimeType"
/>
24623     </xs:documentation>
24624   </xs:annotation>
24625 </xs:element>
24626 </xs:sequence>
24627 </xs:complexType>
24628 <xs:complexType
name="TransitOperationType37">
24629   <xs:annotation>
24630     <xs:documentation>
24631       <usedBy>Used by 1/124 messages:
CD059C</usedBy>
24632     </xs:documentation>
24633   </xs:annotation>
24634 </xs:sequence>

```



```

24889 <xs:element name="MRN"
type="MrnContentType05">
24890 <xs:annotation>
24891 <xs:documentation>
24892 <description value="MRN" />
24893 <format value="an18" />
24894 <optionality value="R" />
24895 <xsdBaseType value="MRNType" />
24896 </xs:documentation>
24897 </xs:annotation>
24898 </xs:element>
24912 <description value="Cancel
enquiry notification text" />
24913 <format value="an..512" />
24914 <optionality value="0" />
24915 <xsdBaseType
value="AlphaNumeric_MAX512" />
24916 </xs:documentation>
24917 </xs:annotation>
24918 </xs:element>
24919 </xs:sequence>
24920 </xs:complexType>
24921 <xs:complexType
name="TransitOperationType38">
24922 <xs:annotation>
24923 <xs:documentation>
24924 <usedBy>Used by 1/124 messages:
CD063C</usedBy>
24925 </xs:documentation>
24926 </xs:annotation>
24927 <xs:sequence>
24928 <xs:element name="MRN"
type="MrnContentType05">
24929 <xs:annotation>
24930 <xs:documentation>
24931 <description value="MRN" />
24932 <format value="an18" />
24933 <optionality value="R" />
24934 <xsdBaseType value="MRNType" />
24935 </xs:documentation>
24936 </xs:annotation>
24937 </xs:element>
24941 <description value="Recovery
communication date" />
24942 <format value="an10" />
24943 <optionality value="0" />
24944 <xsdBaseType value="DateType" />
24945 </xs:documentation>
24946 </xs:annotation>
24947 </xs:element>
24948 </xs:sequence>
24949 </xs:complexType>
24950 <xs:complexType
name="TransitOperationType39">
24951 <xs:annotation>
24952 <xs:documentation>
24953 <usedBy>Used by 1/124 messages:
CD094C</usedBy>
24954 </xs:documentation>
24955 </xs:annotation>
24956 <xs:sequence>
24957 <xs:element name="MRN"

```

```

24937 <xs:element name="MRN"
type="MRNContentType05">
24938 <xs:annotation>
24939 <xs:documentation>
24940 <description value="MRN" />
24941 <format value="an18" />
24942 <optionality value="R" />
24943 <xsdBaseType value="MRNType" />
24944 </xs:documentation>
24945 </xs:annotation>
24946 </xs:element>
24960 <description value="Cancel
enquiry notification text" />
24961 <format value="an..512" />
24962 <optionality value="0" />
24963 <xsdBaseType
value="AlphaNumeric_MAX512" />
24964 </xs:documentation>
24965 </xs:annotation>
24966 </xs:element>
24967 </xs:sequence>
24968 </xs:complexType>
24969 <xs:complexType
name="TransitOperationType39">
24970 <xs:annotation>
24971 <xs:documentation>
24972 <usedBy>Used by 1/124 messages:
CD063C</usedBy>
24973 </xs:documentation>
24974 </xs:annotation>
24975 <xs:sequence>
24976 <xs:element name="MRN"
type="MRNContentType05">
24977 <xs:annotation>
24978 <xs:documentation>
24979 <description value="MRN" />
24980 <format value="an18" />
24981 <optionality value="R" />
24982 <xsdBaseType value="MRNType" />
24983 </xs:documentation>
24984 </xs:annotation>
24985 </xs:element>
24989 <description value="Recovery
communication date" />
24990 <format value="an10" />
24991 <optionality value="0" />
24992 <xsdBaseType value="DateType" />
24993 </xs:documentation>
24994 </xs:annotation>
24995 </xs:element>
24996 </xs:sequence>
24997 </xs:complexType>
24998 <xs:complexType
name="TransitOperationType40">
24999 <xs:annotation>
25000 <xs:documentation>
25001 <usedBy>Used by 1/124 messages:
CD094C</usedBy>
25002 </xs:documentation>
25003 </xs:annotation>
25004 <xs:sequence>
25005 <xs:element name="MRN"

```

```

24635 <xs:element name="MRN"
type="MRNContentType05">
24636 <xs:annotation>
24637 <xs:documentation>
24638 <description value="MRN" />
24639 <format value="an18" />
24640 <optionality value="R" />
24641 <xsdBaseType value="MRNType" />
24642 </xs:documentation>
24643 </xs:annotation>
24644 </xs:element>
24658 <description value="Cancel
enquiry notification text" />
24659 <format value="an..512" />
24660 <optionality value="0" />
24661 <xsdBaseType
value="AlphaNumeric_MAX512" />
24662 </xs:documentation>
24663 </xs:annotation>
24664 </xs:element>
24665 </xs:sequence>
24666 </xs:complexType>
24667 <xs:complexType
name="TransitOperationType38">
24668 <xs:annotation>
24669 <xs:documentation>
24670 <usedBy>Used by 1/124 messages:
CD063C</usedBy>
24671 </xs:documentation>
24672 </xs:annotation>
24673 <xs:sequence>
24674 <xs:element name="MRN"
type="MRNContentType05">
24675 <xs:annotation>
24676 <xs:documentation>
24677 <description value="MRN" />
24678 <format value="an18" />
24679 <optionality value="R" />
24680 <xsdBaseType value="MRNType" />
24681 </xs:documentation>
24682 </xs:annotation>
24683 </xs:element>
24687 <description value="Recovery
communication date" />
24688 <format value="an10" />
24689 <optionality value="0" />
24690 <xsdBaseType value="DateType" />
24691 </xs:documentation>
24692 </xs:annotation>
24693 </xs:element>
24694 </xs:sequence>
24695 </xs:complexType>
24696 <xs:complexType
name="TransitOperationType39">
24697 <xs:annotation>
24698 <xs:documentation>
24699 <usedBy>Used by 1/124 messages:
CD094C</usedBy>
24700 </xs:documentation>
24701 </xs:annotation>
24702 <xs:sequence>
24703 <xs:element name="MRN"

```



```

24957 type="MrnContentType05">
24958     <xs:annotation>
24959         <xs:documentation>
24960             <description value="MRN" />
24961             <format value="an18" />
24962             <optionality value="R" />
24963             <xsdBaseType value="MRNType" />
24964         </xs:documentation>
24965     </xs:annotation>
24966 </xs:element>
24970     <description value="Status" />
24971     <codeList code="CL153"
type="business"
name="StateAtOfficeOfDeparture" />
24972     <format value="an3" />
24973     <optionality value="R" />
24974 </xs:documentation>
24975 </xs:annotation>
24976 </xs:element>
24977 </xs:sequence>
24978 </xs:complexType>
24979 <xs:complexType
name="TransitOperationType40">
24980     <xs:annotation>
24981     <xs:documentation>
24982         <usedBy>Used by 1/124 messages:
CD095C</usedBy>
24983     </xs:documentation>
24984 </xs:annotation>
24985 <xs:sequence>
24986     <xs:element name="MRN"
type="MrnContentType05">
24987     <xs:annotation>
24988     <xs:documentation>
24989         <description value="MRN" />
24990         <format value="an18" />
24991         <optionality value="R" />
24992         <xsdBaseType value="MRNType" />
24993     </xs:documentation>
24994 </xs:annotation>
24995 </xs:element>
24999     <description value="Status" />
25000     <codeList code="CL258"
type="business" name="CustomsOperationState"
/>
25001     <format value="an3" />
25002     <optionality value="R" />
25003 </xs:documentation>
25004 </xs:annotation>
25005 </xs:element>
25006 </xs:sequence>
25007 </xs:complexType>
25008 <xs:complexType
name="TransitOperationType41">
25009     <xs:annotation>
25010     <xs:documentation>
25011         <usedBy>Used by 1/124 messages:
CD115C</usedBy>
25012     </xs:documentation>
25013 </xs:annotation>
25014 <xs:sequence>
25015     <xs:element name="MRN"

```

```

25005 type="MRNContentType05">
25006     <xs:annotation>
25007         <xs:documentation>
25008             <description value="MRN" />
25009             <format value="an18" />
25010             <optionality value="R" />
25011             <xsdBaseType value="MRNType" />
25012         </xs:documentation>
25013     </xs:annotation>
25014 </xs:element>
25018     <description value="Status" />
25019     <codeList code="CL153"
type="business"
name="StateAtOfficeOfDeparture" />
25020     <format value="an3" />
25021     <optionality value="R" />
25022 </xs:documentation>
25023 </xs:annotation>
25024 </xs:element>
25025 </xs:sequence>
25026 </xs:complexType>
25027 <xs:complexType
name="TransitOperationType41">
25028     <xs:annotation>
25029     <xs:documentation>
25030         <usedBy>Used by 1/124 messages:
CD095C</usedBy>
25031     </xs:documentation>
25032 </xs:annotation>
25033 <xs:sequence>
25034     <xs:element name="MRN"
type="MRNContentType05">
25035         <xs:annotation>
25036             <xs:documentation>
25037                 <description value="MRN" />
25038                 <format value="an18" />
25039                 <optionality value="R" />
25040                 <xsdBaseType value="MRNType" />
25041             </xs:documentation>
25042         </xs:annotation>
25043     </xs:element>
25047         <description value="Status" />
25048         <codeList code="CL258"
type="business" name="CustomsOperationState"
/>
25049         <format value="an3" />
25050         <optionality value="R" />
25051     </xs:documentation>
25052 </xs:annotation>
25053 </xs:element>
25054 </xs:sequence>
25055 </xs:complexType>
25056 <xs:complexType
name="TransitOperationType42">
25057     <xs:annotation>
25058     <xs:documentation>
25059         <usedBy>Used by 1/124 messages:
CD115C</usedBy>
25060     </xs:documentation>
25061 </xs:annotation>
25062 <xs:sequence>
25063     <xs:element name="MRN"

```

```

24703 type="MRNContentType05">
24704     <xs:annotation>
24705         <xs:documentation>
24706             <description value="MRN" />
24707             <format value="an18" />
24708             <optionality value="R" />
24709             <xsdBaseType value="MRNType" />
24710         </xs:documentation>
24711     </xs:annotation>
24712 </xs:element>
24716     <description value="Status" />
24717     <codeList code="CL153"
type="business"
name="StateAtOfficeOfDeparture" />
24718     <format value="an3" />
24719     <optionality value="R" />
24720 </xs:documentation>
24721 </xs:annotation>
24722 </xs:element>
24723 </xs:sequence>
24724 </xs:complexType>
24725 <xs:complexType
name="TransitOperationType40">
24726     <xs:annotation>
24727     <xs:documentation>
24728         <usedBy>Used by 1/124 messages:
CD095C</usedBy>
24729     </xs:documentation>
24730 </xs:annotation>
24731 <xs:sequence>
24732     <xs:element name="MRN"
type="MRNContentType05">
24733         <xs:annotation>
24734             <xs:documentation>
24735                 <description value="MRN" />
24736                 <format value="an18" />
24737                 <optionality value="R" />
24738                 <xsdBaseType value="MRNType" />
24739             </xs:documentation>
24740         </xs:annotation>
24741     </xs:element>
24745         <description value="Status" />
24746         <codeList code="CL258"
type="business" name="CustomsOperationState"
/>
24747         <format value="an3" />
24748         <optionality value="R" />
24749     </xs:documentation>
24750 </xs:annotation>
24751 </xs:element>
24752 </xs:sequence>
24753 </xs:complexType>
24754 <xs:complexType
name="TransitOperationType41">
24755     <xs:annotation>
24756     <xs:documentation>
24757         <usedBy>Used by 1/124 messages:
CD115C</usedBy>
24758     </xs:documentation>
24759 </xs:annotation>
24760 <xs:sequence>
24761     <xs:element name="MRN"

```

```

25015 type="MrnContentType05">
25016   <xs:annotation>
25017     <xs:documentation>
25018       <description value="MRN" />
25019       <format value="an18" />
25020       <optionality value="R" />
25021       <xsdBaseType value="MRNType" />
25022     </xs:documentation>
25023   </xs:annotation>
25024 </xs:element>
25098   <description value="Request
rejection reason code" />
25099   <codeList code="CL225"
type="business" name="AtrRejectionReason" />
25100   <format value="n..2" />
25101   <optionality value="O" />
25102 </xs:documentation>
25103 </xs:annotation>
25104 </xs:element>
25105 </xs:sequence>
25106 </xs:complexType>
25107 <xs:complexType
name="TransitOperationType42">
25108   <xs:annotation>
25109   <xs:documentation>
25110     <usedBy>Used by 1/124 messages:
CD119D</usedBy>
25111   </xs:documentation>
25112 </xs:annotation>
25113 <xs:sequence>
25114   <xs:element name="MRN"
type="MrnContentType05">
25115     <xs:annotation>
25116     <xs:documentation>
25117       <description value="MRN" />
25118       <format value="an18" />
25119       <optionality value="R" />
25120       <xsdBaseType value="MRNType" />
25121     </xs:documentation>
25122   </xs:annotation>
25123 </xs:element>
25124   <xs:element name="movementStoppedDate"
type="MovementStoppedDateContentType">
25125     <xs:annotation>
25126     <xs:documentation>
25127       <description value="Movement
stopped date" />
25128       <format value="an10" />
25129       <optionality value="R" />
25130     </xs:documentation>
25131   </xs:annotation>
25132 </xs:element>

```

```

25063 type="MRNContentType05">
25064   <xs:annotation>
25065     <xs:documentation>
25066       <description value="MRN" />
25067       <format value="an18" />
25068       <optionality value="R" />
25069       <xsdBaseType value="MRNType" />
25070     </xs:documentation>
25071   </xs:annotation>
25072 </xs:element>
25146   <description value="Request
rejection reason code" />
25147   <codeList code="CL225"
type="business" name="AtrRejectionReason" />
25148   <format value="n..2" />
25149   <optionality value="O" />
25150 </xs:documentation>
25151 </xs:annotation>
25152 </xs:element>
25153 </xs:sequence>
25154 </xs:complexType>
25155 <xs:complexType
name="TransitOperationType43">
25156   <xs:annotation>
25157   <xs:documentation>
25158     <usedBy>Used by 1/124 messages:
CD119D</usedBy>
25159   </xs:documentation>
25160 </xs:annotation>
25161 <xs:sequence>
25162   <xs:element name="MRN"
type="MRNContentType05">
25163     <xs:annotation>
25164     <xs:documentation>
25165       <description value="MRN" />
25166       <format value="an18" />
25167       <optionality value="R" />
25168       <xsdBaseType value="MRNType" />
25169     </xs:documentation>
25170   </xs:annotation>
25171 </xs:element>
25172   <xs:element name="movementStoppedDate"
type="MovementStoppedDateContentType">
25173     <xs:annotation>
25174     <xs:documentation>
25175       <description value="Passage
refusal date" />
25176       <format value="an10" />
25177       <optionality value="R" />
25178     </xs:documentation>
25179   </xs:annotation>
25180 </xs:element>
25181   <xs:element
name="passageRefusalReasonCode"
type="PassageRefusalReasonCodeContentType">
25182     <xs:annotation>
25183     <xs:documentation>
25184       <description value="Passage
refusal reason code" />
25185       <codeList code="CL238"
type="business"
name="PassageRefusalReasonCode" />

```

```

24761 type="MRNContentType05">
24762   <xs:annotation>
24763     <xs:documentation>
24764       <description value="MRN" />
24765       <format value="an18" />
24766       <optionality value="R" />
24767       <xsdBaseType value="MRNType" />
24768     </xs:documentation>
24769   </xs:annotation>
24770 </xs:element>
24844   <description value="Request
rejection reason code" />
24845   <codeList code="CL225"
type="business" name="AtrRejectionReason" />
24846   <format value="n..2" />
24847   <optionality value="O" />
24848 </xs:documentation>
24849 </xs:annotation>
24850 </xs:element>
24851 </xs:sequence>
24852 </xs:complexType>
24853 <xs:complexType
name="TransitOperationType42">
24854   <xs:annotation>
24855   <xs:documentation>
24856     <usedBy>Used by 1/124 messages:
CD119D</usedBy>
24857   </xs:documentation>
24858 </xs:annotation>
24859 <xs:sequence>
24860   <xs:element name="MRN"
type="MRNContentType05">
24861     <xs:annotation>
24862     <xs:documentation>
24863       <description value="MRN" />
24864       <format value="an18" />
24865       <optionality value="R" />
24866       <xsdBaseType value="MRNType" />
24867     </xs:documentation>
24868   </xs:annotation>
24869 </xs:element>
24870   <xs:element name="passageRefusalDate"
type="PassageRefusalDateContentType">
24871     <xs:annotation>
24872     <xs:documentation>
24873       <description value="Passage
refusal date" />
24874       <format value="an10" />
24875       <optionality value="R" />
24876     </xs:documentation>
24877   </xs:annotation>
24878 </xs:element>
24879   <xs:element
name="passageRefusalReasonCode"
type="PassageRefusalReasonCodeContentType">
24880     <xs:annotation>
24881     <xs:documentation>
24882       <description value="Passage
refusal reason code" />
24883       <codeList code="CL238"
type="business"
name="PassageRefusalReasonCode" />

```


		25186 <format value="n..2" />	24884 <format value="n..2" />
		25187 <optionality value="R" />	24885 <optionality value="R" />
		25188 </xs:documentation>	24886 </xs:documentation>
		25189 </xs:annotation>	24887 </xs:annotation>
		25190 </xs:element>	24888 </xs:element>
		25191 <xs:element name="text" minOccurs="0"	24889 <xs:element name="text" minOccurs="0"
		type="TextContentType">	type="TextContentType">
		25192 <xs:annotation>	24890 <xs:annotation>
		25193 <xs:documentation>	24891 <xs:documentation>
		25194 <description value="Text" />	24892 <description value="Text" />
		25195 <format value="an..512" />	24893 <format value="an..512" />
		25196 <optionality value="D" />	24894 <optionality value="D" />
		25197 <xsdBaseType	24895 <xsdBaseType
		value="AlphaNumeric_MAX512_NoSpaces" />	value="AlphaNumeric_MAX512_NoSpaces" />
		25198 </xs:documentation>	24896 </xs:documentation>
		25199 </xs:annotation>	24897 </xs:annotation>
		25200 </xs:element>	24898 </xs:element>
25133 </xs:sequence>	25201 </xs:sequence>	24899 </xs:sequence>	
25134 </xs:complexType>	25202 </xs:complexType>	24900 </xs:complexType>	
25135 <xs:complexType	25203 <xs:complexType	24901 <xs:complexType	
name="TransitOperationType43">	name="TransitOperationType44">	name="TransitOperationType43">	
25136 <xs:annotation>	25204 <xs:annotation>	24902 <xs:annotation>	
25137 <xs:documentation>	25205 <xs:documentation>	24903 <xs:documentation>	
25138 <usedBy>Used by 1/124 messages:	25206 <usedBy>Used by 1/124 messages:	24904 <usedBy>Used by 1/124 messages:	
CD160C</usedBy>	CD160C</usedBy>	CD160C</usedBy>	
25139 </xs:documentation>	25207 </xs:documentation>	24905 </xs:documentation>	
25140 </xs:annotation>	25208 </xs:annotation>	24906 </xs:annotation>	
25141 <xs:sequence>	25209 <xs:sequence>	24907 <xs:sequence>	
25142 <xs:element name="MRN"	25210 <xs:element name="MRN"	24908 <xs:element name="MRN"	
type="MrnContentType05">	type="MRNContentType05">	type="MRNContentType05">	
25143 <xs:annotation>	25211 <xs:annotation>	24909 <xs:annotation>	
25144 <xs:documentation>	25212 <xs:documentation>	24910 <xs:documentation>	
25145 <description value="MRN" />	25213 <description value="MRN" />	24911 <description value="MRN" />	
25146 <format value="an18" />	25214 <format value="an18" />	24912 <format value="an18" />	
25147 <optionality value="R" />	25215 <optionality value="R" />	24913 <optionality value="R" />	
25148 <xsdBaseType value="MRNType" />	25216 <xsdBaseType value="MRNType" />	24914 <xsdBaseType value="MRNType" />	
25149 </xs:documentation>	25217 </xs:documentation>	24915 </xs:documentation>	
25150 </xs:annotation>	25218 </xs:annotation>	24916 </xs:annotation>	
25151 </xs:element>	25219 </xs:element>	24917 </xs:element>	
25215 <description value="Binding	25283 <description value="Binding	24981 <description value="Binding	
itinerary" />	itinerary" />	itinerary" />	
25216 <codeList code="CL027"	25284 <codeList code="CL027"	24982 <codeList code="CL027"	
type="technical" name="Flag" />	type="technical" name="Flag" />	type="technical" name="Flag" />	
25217 <format value="n1" />	25285 <format value="n1" />	24983 <format value="n1" />	
25218 <optionality value="R" />	25286 <optionality value="R" />	24984 <optionality value="R" />	
25219 </xs:documentation>	25287 </xs:documentation>	24985 </xs:documentation>	
25220 </xs:annotation>	25288 </xs:annotation>	24986 </xs:annotation>	
25221 </xs:element>	25289 </xs:element>	24987 </xs:element>	
25222 </xs:sequence>	25290 </xs:sequence>	24988 </xs:sequence>	
25223 </xs:complexType>	25291 </xs:complexType>	24989 </xs:complexType>	
25224 <xs:complexType	25292 <xs:complexType	24990 <xs:complexType	
name="TransitOperationType44">	name="TransitOperationType45">	name="TransitOperationType44">	
25225 <xs:annotation>	25293 <xs:annotation>	24991 <xs:annotation>	
25226 <xs:documentation>	25294 <xs:documentation>	24992 <xs:documentation>	
25227 <usedBy>Used by 1/124 messages:	25295 <usedBy>Used by 1/124 messages:	24993 <usedBy>Used by 1/124 messages:	
CD165C</usedBy>	CD165C</usedBy>	CD165C</usedBy>	
25228 </xs:documentation>	25296 </xs:documentation>	24994 </xs:documentation>	
25229 </xs:annotation>	25297 </xs:annotation>	24995 </xs:annotation>	
25230 <xs:sequence>	25298 <xs:sequence>	24996 <xs:sequence>	
25231 <xs:element name="MRN"	25299 <xs:element name="MRN"	24997 <xs:element name="MRN"	
type="MrnContentType05">	type="MRNContentType05">	type="MRNContentType05">	
25232 <xs:annotation>	25300 <xs:annotation>	24998 <xs:annotation>	


```

25233      <xs:documentation>
25234        <description value="MRN" />
25235        <format value="an18" />
25236        <optionality value="R" />
25237        <xsdBaseType value="MRNType" />
25238      </xs:documentation>
25239    </xs:annotation>
25240  </xs:element>
25314    <description value="Request
rejection reason code" />
25315    <codeList code="CL224"
type="business" name="AxrRejectionReason" />
25316    <format value="n..2" />
25317    <optionality value="O" />
25318  </xs:documentation>
25319 </xs:annotation>
25320 </xs:element>
25321 </xs:sequence>
25322 </xs:complexType>
25323 <xs:complexType
name="TransitOperationType45">
25324   <xs:annotation>
25325     <xs:documentation>
25326       <usedBy>Used by 1/124 messages:
CD204C</usedBy>
25327     </xs:documentation>
25328   </xs:annotation>
25329   <xs:sequence>
25330     <xs:element name="MRN"
type="MrnContentType05">
25331       <xs:annotation>
25332         <xs:documentation>
25333           <description value="MRN" />
25334           <format value="an18" />
25335           <optionality value="R" />
25336           <xsdBaseType value="MRNType" />
25337         </xs:documentation>
25338       </xs:annotation>
25339     </xs:element>
25353     <description value="Usage
cancellation date" />
25354     <format value="an10" />
25355     <optionality value="D" />
25356     <xsdBaseType value="DateType" />
25357   </xs:documentation>
25358 </xs:annotation>
25359 </xs:element>
25360 </xs:sequence>
25361 </xs:complexType>
25362 <xs:complexType
name="TransitOperationType46">
25363   <xs:annotation>
25364     <xs:documentation>
25365       <usedBy>Used by 1/124 messages:
CDA13D</usedBy>
25366     </xs:documentation>
25367   </xs:annotation>
25368   <xs:sequence>
25369     <xs:element name="MRN"
type="MrnContentType05">
25370       <xs:annotation>
25371         <xs:documentation>

```

```

25301      <xs:documentation>
25302        <description value="MRN" />
25303        <format value="an18" />
25304        <optionality value="R" />
25305        <xsdBaseType value="MRNType" />
25306      </xs:documentation>
25307    </xs:annotation>
25308  </xs:element>
25382    <description value="Request
rejection reason code" />
25383    <codeList code="CL224"
type="business" name="AxrRejectionReason" />
25384    <format value="n..2" />
25385    <optionality value="O" />
25386  </xs:documentation>
25387 </xs:annotation>
25388 </xs:element>
25389 </xs:sequence>
25390 </xs:complexType>
25391 <xs:complexType
name="TransitOperationType46">
25392   <xs:annotation>
25393     <xs:documentation>
25394       <usedBy>Used by 1/124 messages:
CD204C</usedBy>
25395     </xs:documentation>
25396   </xs:annotation>
25397   <xs:sequence>
25398     <xs:element name="MRN"
type="MRNContentType05">
25399       <xs:annotation>
25400         <xs:documentation>
25401           <description value="MRN" />
25402           <format value="an18" />
25403           <optionality value="R" />
25404           <xsdBaseType value="MRNType" />
25405         </xs:documentation>
25406       </xs:annotation>
25407     </xs:element>
25421     <description value="Usage
cancellation date" />
25422     <format value="an10" />
25423     <optionality value="D" />
25424     <xsdBaseType value="DateType" />
25425   </xs:documentation>
25426 </xs:annotation>
25427 </xs:element>
25428 </xs:sequence>
25429 </xs:complexType>
25430 <xs:complexType
name="TransitOperationType47">
25431   <xs:annotation>
25432     <xs:documentation>
25433       <usedBy>Used by 1/124 messages:
CDA13D</usedBy>
25434     </xs:documentation>
25435   </xs:annotation>
25436   <xs:sequence>
25437     <xs:element name="MRN"
type="MRNContentType05">
25438       <xs:annotation>
25439         <xs:documentation>

```

```

24999      <xs:documentation>
25000        <description value="MRN" />
25001        <format value="an18" />
25002        <optionality value="R" />
25003        <xsdBaseType value="MRNType" />
25004      </xs:documentation>
25005    </xs:annotation>
25006  </xs:element>
25080    <description value="Request
rejection reason code" />
25081    <codeList code="CL224"
type="business" name="AxrRejectionReason" />
25082    <format value="n..2" />
25083    <optionality value="O" />
25084  </xs:documentation>
25085 </xs:annotation>
25086 </xs:element>
25087 </xs:sequence>
25088 </xs:complexType>
25089 <xs:complexType
name="TransitOperationType45">
25090   <xs:annotation>
25091     <xs:documentation>
25092       <usedBy>Used by 1/124 messages:
CD204C</usedBy>
25093     </xs:documentation>
25094   </xs:annotation>
25095   <xs:sequence>
25096     <xs:element name="MRN"
type="MRNContentType05">
25097       <xs:annotation>
25098         <xs:documentation>
25099           <description value="MRN" />
25100           <format value="an18" />
25101           <optionality value="R" />
25102           <xsdBaseType value="MRNType" />
25103         </xs:documentation>
25104       </xs:annotation>
25105     </xs:element>
25119     <description value="Usage
cancellation date" />
25120     <format value="an10" />
25121     <optionality value="D" />
25122     <xsdBaseType value="DateType" />
25123   </xs:documentation>
25124 </xs:annotation>
25125 </xs:element>
25126 </xs:sequence>
25127 </xs:complexType>
25128 <xs:complexType
name="TransitOperationType46">
25129   <xs:annotation>
25130     <xs:documentation>
25131       <usedBy>Used by 1/124 messages:
CDA13D</usedBy>
25132     </xs:documentation>
25133   </xs:annotation>
25134   <xs:sequence>
25135     <xs:element name="MRN"
type="MRNContentType05">
25136       <xs:annotation>
25137         <xs:documentation>

```

ctypes.xsd x 3			
25372	<description value="MRN" />	25138	<description value="MRN" />
25373	<format value="an18" />	25139	<format value="an18" />
25374	<optionality value="R" />	25140	<optionality value="R" />
25375	<xsdBaseType value="MRNType" />	25141	<xsdBaseType value="MRNType" />
25376	</xs:documentation>	25142	</xs:documentation>
25377	</xs:annotation>	25143	</xs:annotation>
25378	</xs:element>	25144	</xs:element>
25512	<description value="ENS filing" />	25278	<description value="ENS filing" />
25513	<codeList code="CL027"	25279	<codeList code="CL027"
	type="technical" name="Flag" />		type="technical" name="Flag" />
25514	<format value="n1" />	25280	<format value="n1" />
25515	<optionality value="R" />	25281	<optionality value="R" />
25516	</xs:documentation>	25282	</xs:documentation>
25517	</xs:annotation>	25283	</xs:annotation>
25518	</xs:element>	25284	</xs:element>
25519	</xs:sequence>	25285	</xs:sequence>
25520	</xs:complexType>	25286	</xs:complexType>
25521	<xs:complexType	25287	<xs:complexType
	name="TransitOperationType47">		name="TransitOperationType47">
25522	<xs:annotation>	25288	<xs:annotation>
25523	<xs:documentation>	25289	<xs:documentation>
25524	<usedBy>Used by 1/124 messages:	25290	<usedBy>Used by 1/124 messages:
	CDA15D</usedBy>		CDA15D</usedBy>
25525	</xs:documentation>	25291	</xs:documentation>
25526	</xs:annotation>	25292	</xs:annotation>
25527	<xs:sequence>	25293	<xs:sequence>
25528	<xs:element name="LRN"	25294	<xs:element name="LRN"
	type="LrnContentType02">		type="LRNContentType02">
25529	<xs:annotation>	25295	<xs:annotation>
25530	<xs:documentation>	25296	<xs:documentation>
25531	<description value="LRN" />	25297	<description value="LRN" />
25532	<format value="an..22" />	25298	<format value="an..22" />
25533	<optionality value="R" />	25299	<optionality value="R" />
25534	<xsdBaseType	25300	<xsdBaseType
	value="AlphaNumeric_MAX22_NoSpaces" />		value="AlphaNumeric_MAX22_NoSpaces" />
25535	</xs:documentation>	25301	</xs:documentation>
25536	</xs:annotation>	25302	</xs:annotation>
25537	</xs:element>	25303	</xs:element>
25538	<xs:element name="MRN"	25304	<xs:element name="MRN"
	type="MrnContentType05">		type="MRNContentType05">
25539	<xs:annotation>	25305	<xs:annotation>
25540	<xs:documentation>	25306	<xs:documentation>
25541	<description value="MRN" />	25307	<description value="MRN" />
25542	<format value="an18" />	25308	<format value="an18" />
25543	<optionality value="R" />	25309	<optionality value="R" />
25544	<xsdBaseType value="MRNType" />	25310	<xsdBaseType value="MRNType" />
25545	</xs:documentation>	25311	</xs:documentation>
25546	</xs:annotation>	25312	</xs:annotation>
25547	</xs:element>	25313	</xs:element>
25652	<description value="ENS filing" />	25418	<description value="ENS filing" />
25653	<codeList code="CL027"	25419	<codeList code="CL027"
	type="technical" name="Flag" />		type="technical" name="Flag" />
25654	<format value="n1" />	25420	<format value="n1" />
25655	<optionality value="R" />	25421	<optionality value="R" />
25656	</xs:documentation>	25422	</xs:documentation>
25657	</xs:annotation>	25423	</xs:annotation>
25658	</xs:element>	25424	</xs:element>
25659	</xs:sequence>	25425	</xs:sequence>
25660	</xs:complexType>	25426	</xs:complexType>
25661	<xs:complexType	25427	<xs:complexType
	name="TransitOperationType48">		name="TransitOperationType48">
25662	<xs:annotation>	25428	<xs:annotation>
25440	<description value="MRN" />	25440	<description value="MRN" />
25441	<format value="an18" />	25441	<format value="an18" />
25442	<optionality value="R" />	25442	<optionality value="R" />
25443	<xsdBaseType value="MRNType" />	25443	<xsdBaseType value="MRNType" />
25444	</xs:documentation>	25444	</xs:documentation>
25445	</xs:annotation>	25445	</xs:annotation>
25446	</xs:element>	25446	</xs:element>
25580	<description value="ENS filing" />	25580	<description value="ENS filing" />
25581	<codeList code="CL027"	25581	<codeList code="CL027"
	type="technical" name="Flag" />		


```

25663     <xs:documentation>
25664     <usedBy>Used by 1/124 messages:
CDA93D</usedBy>
25665     </xs:documentation>
25666     </xs:annotation>
25667     <xs:sequence>
25668     <xs:element name="MRN"
type="MrnContentType05">
25669     <xs:annotation>
25670     <xs:documentation>
25671     <description value="MRN" />
25672     <format value="an18" />
25673     <optionality value="R" />
25674     <xsdBaseType value="MRNType" />
25675     </xs:documentation>
25676     </xs:annotation>
25677     </xs:element>
25681     <description value="Completion
date and time" />
25682     <format value="an19" />
25683     <optionality value="R" />
25684     <xsdBaseType value="DateTimeType"
/>
25685     </xs:documentation>
25686     </xs:annotation>
25687     </xs:element>
25688     </xs:sequence>
25689     </xs:complexType>
25690     <xs:complexType
name="TransitOperationType49">
25691     <xs:annotation>
25692     <xs:documentation>
25693     <usedBy>Used by 2/124 messages:
CC004C, CC004D</usedBy>
25694     </xs:documentation>
25695     </xs:annotation>
25696     <xs:sequence>
25697     <xs:element name="LRN" minOccurs="0"
type="LrnContentType02">
25698     <xs:annotation>
25699     <xs:documentation>
25700     <description value="LRN" />
25701     <format value="an..22" />
25702     <optionality value="D" />
25703     <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
25704     </xs:documentation>
25705     </xs:annotation>
25706     </xs:element>
25707     <xs:element name="MRN" minOccurs="0"
type="MrnContentType05">
25708     <xs:annotation>
25709     <xs:documentation>
25710     <description value="MRN" />
25711     <format value="an18" />
25712     <optionality value="D" />
25713     <xsdBaseType value="MRNType" />
25714     </xs:documentation>
25715     </xs:annotation>
25716     </xs:element>
25730     <description value="Amendment
acceptance date and time" />

```

```

25731     <xs:documentation>
25732     <usedBy>Used by 1/124 messages:
CDA93D</usedBy>
25733     </xs:documentation>
25734     </xs:annotation>
25735     <xs:sequence>
25736     <xs:element name="MRN"
type="MRNContentType05">
25737     <xs:annotation>
25738     <xs:documentation>
25739     <description value="MRN" />
25740     <format value="an18" />
25741     <optionality value="R" />
25742     <xsdBaseType value="MRNType" />
25743     </xs:documentation>
25744     </xs:annotation>
25745     </xs:element>
25749     <description value="Completion
date and time" />
25750     <format value="an19" />
25751     <optionality value="R" />
25752     <xsdBaseType value="DateTimeType"
/>
25753     </xs:documentation>
25754     </xs:annotation>
25755     </xs:element>
25756     </xs:sequence>
25757     </xs:complexType>
25758     <xs:complexType
name="TransitOperationType50">
25759     <xs:annotation>
25760     <xs:documentation>
25761     <usedBy>Used by 2/124 messages:
CC004C, CC004D</usedBy>
25762     </xs:documentation>
25763     </xs:annotation>
25764     <xs:sequence>
25765     <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
25766     <xs:annotation>
25767     <xs:documentation>
25768     <description value="LRN" />
25769     <format value="an..22" />
25770     <optionality value="D" />
25771     <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
25772     </xs:documentation>
25773     </xs:annotation>
25774     </xs:element>
25775     <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
25776     <xs:annotation>
25777     <xs:documentation>
25778     <description value="MRN" />
25779     <format value="an18" />
25780     <optionality value="D" />
25781     <xsdBaseType value="MRNType" />
25782     </xs:documentation>
25783     </xs:annotation>
25784     </xs:element>
25798     <description value="Amendment
acceptance date and time" />

```

```

25429     <xs:documentation>
25430     <usedBy>Used by 1/124 messages:
CDA93D</usedBy>
25431     </xs:documentation>
25432     </xs:annotation>
25433     <xs:sequence>
25434     <xs:element name="MRN"
type="MRNContentType05">
25435     <xs:annotation>
25436     <xs:documentation>
25437     <description value="MRN" />
25438     <format value="an18" />
25439     <optionality value="R" />
25440     <xsdBaseType value="MRNType" />
25441     </xs:documentation>
25442     </xs:annotation>
25443     </xs:element>
25447     <description value="Completion
date and time" />
25448     <format value="an19" />
25449     <optionality value="R" />
25450     <xsdBaseType value="DateTimeType"
/>
25451     </xs:documentation>
25452     </xs:annotation>
25453     </xs:element>
25454     </xs:sequence>
25455     </xs:complexType>
25456     <xs:complexType
name="TransitOperationType49">
25457     <xs:annotation>
25458     <xs:documentation>
25459     <usedBy>Used by 2/124 messages:
CC004C, CC004D</usedBy>
25460     </xs:documentation>
25461     </xs:annotation>
25462     <xs:sequence>
25463     <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
25464     <xs:annotation>
25465     <xs:documentation>
25466     <description value="LRN" />
25467     <format value="an..22" />
25468     <optionality value="D" />
25469     <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
25470     </xs:documentation>
25471     </xs:annotation>
25472     </xs:element>
25473     <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
25474     <xs:annotation>
25475     <xs:documentation>
25476     <description value="MRN" />
25477     <format value="an18" />
25478     <optionality value="D" />
25479     <xsdBaseType value="MRNType" />
25480     </xs:documentation>
25481     </xs:annotation>
25482     </xs:element>
25496     <description value="Amendment
acceptance date and time" />

```



```

25786     <xs:annotation>
25787       <xs:documentation>
25788         <description value="MRN" />
25789         <format value="an18" />
25790         <optionality value="R" />
25791         <xsdBaseType
value="NCTS-P5_MRNTYPE" />
25792       </xs:documentation>
25793     </xs:annotation>
25794   </xs:element>
25795 </xs:sequence>
25796 </xs:complexType>
25797 <xs:complexType
name="TransitOperationType52">
25798   <xs:annotation>
25799     <xs:documentation>
25800       <usedBy>Used by 2/124 messages:
CC117D, CD117D</usedBy>
25801     </xs:documentation>
25802   </xs:annotation>
25803   <xs:sequence>
25804     <xs:element name="MRN"
type="MrnContentType05">
25805       <xs:annotation>
25806         <xs:documentation>
25807           <description value="MRN" />
25808           <format value="an18" />
25809           <optionality value="R" />
25810           <xsdBaseType value="MRNTYPE" />
25811         </xs:documentation>
25812       </xs:annotation>
25813     </xs:element>
25827     <description value="Communication
language at transit" />
25828     <codeList code="CL192"
type="business" name="LanguageByCustoms" />
25829     <format value="a2" />
25830     <optionality value="O" />
25831   </xs:documentation>
25832 </xs:annotation>
25833 </xs:element>
25834 </xs:sequence>
25835 </xs:complexType>
25836 <xs:complexType
name="TransitOperationType53">
25837   <xs:annotation>
25838     <xs:documentation>
25839       <usedBy>Used by 2/124 messages:
CD060D, CDA64D</usedBy>
25840     </xs:documentation>
25841   </xs:annotation>
25842   <xs:sequence>
25843     <xs:element name="MRN"
type="MrnContentType05">
25844       <xs:annotation>
25845         <xs:documentation>
25846           <description value="MRN" />
25847           <format value="an18" />
25848           <optionality value="R" />
25849           <xsdBaseType value="MRNTYPE" />
25850         </xs:documentation>
25851       </xs:annotation>

```

```

25854     <xs:annotation>
25855       <xs:documentation>
25856         <description value="MRN" />
25857         <format value="an18" />
25858         <optionality value="R" />
25859         <xsdBaseType
value="NCTS-P5_MRNTYPE" />
25860       </xs:documentation>
25861     </xs:annotation>
25862   </xs:element>
25863 </xs:sequence>
25864 </xs:complexType>
25865 <xs:complexType
name="TransitOperationType53">
25866   <xs:annotation>
25867     <xs:documentation>
25868       <usedBy>Used by 2/124 messages:
CC117D, CD117D</usedBy>
25869     </xs:documentation>
25870   </xs:annotation>
25871   <xs:sequence>
25872     <xs:element name="MRN"
type="MrnContentType05">
25873       <xs:annotation>
25874         <xs:documentation>
25875           <description value="MRN" />
25876           <format value="an18" />
25877           <optionality value="R" />
25878           <xsdBaseType value="MRNTYPE" />
25879         </xs:documentation>
25880       </xs:annotation>
25881     </xs:element>
25895     <description value="Communication
language at transit" />
25896     <codeList code="CL192"
type="business" name="LanguageByCustoms" />
25897     <format value="a2" />
25898     <optionality value="O" />
25899   </xs:documentation>
25900 </xs:annotation>
25901 </xs:element>
25902 </xs:sequence>
25903 </xs:complexType>
25904 <xs:complexType
name="TransitOperationType54">
25905   <xs:annotation>
25906     <xs:documentation>
25907       <usedBy>Used by 2/124 messages:
CD060D, CDA64D</usedBy>
25908     </xs:documentation>
25909   </xs:annotation>
25910   <xs:sequence>
25911     <xs:element name="MRN"
type="MrnContentType05">
25912       <xs:annotation>
25913         <xs:documentation>
25914           <description value="MRN" />
25915           <format value="an18" />
25916           <optionality value="R" />
25917           <xsdBaseType value="MRNTYPE" />
25918         </xs:documentation>
25919       </xs:annotation>

```

```

25552     <xs:annotation>
25553       <xs:documentation>
25554         <description value="MRN" />
25555         <format value="an18" />
25556         <optionality value="R" />
25557         <xsdBaseType
value="NCTS-P5_MRNTYPE" />
25558       </xs:documentation>
25559     </xs:annotation>
25560   </xs:element>
25561 </xs:sequence>
25562 </xs:complexType>
25563 <xs:complexType
name="TransitOperationType52">
25564   <xs:annotation>
25565     <xs:documentation>
25566       <usedBy>Used by 2/124 messages:
CC117D, CD117D</usedBy>
25567     </xs:documentation>
25568   </xs:annotation>
25569   <xs:sequence>
25570     <xs:element name="MRN"
type="MrnContentType05">
25571       <xs:annotation>
25572         <xs:documentation>
25573           <description value="MRN" />
25574           <format value="an18" />
25575           <optionality value="R" />
25576           <xsdBaseType value="MRNTYPE" />
25577         </xs:documentation>
25578       </xs:annotation>
25579     </xs:element>
25593     <description value="Communication
language at transit" />
25594     <codeList code="CL192"
type="business" name="LanguageByCustoms" />
25595     <format value="a2" />
25596     <optionality value="O" />
25597   </xs:documentation>
25598 </xs:annotation>
25599 </xs:element>
25600 </xs:sequence>
25601 </xs:complexType>
25602 <xs:complexType
name="TransitOperationType53">
25603   <xs:annotation>
25604     <xs:documentation>
25605       <usedBy>Used by 2/124 messages:
CD060D, CDA64D</usedBy>
25606     </xs:documentation>
25607   </xs:annotation>
25608   <xs:sequence>
25609     <xs:element name="MRN"
type="MrnContentType05">
25610       <xs:annotation>
25611         <xs:documentation>
25612           <description value="MRN" />
25613           <format value="an18" />
25614           <optionality value="R" />
25615           <xsdBaseType value="MRNTYPE" />
25616         </xs:documentation>
25617       </xs:annotation>

```



```

25852     </xs:element>
25865     <xs:documentation>
25866       <description value="Scheduled
control date and time" />
25867       <format value="an19" />
25868       <optionality value="0" />
25869     </xs:documentation>
25870   </xs:annotation>
25871 </xs:element>
25872 </xs:sequence>
25873 </xs:complexType>
25874 <xs:complexType
name="TransitOperationType54">
25875   <xs:annotation>
25876     <xs:documentation>
25877       <usedBy>Used by 2/124 messages:
CD118C, CD168C</usedBy>
25878     </xs:documentation>
25879   </xs:annotation>
25880   <xs:sequence>
25881     <xs:element name="MRN"
type="MrnContentType05">
25882       <xs:annotation>
25883         <xs:documentation>
25884           <description value="MRN" />
25885           <format value="an18" />
25886           <optionality value="R" />
25887           <xsdBaseType value="MRNType" />
25888         </xs:documentation>
25889       </xs:annotation>
25890     </xs:element>
25894     <description value="Passage date"
/>
25895     <format value="an10" />
25896     <optionality value="R" />
25897     <xsdBaseType value="DateType" />
25898   </xs:documentation>
25899 </xs:annotation>
25900 </xs:element>
25901 </xs:sequence>
25902 </xs:complexType>
25903 <xs:complexType
name="TransitOperationType55">
25904   <xs:annotation>
25905     <xs:documentation>
25906       <usedBy>Used by 25/124 messages:
CC141C, CCA28D, CCA70D, CCA71D, CD002C,
CD009D, CD010C, CD014D, CD027C, CD114C,
CD142C, CD143C, CD144C, CD145C, CD150C,
CD151C, CD152C, CD164C, CD201C, CD205C,
CD927D, CD928D, CDA52D, CDA70D,
CDA71D</usedBy>
25907     </xs:documentation>
25908   </xs:annotation>
25909   <xs:sequence>
25910     <xs:element name="MRN"
type="MrnContentType05">
25911       <xs:annotation>
25912         <xs:documentation>
25913           <description value="MRN" />
25914           <format value="an18" />
25915           <optionality value="R" />

```

```

25920     </xs:element>
25933     <xs:documentation>
25934       <description value="Scheduled
control date and time" />
25935       <format value="an19" />
25936       <optionality value="0" />
25937     </xs:documentation>
25938   </xs:annotation>
25939 </xs:element>
25940 </xs:sequence>
25941 </xs:complexType>
25942 <xs:complexType
name="TransitOperationType55">
25943   <xs:annotation>
25944     <xs:documentation>
25945       <usedBy>Used by 2/124 messages:
CD118C, CD168C</usedBy>
25946     </xs:documentation>
25947   </xs:annotation>
25948   <xs:sequence>
25949     <xs:element name="MRN"
type="MRNContentType05">
25950       <xs:annotation>
25951         <xs:documentation>
25952           <description value="MRN" />
25953           <format value="an18" />
25954           <optionality value="R" />
25955           <xsdBaseType value="MRNType" />
25956         </xs:documentation>
25957       </xs:annotation>
25958     </xs:element>
25962     <description value="Passage date"
/>
25963     <format value="an10" />
25964     <optionality value="R" />
25965     <xsdBaseType value="DateType" />
25966   </xs:documentation>
25967 </xs:annotation>
25968 </xs:element>
25969 </xs:sequence>
25970 </xs:complexType>
25971 <xs:complexType
name="TransitOperationType56">
25972   <xs:annotation>
25973     <xs:documentation>
25974       <usedBy>Used by 25/124 messages:
CC141C, CCA28D, CCA70D, CCA71D, CD002C,
CD009D, CD010C, CD014D, CD027C, CD114C,
CD142C, CD143C, CD144C, CD145C, CD150C,
CD151C, CD152C, CD164C, CD201C, CD205C,
CD927D, CD928D, CDA52D, CDA70D,
CDA71D</usedBy>
25975     </xs:documentation>
25976   </xs:annotation>
25977   <xs:sequence>
25978     <xs:element name="MRN"
type="MRNContentType05">
25979       <xs:annotation>
25980         <xs:documentation>
25981           <description value="MRN" />
25982           <format value="an18" />
25983           <optionality value="R" />

```

```

25618     </xs:element>
25631     <xs:documentation>
25632       <description value="Scheduled
control date and time" />
25633       <format value="an19" />
25634       <optionality value="0" />
25635     </xs:documentation>
25636   </xs:annotation>
25637 </xs:element>
25638 </xs:sequence>
25639 </xs:complexType>
25640 <xs:complexType
name="TransitOperationType54">
25641   <xs:annotation>
25642     <xs:documentation>
25643       <usedBy>Used by 2/124 messages:
CD118C, CD168C</usedBy>
25644     </xs:documentation>
25645   </xs:annotation>
25646   <xs:sequence>
25647     <xs:element name="MRN"
type="MRNContentType05">
25648       <xs:annotation>
25649         <xs:documentation>
25650           <description value="MRN" />
25651           <format value="an18" />
25652           <optionality value="R" />
25653           <xsdBaseType value="MRNType" />
25654         </xs:documentation>
25655       </xs:annotation>
25656     </xs:element>
25660     <description value="Passage date"
/>
25661     <format value="an10" />
25662     <optionality value="R" />
25663     <xsdBaseType value="DateType" />
25664   </xs:documentation>
25665 </xs:annotation>
25666 </xs:element>
25667 </xs:sequence>
25668 </xs:complexType>
25669 <xs:complexType
name="TransitOperationType55">
25670   <xs:annotation>
25671     <xs:documentation>
25672       <usedBy>Used by 25/124 messages:
CC141C, CCA28D, CCA70D, CCA71D, CD002C,
CD009D, CD010C, CD014D, CD027C, CD114C,
CD142C, CD143C, CD144C, CD145C, CD150C,
CD151C, CD152C, CD164C, CD201C, CD205C,
CD927D, CD928D, CDA52D, CDA70D,
CDA71D</usedBy>
25673     </xs:documentation>
25674   </xs:annotation>
25675   <xs:sequence>
25676     <xs:element name="MRN"
type="MRNContentType05">
25677       <xs:annotation>
25678         <xs:documentation>
25679           <description value="MRN" />
25680           <format value="an18" />
25681           <optionality value="R" />

```



```

25916         <xsdBaseType value="MRNType" />
25917     </xs:documentation>
25918 </xs:annotation>
25919 </xs:element>
25920 </xs:sequence>
25921 </xs:complexType>
25922 <xs:complexType
name="TransitOperationType56">
25923     <xs:annotation>
25924     <xs:documentation>
25925         <usedBy>Used by 3/124 messages:
CC009C, CC009D, CC014C</usedBy>
25926     </xs:documentation>
25927 </xs:annotation>
25928 <xs:sequence>
25929     <xs:element name="LRN" minOccurs="0"
type="LrnContentType02">
25930     <xs:annotation>
25931     <xs:documentation>
25932         <description value="LRN" />
25933         <format value="an..22" />
25934         <optionality value="D" />
25935         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
25936     </xs:documentation>
25937 </xs:annotation>
25938 </xs:element>
25939     <xs:element name="MRN" minOccurs="0"
type="MrnContentType05">
25940     <xs:annotation>
25941     <xs:documentation>
25942         <description value="MRN" />
25943         <format value="an18" />
25944         <optionality value="D" />
25945         <xsdBaseType value="MRNType" />
25946     </xs:documentation>
25947 </xs:annotation>
25948 </xs:element>
25949 </xs:sequence>
25950 </xs:complexType>
25951 <xs:complexType
name="TransitOperationType57">
25952     <xs:annotation>
25953     <xs:documentation>
25954         <usedBy>Used by 3/124 messages:
CC182C, CD180C, CD181C</usedBy>
25955     </xs:documentation>
25956 </xs:annotation>
25957 <xs:sequence>
25958     <xs:element name="MRN"
type="MrnContentType05">
25959     <xs:annotation>
25960     <xs:documentation>
25961         <description value="MRN" />
25962         <format value="an18" />
25963         <optionality value="R" />
25964         <xsdBaseType value="MRNType" />
25965     </xs:documentation>
25966 </xs:annotation>
25967 </xs:element>
25971     <description value="Incident
notification date and time" />

```

```

25984         <xsdBaseType value="MRNType" />
25985     </xs:documentation>
25986 </xs:annotation>
25987 </xs:element>
25988 </xs:sequence>
25989 </xs:complexType>
25990 <xs:complexType
name="TransitOperationType57">
25991     <xs:annotation>
25992     <xs:documentation>
25993         <usedBy>Used by 3/124 messages:
CC009C, CC009D, CC014C</usedBy>
25994     </xs:documentation>
25995 </xs:annotation>
25996 <xs:sequence>
25997     <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
25998     <xs:annotation>
25999     <xs:documentation>
26000         <description value="LRN" />
26001         <format value="an..22" />
26002         <optionality value="D" />
26003         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
26004     </xs:documentation>
26005 </xs:annotation>
26006 </xs:element>
26007     <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
26008     <xs:annotation>
26009     <xs:documentation>
26010         <description value="MRN" />
26011         <format value="an18" />
26012         <optionality value="D" />
26013         <xsdBaseType value="MRNType" />
26014     </xs:documentation>
26015 </xs:annotation>
26016 </xs:element>
26017 </xs:sequence>
26018 </xs:complexType>
26019 <xs:complexType
name="TransitOperationType58">
26020     <xs:annotation>
26021     <xs:documentation>
26022         <usedBy>Used by 3/124 messages:
CC182C, CD180C, CD181C</usedBy>
26023     </xs:documentation>
26024 </xs:annotation>
26025 <xs:sequence>
26026     <xs:element name="MRN"
type="MRNContentType05">
26027     <xs:annotation>
26028     <xs:documentation>
26029         <description value="MRN" />
26030         <format value="an18" />
26031         <optionality value="R" />
26032         <xsdBaseType value="MRNType" />
26033     </xs:documentation>
26034 </xs:annotation>
26035 </xs:element>
26039     <description value="Incident
notification date and time" />

```

```

25682         <xsdBaseType value="MRNType" />
25683     </xs:documentation>
25684 </xs:annotation>
25685 </xs:element>
25686 </xs:sequence>
25687 </xs:complexType>
25688 <xs:complexType
name="TransitOperationType56">
25689     <xs:annotation>
25690     <xs:documentation>
25691         <usedBy>Used by 3/124 messages:
CC009C, CC009D, CC014C</usedBy>
25692     </xs:documentation>
25693 </xs:annotation>
25694 <xs:sequence>
25695     <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
25696     <xs:annotation>
25697     <xs:documentation>
25698         <description value="LRN" />
25699         <format value="an..22" />
25700         <optionality value="D" />
25701         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
25702     </xs:documentation>
25703 </xs:annotation>
25704 </xs:element>
25705     <xs:element name="MRN" minOccurs="0"
type="MRNContentType05">
25706     <xs:annotation>
25707     <xs:documentation>
25708         <description value="MRN" />
25709         <format value="an18" />
25710         <optionality value="D" />
25711         <xsdBaseType value="MRNType" />
25712     </xs:documentation>
25713 </xs:annotation>
25714 </xs:element>
25715 </xs:sequence>
25716 </xs:complexType>
25717 <xs:complexType
name="TransitOperationType57">
25718     <xs:annotation>
25719     <xs:documentation>
25720         <usedBy>Used by 3/124 messages:
CC182C, CD180C, CD181C</usedBy>
25721     </xs:documentation>
25722 </xs:annotation>
25723 <xs:sequence>
25724     <xs:element name="MRN"
type="MRNContentType05">
25725     <xs:annotation>
25726     <xs:documentation>
25727         <description value="MRN" />
25728         <format value="an18" />
25729         <optionality value="R" />
25730         <xsdBaseType value="MRNType" />
25731     </xs:documentation>
25732 </xs:annotation>
25733 </xs:element>
25737     <description value="Incident
notification date and time" />

```



```

26027 </xs:complexType>
26028 <xs:complexType
name="TransitOperationType60">
26029   <xs:annotation>
26030     <xs:documentation>
26031       <usedBy>Used by 5/124 messages:
CC023C, CC035C, CC055C, CD200C,
CD203C</usedBy>
26032     </xs:documentation>
26033   </xs:annotation>
26034   <xs:sequence>
26035     <xs:element name="MRN"
type="MrnContentType05">
26036       <xs:annotation>
26037         <xs:documentation>
26038           <description value="MRN" />
26039           <format value="an18" />
26040           <optionality value="R" />
26041           <xsdBaseType value="MRNType" />
26042         </xs:documentation>
26043       </xs:annotation>
26044     </xs:element>
26048     <description value="Declaration
acceptance date" />
26049     <format value="an10" />
26050     <optionality value="R" />
26051     <xsdBaseType value="DateType" />
26052   </xs:documentation>
26053 </xs:annotation>
26054 </xs:element>
26055 </xs:sequence>
26056 </xs:complexType>
26057 <xs:complexType
name="TransitOperationType61">
26058   <xs:annotation>
26059     <xs:documentation>
26060       <usedBy>Used by 1/124 messages:
CC190C</usedBy>
26061     </xs:documentation>
26062   </xs:annotation>
26063   <xs:sequence>
26064     <xs:element
name="AESCommunicationPurpose"
type="AESCommunicationPurposeContentType">
26065       <xs:annotation>
26066         <xs:documentation>
26067           <description value="AES
communication purpose" />
26068           <codeList code="CL158"
type="business"
name="XFTCommunicationPurpose" />
26069           <format value="n1" />
26070           <optionality value="R" />
26071         </xs:documentation>
26072       </xs:annotation>
26073     </xs:element>
26074     <xs:element name="LRN" minOccurs="0"
type="LrnContentType02">
26075       <xs:annotation>
26076         <xs:documentation>
26077           <description value="LRN" />
26078           <format value="an..22" />

```

```

26095 </xs:complexType>
26096 <xs:complexType
name="TransitOperationType61">
26097   <xs:annotation>
26098     <xs:documentation>
26099       <usedBy>Used by 5/124 messages:
CC023C, CC035C, CC055C, CD200C,
CD203C</usedBy>
26100     </xs:documentation>
26101   </xs:annotation>
26102   <xs:sequence>
26103     <xs:element name="MRN"
type="MRNContentType05">
26104       <xs:annotation>
26105         <xs:documentation>
26106           <description value="MRN" />
26107           <format value="an18" />
26108           <optionality value="R" />
26109           <xsdBaseType value="MRNType" />
26110         </xs:documentation>
26111       </xs:annotation>
26112     </xs:element>
26116     <description value="Declaration
acceptance date" />
26117     <format value="an10" />
26118     <optionality value="R" />
26119     <xsdBaseType value="DateType" />
26120   </xs:documentation>
26121 </xs:annotation>
26122 </xs:element>
26123 </xs:sequence>
26124 </xs:complexType>

```

```

25793 </xs:complexType>
25794 <xs:complexType
name="TransitOperationType60">
25795   <xs:annotation>
25796     <xs:documentation>
25797       <usedBy>Used by 5/124 messages:
CC023C, CC035C, CC055C, CD200C,
CD203C</usedBy>
25798     </xs:documentation>
25799   </xs:annotation>
25800   <xs:sequence>
25801     <xs:element name="MRN"
type="MRNContentType05">
25802       <xs:annotation>
25803         <xs:documentation>
25804           <description value="MRN" />
25805           <format value="an18" />
25806           <optionality value="R" />
25807           <xsdBaseType value="MRNType" />
25808         </xs:documentation>
25809       </xs:annotation>
25810     </xs:element>
25814     <description value="Declaration
acceptance date" />
25815     <format value="an10" />
25816     <optionality value="R" />
25817     <xsdBaseType value="DateType" />
25818   </xs:documentation>
25819 </xs:annotation>
25820 </xs:element>
25821 </xs:sequence>
25822 </xs:complexType>
25823 <xs:complexType
name="TransitOperationType61">
25824   <xs:annotation>
25825     <xs:documentation>
25826       <usedBy>Used by 1/124 messages:
CC190C</usedBy>
25827     </xs:documentation>
25828   </xs:annotation>
25829   <xs:sequence>
25830     <xs:element
name="AESCommunicationPurpose"
type="AESCommunicationPurposeContentType">
25831       <xs:annotation>
25832         <xs:documentation>
25833           <description value="AES
communication purpose" />
25834           <codeList code="CL158"
type="business"
name="XFTCommunicationPurpose" />
25835           <format value="n1" />
25836           <optionality value="R" />
25837         </xs:documentation>
25838       </xs:annotation>
25839     </xs:element>
25840     <xs:element name="LRN" minOccurs="0"
type="LRNContentType02">
25841       <xs:annotation>
25842         <xs:documentation>
25843           <description value="LRN" />
25844           <format value="an..22" />

```



```

26079         <optionality value="D" />
26080         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
26081       </xs:documentation>
26082     </xs:annotation>
26083   </xs:element>
26084   <xs:element name="MRN" minOccurs="0"
type="MRNContentType04">
26085     <xs:annotation>
26086       <xs:documentation>
26087         <description value="MRN" />
26088         <format value="an18" />
26089         <optionality value="D" />
26090       <xsdBaseType
value="NCTS-P5_MRNTYPE" />
26091     </xs:documentation>
26092   </xs:annotation>
26093 </xs:element>
26094 <xs:element name="TIRCarnetNumber"
minOccurs="0"
type="TIRCarnetNumberContentType">
26095   <xs:annotation>
26096     <xs:documentation>
26097       <description value="TIR Carnet
number" />
26098       <format value="an..12" />
26099       <optionality value="D" />
26100     <xsdBaseType
value="TIRCarnetNumber" />
26101   </xs:documentation>
26102 </xs:annotation>
26103 </xs:element>
26104 <xs:element
name="declarationAcceptanceDate"
minOccurs="0"
type="DeclarationAcceptanceDateContentType">
26105   <xs:annotation>
26106     <xs:documentation>
26107       <description value="Declaration
acceptance date" />
26108       <format value="an10" />
26109       <optionality value="D" />
26110     <xsdBaseType value="DateType" />
26111   </xs:documentation>
26112 </xs:annotation>
26113 </xs:element>
26114 <xs:element
name="amendmentAcceptanceDateAndTime"
minOccurs="0"
type="AmendmentAcceptanceDateAndTimeContentTyp
e">
26115   <xs:annotation>
26116     <xs:documentation>
26117       <description value="Amendment
acceptance date and time" />
26118       <format value="an19" />
26119       <optionality value="D" />
26120     <xsdBaseType value="DateTimeType"
/>
26121   </xs:documentation>
26122 </xs:annotation>
26123 </xs:element>

```

```

25845         <optionality value="D" />
25846         <xsdBaseType
value="AlphaNumeric_MAX22_NoSpaces" />
25847       </xs:documentation>
25848     </xs:annotation>
25849   </xs:element>
25850   <xs:element name="MRN" minOccurs="0"
type="MRNContentType04">
25851     <xs:annotation>
25852       <xs:documentation>
25853         <description value="MRN" />
25854         <format value="an18" />
25855         <optionality value="D" />
25856       <xsdBaseType
value="NCTS-P5_MRNTYPE" />
25857     </xs:documentation>
25858   </xs:annotation>
25859 </xs:element>
25860 <xs:element name="TIRCarnetNumber"
minOccurs="0"
type="TIRCarnetNumberContentType">
25861   <xs:annotation>
25862     <xs:documentation>
25863       <description value="TIR Carnet
number" />
25864       <format value="an..12" />
25865       <optionality value="D" />
25866     <xsdBaseType
value="TIRCarnetNumber" />
25867   </xs:documentation>
25868 </xs:annotation>
25869 </xs:element>
25870 <xs:element
name="declarationAcceptanceDate"
minOccurs="0"
type="DeclarationAcceptanceDateContentType">
25871   <xs:annotation>
25872     <xs:documentation>
25873       <description value="Declaration
acceptance date" />
25874       <format value="an10" />
25875       <optionality value="D" />
25876     <xsdBaseType value="DateType" />
25877   </xs:documentation>
25878 </xs:annotation>
25879 </xs:element>
25880 <xs:element
name="amendmentAcceptanceDateAndTime"
minOccurs="0"
type="AmendmentAcceptanceDateAndTimeContentTyp
e">
25881   <xs:annotation>
25882     <xs:documentation>
25883       <description value="Amendment
acceptance date and time" />
25884       <format value="an19" />
25885       <optionality value="D" />
25886     <xsdBaseType value="DateTimeType"
/>
25887   </xs:documentation>
25888 </xs:annotation>
25889 </xs:element>

```

```
26124 <xs:element name="ExportOperation"
maxOccurs="99" type="ExportOperationType02">
26125   <xs:annotation>
26126     <xs:documentation>
26127       <description value="EXPORT
OPERATION" />
26128     <optionality value="R" />
26129   </xs:documentation>
26130 </xs:annotation>
26131 </xs:element>
26132 </xs:sequence>
26133 </xs:complexType>
26134
<!--=====
=====-->
26135 <!--===== TransportCharges
-->
26136
<!--=====
=====-->
26137 <xs:complexType
name="TransportChargesType01">
26138   <xs:annotation>
26139     <xs:documentation>
26140       <usedBy>Used by 16/124 messages:
CC013C, CC015C, CC017C, CC029C, CCA13D,
CCA15D, CCA29D, CD001C, CD003C, CD038C,
CD050C, CD115C, CD160C, CD165C, CDA13D,
CDA15D</usedBy>
26141     </xs:documentation>
26142   </xs:annotation>
26756     <format value="a2" />
26757     <optionality value="R" />
26758     <xsdBaseType
value="CountryCodeType" />
26759   </xs:documentation>
26760 </xs:annotation>
26761 </xs:element>
26762 </xs:sequence>
26763 </xs:complexType>
26764
<!--=====
=====-->
26765 <!--=====
-->
26766
<!--=====
=====-->
26767 <xs:complexType name="TypeOfControlType">
26768   <xs:annotation>
26769     <xs:documentation>
26770       <usedBy>Used by 2/124 messages:
CC060C, CC060D</usedBy>
26771     </xs:documentation>
26772   </xs:annotation>
26773   <xs:sequence>
26774     <xs:element name="sequenceNumber"
type="SequenceNumberContentType02">
26970       <xs:annotation>
26971         <xs:documentation>
26972         <description value="Sequence
number" />
```

```
26125
<!--=====
=====-->
26126 <!--===== TransportCharges
-->
26127
<!--=====
=====-->
26128 <xs:complexType
name="TransportChargesType01">
26129   <xs:annotation>
26130     <xs:documentation>
26131       <usedBy>Used by 16/124 messages:
CC013C, CC015C, CC017C, CC029C, CCA13D,
CCA15D, CCA29D, CD001C, CD003C, CD038C,
CD050C, CD115C, CD160C, CD165C, CDA13D,
CDA15D</usedBy>
26132     </xs:documentation>
26133   </xs:annotation>
26747     <format value="a2" />
26748     <optionality value="R" />
26749     <xsdBaseType
value="CountryCodeType" />
26750   </xs:documentation>
26751 </xs:annotation>
26752 </xs:element>
26753 </xs:sequence>
26754 </xs:complexType>
26755
<!--=====
=====-->
26756 <!--===== TypeOfControls
-->
26757
<!--=====
=====-->
26758 <xs:complexType name="TypeOfControlType">
26759   <xs:annotation>
26760     <xs:documentation>
26761       <usedBy>Used by 2/124 messages:
CC060C, CC060D</usedBy>
26762     </xs:documentation>
26763   </xs:annotation>
26764   <xs:sequence>
26765     <xs:element name="sequenceNumber"
type="SequenceNumberContentType02">
26961       <xs:annotation>
26962         <xs:documentation>
26963         <description value="Sequence
number" />
```

```
25890 </xs:sequence>
25891 </xs:complexType>
25892
<!--=====
=====-->
25893 <!--===== TransportCharges
-->
25894
<!--=====
=====-->
25895 <xs:complexType
name="TransportChargesType01">
25896   <xs:annotation>
25897     <xs:documentation>
25898       <usedBy>Used by 16/124 messages:
CC013C, CC015C, CC017C, CC029C, CCA13D,
CCA15D, CCA29D, CD001C, CD003C, CD038C,
CD050C, CD115C, CD160C, CD165C, CDA13D,
CDA15D</usedBy>
25899     </xs:documentation>
25900   </xs:annotation>
26514     <format value="a2" />
26515     <optionality value="R" />
26516     <xsdBaseType
value="CountryCodeType" />
26517   </xs:documentation>
26518 </xs:annotation>
26519 </xs:element>
26520 </xs:sequence>
26521 </xs:complexType>
26522
<!--=====
=====-->
26523 <!--===== TypeOfControls
-->
26524
<!--=====
=====-->
26525 <xs:complexType name="TypeOfControlType">
26526   <xs:annotation>
26527     <xs:documentation>
26528       <usedBy>Used by 2/124 messages:
CC060C, CC060D</usedBy>
26529     </xs:documentation>
26530   </xs:annotation>
26531   <xs:sequence>
26532     <xs:element name="sequenceNumber"
type="SequenceNumberContentType02">
26728       <xs:annotation>
26729         <xs:documentation>
26730         <description value="Sequence
number" />
```

```

26973         <format value="n..5" />
26974         <optionality value="R" />
26975         <xsdBaseType
value="NumericwithoutZero_5" />
26976     </xs:documentation>
26977 </xs:annotation>
26978 </xs:element>
26979 <xs:element name="MRN"
type="MrnContentType05">
26980     <xs:annotation>
26981         <xs:documentation>
26982             <description value="MRN" />
26983             <format value="an18" />
26984             <optionality value="R" />
26985             <xsdBaseType value="MRNType" />
26986         </xs:documentation>
26987     </xs:annotation>
26988 </xs:element>
27090 </xs:documentation>
27091 </xs:annotation>
27092 </xs:element>
27093 <xs:element name="errorColumnNumber"
type="ErrorColumnNumberContentType">
27094     <xs:annotation>
27095         <xs:documentation>
27096             <description value="Error column
number" />
27097             <format value="n..9" />
27098             <optionality value="R" />
27099         </xs:documentation>
27100     </xs:annotation>
27101 </xs:element>
27102 <xs:element name="errorPointer"
minOccurs="0" type="ErrorPointerContentType">
27103     <xs:annotation>
27104         <xs:documentation>
27105             <description value="Error
pointer" />
27106             <format value="an..512" />
27107             <optionality value="0" />
27135             <description value="Original
attribute value" />
27136             <format value="an..512" />
27137             <optionality value="0" />
27138             <xsdBaseType
value="AlphaNumeric_MAX512_NoSpaces" />
27139         </xs:documentation>
27140     </xs:annotation>
27141 </xs:element>
27142 </xs:sequence>
27143 </xs:complexType>
27144 </xs:schema>

```

```

27130         ctypes.xsd x 3
27131         <format value="n..5" />
27132         <optionality value="R" />
27133         <xsdBaseType
27134         value="NumericwithoutZero_5" />
27135       </xs:documentation>
27136     </xs:annotation>
27137   </xs:element>
27138   <xs:element name="MRN"
27139   type="MRNContentType05">
27140     <xs:annotation>
27141       <xs:documentation>
27142         <description value="MRN" />
27143         <format value="an18" />
27144         <optionality value="R" />
27145         <xsdBaseType value="MRNType" />
27146       </xs:documentation>
27147     </xs:annotation>
27148   </xs:element>
27149   </xs:documentation>
27150 </xs:annotation>
27151 </xs:element>
27152 <xs:element name="errorColumnNumber"
27153 type="ErrorColumnNumberContentType">
27154   <xs:annotation>
27155     <xs:documentation>
27156       <description value="Error column
27157 number" />
27158       <format value="n..9" />
27159       <optionality value="R" />
27160     <xsdBaseType
27161     value="NumericwithZero_9" />
27162   </xs:documentation>
27163 </xs:annotation>
27164 </xs:element>
27165 <xs:element name="errorPointer"
27166 minOccurs="0" type="ErrorPointerContentType">
27167   <xs:annotation>
27168     <xs:documentation>
27169       <description value="Error
27170 pointer" />
27171       <format value="an..512" />
27172       <optionality value="0" />
27173     <description value="Original
27174 attribute value" />
27175     <format value="an..512" />
27176     <optionality value="0" />
27177     <xsdBaseType
27178     value="AlphaNumeric_MAX512_Nospaces" />
27179   </xs:documentation>
27180 </xs:annotation>
27181 </xs:element>
27182 </xs:sequence>
27183 </xs:complexType>
27184 </xs:schema>
27185

```

```

26731         <format value="n..5" />
26732         <optionality value="R" />
26733         <xsdBaseType
26734         value="NumericwithoutZero_5" />
26735     </xs:documentation>
26736 </xs:annotation>
26737 </xs:element>
26738 <xs:element name="MRN"
26739 type="MRNContentType05">
26740     <xs:annotation>
26741     <xs:documentation>
26742     <description value="MRN" />
26743     <format value="an18" />
26744     <optionality value="R" />
26745     <xsdBaseType value="MRNType" />
26746     </xs:documentation>
26747 </xs:annotation>
26748 </xs:element>
26749 </xs:documentation>
26750 </xs:annotation>
26751 </xs:element>
26752 <xs:element name="errorColumnNumber"
26753 type="ErrorColumnNumberContentType">
26754     <xs:annotation>
26755     <xs:documentation>
26756     <description value="Error column
26757     number" />
26758     <format value="n..9" />
26759     <optionality value="R" />
26760     <xsdBaseType
26761     value="NumericwithZero_9" />
26762     </xs:documentation>
26763 </xs:annotation>
26764 </xs:element>
26765 <xs:element name="errorPointer"
26766 minOccurs="0" type="ErrorPointerContentType">
26767     <xs:annotation>
26768     <xs:documentation>
26769     <description value="Error
26770     pointer" />
26771     <format value="an..512" />
26772     <optionality value="O" />
26773     <description value="Original
26774     attribute value" />
26775     <format value="an..512" />
26776     <optionality value="O" />
26777     <xsdBaseType
26778     value="AlphaNumeric_MAX512_NoSpaces" />
26779     </xs:documentation>
26780 </xs:annotation>
26781 </xs:element>
26782 </xs:sequence>
26783 </xs:complexType>
26784 </xs:schema>

```